

SAFETY DATA SHEETS

This SDS packet was issued with item:

075897244

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075897236

MATERIALS SAFETY DATA SHEET: *EMBRACE™ WETBOND™ PIT AND FISSURE SEALANT*

IDENTITY Trade Name: *EMBRACE™ WETBOND™ PIT AND FISSURE SEALANT*
Codes: Natural shade: EMS, EMS3, EMSB.
Off-white shade: EMSW, EMS3W, EMSWB, EMSWD50
Chemical Description: Light-cured, glass-filled resin (No Bisphenol A)
Product Use: Dental sealant

SECTION I

Pulpdent Corporation
80 Oakland Street
Watertown, MA 02472 USA

Phone Numbers:
24 Hour Emergency: 1-800-535-5053
Customer Service: 1-800-343-4342 / 1-617-926-6666

Date Prepared: November 1, 2006

SECTION II - HAZARDOUS INGREDIENTS

<i>Ingredients</i>	<i>CAS Number</i>	<i>PEL/TLV</i>
Uncured Acrylate resins	-----	Not established
Silica, amorphous	112945-52-5	6 mg/m ³ / 10 mg/m ³
Sodium fluoride	7981-49-4	2.5 mg/m ³ (as F)
DOT HAZARD CLASSIFICATION:	Not regulated	
WHMIS CLASSIFICATION:	D-2 possible irritant	
NFPA HMIS RATING: HEALTH: 0	FLAMMABILITY: 0	REACTIVITY: 1

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

Specific Gravity: 1.575	Vapor Pressure: <1 mm Hg
Vapor Density: 1	Evaporation Rate: Not available
Solubility in water: nil	Odor Threshold: Not available

Appearance and Odor: Thin paste, either natural tooth shade or off-white, with faint characteristic odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: not established Flammable limits: not established

Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam or water fog. Water spray may be used to keep fire exposed containers cool.

Special Fire Fighting Procedures: A self-contained breathing apparatus should be worn by fire fighting personnel. Cool exposed containers with water spray to prevent polymerization under fire conditions.

Hazardous Combustion Products: Hazardous polymerization with heat build up and release of carbon monoxide, carbon dioxide and oxides of nitrogen may occur under fire conditions.

SECTION V - REACTIVITY DATA

Stability: Stable Conditions to avoid: Heat (>100°F), light, especially direct sunlight.

Incompatibility: Reducing and oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, oxides of nitrogen.

Hazardous Polymerization: None under normal conditions of use.

Conditions to avoid: Heat (>100°F), intense light.

MATERIALS SAFETY DATA SHEET: EMBRACE™ WETBOND™ PIT AND FISSURE SEALANT

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Minimal health hazard in these quantities. May be irritating to eyes, mucous membranes or skin.

<u>Route of Exposure</u>	<u>Signs & Symptoms</u>
Inhalation	May be irritating to mucous membranes
Eye Contact	May be irritating
Skin Absorption	Not applicable
Skin Contact	Primary route of exposure. May be irritating
Ingestion	May be irritating to mucous membranes.

Summary of Chronic Hazards: May be sensitizing, especially with prolonged and/or repeated exposure.

Carcinogenicity	None known
Teratogenicity	None known.
Mutagenicity	None known.
Reproductive Toxicity	None known.

Emergency First Aid Procedures:

Inhalation	Move to fresh air. Administer artificial respiration if required and seek medical attention.
Eye Contact	Flush eyes with copious amounts of water for 15 minutes. Seek medical attention.
Ingestion	Consult physician immediately.
Skin Contact	Wash skin with soap and water for 15 minutes.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING & USE

Handling and Storage Precautions: Avoid temperature extremes, light and moisture.

Steps to Be Taken if Material is Released or Spilled: Absorb / wipe up spill with suitable material; collect for disposal.

Waste Disposal Method: Follow all government regulations.

Other Precautions: None

SECTION VIII - CONTROL MEASURES

Respiratory Protection: None required.

Ventilation: No special ventilation recommended under anticipated conditions of normal use.

Protective Gloves: Recommended

Eye Protection: Safety glasses or goggles are recommended.

Other Protective Clothing or Equipment: Emergency eye wash fountain.

Work/Hygienic Practices: Wash hands after use.

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.