

SAFETY DATA SHEETS

This SDS packet was issued with item:

076040018

N/A

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray**1731 0000**

Revision date: 05.11.2019

Product code: 17310000_USA

Page 1 of 6

1. Identification**Product identifier**

Renfert-Scanspray 1731 0000

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

Renfert-Scanspray is designed for extraoral use, in a laboratory environment, for use on prepared models and impressions prior to scanner exposure.

Uses advised against

No information available.

Details of the supplier of the safety data sheet**Manufacturer**

Company name:	Renfert GmbH	
Street:	Untere Giesswiesen 2	
Place:	D-78247 Hilzingen	
Telephone:	+49 7731 8208-0	Telefax: +49 7731 8208-70
e-mail:	info@renfert.com	
Contact person:	Frau Andris	Telephone: +49 7731 8208-927
e-mail:	silke.andris@renfert.com	
Internet:	www.renfert.com	

Supplier

Company name:	Renfert USA	
Street:	3718 Illinois Avenue	
Place:	USA-60174 St. Charles IL	
Telephone:	(001) 800336-7422	
e-mail:	Bob@RenfertUSA.com	
Contact person:	Bob Hurl	Telephone: +1 (630) 5497380
e-mail:	Bob@RenfertUSA.com	
Internet:	www.renfert.com	

Emergency phone number:

USA: 800-222-1222 (National Poison Control number) | CA: British Columbia: 800-567-8911 or 604-682-5050 Alberta: 1-800-332-1414 or 944-1414 Saskatchewan: 1-866-454-1212 Manitoba: 1-855-776-4766 Ontario: 1-800-268-9017 Quebec: 1-800-463-5060 New Brunswick: 911 New Foundland: 1-866-727-1110 Northwest Territories: 1-800-332-1414 Nova Scotia: 1-800-565-8161

2. Hazard(s) identification**Label elements****29 CFR Part 1910.1200****Signal word:** Danger**Pictograms:****Hazard statements**

Extremely flammable aerosol
Pressurised container: may burst if heated
Harmful to aquatic life with long lasting effects

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
Avoid release to the environment.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Hazards not otherwise classified

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

3. Composition/information on ingredients**Mixtures****Chemical characterization**

Aerosol

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray**1731 0000**

Revision date: 05.11.2019

Product code: 17310000_USA

Page 2 of 6

Hazardous components

CAS No	Components	Quantity
109-66-0	pentane	< 5 %

4. First-aid measures**Description of first aid measures****After inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

No special measures are necessary.

In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth. When in doubt or if symptoms are observed, get medical advice.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂), Extinguishing powder, Water spray jet, alcohol resistant foam

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Extremely flammable aerosol.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment.

Remove all sources of ignition.

Provide adequate ventilation.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Provide adequate ventilation.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas. If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray**1731 0000**

Revision date: 05.11.2019

Product code: 17310000_USA

Page 3 of 6

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Further information on storage conditions

Protect against: Heat, UV-radiation/sunlight

Heating causes rise in pressure with risk of bursting.

8. Exposure controls/personal protection**Control parameters****Exposure limits**

CAS No.	Substance	ppm	mg/m ³	f/cc	Category	Origin
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	REL
64-17-5	Ethyl alcohol	1000	1900		TWA (8 h)	REL
75-28-5	Isobutane	800	1900		TWA (8 h)	REL
109-66-0	Pentane	1000	2950		TWA (8 h)	REL
109-66-0	n-Pentane	120	350		TWA (8 h)	REL
		C 610	C 1800		Ceiling	REL

Exposure controls**Appropriate engineering controls**

Safe handling: see section 7

Protective and hygiene measures

Provide adequate ventilation.

Wash hands before breaks and after work.

Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), NR (natural rubber, natural latex)

Thickness of the glove material: $\geq 0,4$ mmBreakthrough time: ≥ 60 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Respiratory protection

Use only in well-ventilated areas.

Usually no personal respirative protection necessary.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state: Aerosol
Color: white
Odor: characteristic

pH-Value: not applicable

Changes in the physical state

Melting point/freezing point: not determined

Initial boiling point and boiling range: - 11 °C

Flash point: not applicable

Flammability

Solid: not applicable

Gas: not applicable

Lower explosion limits: 1,8 vol. %

Upper explosion limits: 8,5 vol. %

Ignition temperature: 460 °C

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray**1731 0000**

Revision date: 05.11.2019

Product code: 17310000_USA

Page 4 of 6

Auto-ignition temperature

Solid:

not applicable

Gas:

not applicable

Decomposition temperature:

not determined

Vapor pressure:

3000 hPa

(at 20 °C)

Density (at 20 °C):

0,64 g/cm³

Water solubility:

Immiscible

Partition coefficient:

not determined

Viscosity / dynamic:

not applicable

Viscosity / kinematic:

not applicable

Evaporation rate:

not applicable

Other information

Solid content:

< 10 %

10. Stability and reactivity**Reactivity**

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

In case of warming: Danger of bursting container.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Components					
	Exposure route	Dose	Species	Source	Method	
109-66-0	pentane					
	inhalation (4 h) vapour	LC50	364 mg/l	Rat	GESTIS	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

The product has not been tested. The statement is derived from the properties of the single components.

12. Ecological information**Ecotoxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray**1731 0000**

Revision date: 05.11.2019

Product code: 17310000_USA

Page 5 of 6

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Other adverse effects

No information available.

Further information

The product has not been tested. The statement is derived from the properties of the single components. Do not allow uncontrolled discharge of product into the environment.

13. Disposal considerations**Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

14. Transport information**US DOT 49 CFR 172.101**

UN/ID number: UN 1950
Proper shipping name: AEROSOLS
Transport hazard class(es): 2.1
Hazard label: 2.1

Marine transport (IMDG)

UN number: UN 1950
UN proper shipping name: AEROSOLS
Transport hazard class(es): 2.1
Packing group: -
Hazard label: 2.1



Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

UN number: UN 1950
UN proper shipping name: AEROSOLS, flammable
Transport hazard class(es): 2.1
Packing group: -
Hazard label: 2.1

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

Further information: see section 6, 7, 8

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information**U.S. Regulations****National regulatory information**

SARA Section 311/312 Hazards:

Isobutane (75-28-5): Fire hazard

ethanol; ethyl alcohol (64-17-5): Fire hazard

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Renfert-Scanspray**1731 0000**

Revision date: 05.11.2019

Product code: 17310000_USA

Page 6 of 6

Pentane (109-66-0): Fire hazard, Immediate (acute) health hazard
Clean Air Act Section 112(r):
Isobutane (75-28-5): Threshold quantities = 10,000 lbs.
Pentane (109-66-0): Threshold quantities = 10,000 lbs.

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information**Hazardous Materials Information Label (HMIS)**

Health: 0
Flammability: 4
Physical Hazard: 1
Personal Protection: B

Revision date: 05.11.2019

Revision No: 2,0

Changes

Abs. 2, 3, 8, 9, 14, 16 * Data changed compared with the previous version

Abbreviations and acronyms

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LD50: lethal dose, 50%
LC50: lethal concentration, 50%
EC50: half maximal effective concentration
ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Restricted to professional users.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)