SAFETY DATA SHEETS

This SDS packet was issued with item:

070891150

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070891127 070891143 070891200 070891234 070891275 070891309 070891358 070891366 070891374 070891382 070891432 070891457 070891465



According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 1 of 8

Patterson Dental Super Dam

SECTION 1: Identification

Product identifier

Product name: Patterson Dental Super Dam

Product code: 070891127, 070891143, 070891150, 070891200, 070891234, 070891275, 070891309, 070891358, 070891366, 070891374, 070891382, 070891432, 070891457, 070891465

Recommended use of the product and restriction on use

Relevant identified uses: thin rubber sheet intended for isolating a tooth from fluids in the mouth during dental procedures, such as filling a cavity preparation

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Supplier

Patterson Dentaire Canada Inc. 1205 boul Henri-Bourassa West Montreal (Québec) H3M 3E6 +1 514-745-4040

Emergency telephone number:

Canada CHEMTREC

Within USA and Canada: 1-800-424-9300 (CHEMTREC, 24 hours)
Outside USA and Canada: +1-703-527-3887 (CHEMTREC, 24 hours)

SECTION 2: Hazard identification

GHS classification: Not a hazardous substance or mixture

Label elements

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 2 of 8

Patterson Dental Super Dam

Identification	Name	Weight %
CAS number: 9006-04-6	Rubber, Natural	99

Additional Information: None

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 3 of 8

Patterson Dental Super Dam

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Rubber, Natural	9006-04-6	Alberta OELs - 8-Hour TWA Exposure Limit: 0.001 mg/m³ (as total proteins)
	Rubber, Natural	9006-04-6	British Columbia OELs - 8-Hour TWA Exposure Value: 0.001 mg/m³ (inhalable total proteins)
	Rubber, Natural	9006-04-6	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 0.0001 mg/m³ (as inhalable allergenic proteins)

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 4 of 8

Patterson Dental Super Dam

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Rubber, Natural	9006-04-6	Ontario OELs - 8-Hour TWA Exposure Limit: 0.0001 mg/m³ (as inhalable allergenic proteins)
	Rubber, Natural	9006-04-6	Saskatchewan OELs - 8 Hour Average Contamination Limit: 0.001 mg/m³ (as total proteins, inhalable fraction)
	Rubber, Natural	9006-04-6	Saskatchewan OELs - 15 Minute Average Contamination Limit: 0.003 mg/m³ (as total proteins, inhalable fraction)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Thin Rubber Sheets
Odor:	Not determined or not available.
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 5 of 8

Patterson Dental Super Dam

Boiling point/range:	Not determined or not available.
Flash point:	Not determined or not available.
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	Not determined or not available.
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 6 of 8

Patterson Dental Super Dam

No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 7 of 8

Patterson Dental Super Dam

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available. **Substance data:** No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 11.27.2017 Page 8 of 8

Patterson Dental Super Dam

UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

	9006-04-6	Rubber, Natural	Listed	
--	-----------	-----------------	--------	--

Non-domestic substances list (NDSL): Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-1-0-0 **HMIS:** 1-1-0-0

Initial preparation date: 11.27.2017

End of Safety Data Sheet