SAFETY DATA SHEETS

This SDS packet was issued with item:

072035046

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072035004 072035012 072035020 072035038 072058253 273045788



G-CEM LINKACE - PASTE A MATERIAL SAFETY DATA SHEET



Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.

Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: G

G-CEM LinkAce - Paste A

PRODUCT USE:

Self adhesive resin cement for cementing metal, porcelain fused to metal resin and ceramic restorations.

SECTION 2 - COMPOSITION/DATA ON COMPONENTS

COMPONENT	C.A.S.	%
Fluoro-alumino-silicate glass		60-70
Urethanedimethacrylate		12-17
Dimethacrylate		12-17
Silicon dioxide		3-8
Initiator		Trace
Inhibitor	, <u></u>	Trace
Pigment		Trace

SECTION 3 — HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Irritant to eyes and skin. May cause sensitization by skin contact if a person is known to be allergic to any of the ingredients.

POTENTIAL HEALTH EFFECTS

EYE: Causes eye irritation **SKIN:** May cause skin irritation

INGESTION: May cause irritation of the digestive tract

SECTION 4 – FIRST AID MEASURES

SKIN: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms persist.

INGESTION: Consult a doctor if symptoms persist.

INHALATION: Supply fresh air and be sure to call for a doctor if symptoms persist.

EYES: Flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Consult a doctor if

symptoms persist.

SECTION 5 – FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES: Material is not flammable.

FLASH POINT: 93° C

FLAMMABLE LIMITS: Not determined

AUTO IGNITION TEMPERATURE: Not determined **HAZARDOUS COMBUSTION PRODUCTS:** None

EXTINGUISHING MEDIA: Carbon dioxide, dry chemicals, alcohol resistant foam, water spray.

FIRE FIGHTING INSTRUCTIONS: No special measures required.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb with liquid-binding material (sand, diatomite, acid binders, etc)

LARGE SPILL: Usually, no occasions large spill released.

SECTION 7 - HANDLING AND STORAGE

HANDLING: No special measures required.

STORAGE: Store at room temperature away from heat, moisture and direct sunlight. Keep receptacle tightly sealed.



MS002600

G-CEM LINKACE - PASTE A

Page 2 of 2

SECTION 8 – EXPOSURE CONTROL, PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not required. SKIN PROTECTION: Protective gloves EYE PROTECTION: Tightly sealed goggles ENGINEERING CONTROLS: Not required

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light yellowish color paste

ODOR: Odorless

BOILING POINT: Not determined VAPOR PRESSURE: Not determined VAPOR DENSITY: Not determined SOLUBILITY IN WATER: Not miscible. SPECIFIC GRAVITY: Not determined FREEZING POINT: Not determined

pH: Approx. 6.5 VOLATILE: None

SECTION 10- STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: No incompatibility known

HAZARDOUS DECOMPOSITION PRODUCTS: No hazardous products known. **HAZARDOUS POLYMERIZATION:** No hazardous polymerization known.

SECTION 11- TOXICOLOGICAL INFORMATION

ACUTE ORAL EFFECTS: Not determined.

PRIMARY IRRITANT EFFECT:

SKIN: Irritant to skin and mucous membranes.

EYES: Irritant effect

SENSITIZATION: Sensitization possible through skin contact.

SECTION 12- ECOLOGICAL INFORMATION

GENERAL NOTES: Not known to be hazardous to water.

SECTION 13- DISPOSAL CONSIDERATIONS

RECOMMENDATION: Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to the local official regulations.

SECTION 14- TRANSPORT INFORMATION

IMO Regulations: Not applicable

ICAO and IATA Regulations: Not applicable

SECTION 15- REGULATORY INFORMATION

Follow the state or local regulations, if any.

SECTION 16- OTHER INFORMATION

No information is available.

DATE: 6 August 2012

The information herein is given in good faith but no warranty expressed or implied is made.

.....



Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

1 Identification

- · Product identifier
- Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)
- Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental cement
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- **Emergency telephone number:**

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit, 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

H227 Combustible liquid.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- GHS07
- · Signal word Warning
- · Hazard-determining components of labeling: urethane dimethacrylate (UDMA)

(Contd. on page 2)

USA

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 1)

· Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eve irritation.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves / eye protection / face protection.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

20.6 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Da	ange	erous	comp	onents	:
------	------	-------	------	--------	----------

Dangerous	components.		
72869-86-4	urethane dimethacrylate (UDMA)	10-20%	
	dimethacrylate**	10-20%	

Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 2)

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· After eve contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

· Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USA -

(Contd. on page 4)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eves and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

USA

(Contd. on page 5)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 4)

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Pasty
Color:	Light yellow
Odor:	Odorless
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	6.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	93 °C (199 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.

10 Stability and reactivity

Solvent content: Organic solvents:

Solids content:

· Other information

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.

(Contd. on page 6)

0.0 %

85.0 %

No further relevant information available.

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 5)

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 6)

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendments and Reauthorization Act)
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

glass, oxide, chemicals

(Contd. on page 8)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 7)

urethane dimethacrylate (UDMA)

dimethacrylate**

surface-treated silica**

silane**

synergist**

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labeling:

urethane dimethacrylate (UDMA)

· Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves / eye protection / face protection.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

- · Department issuing MSDS: Regulatory Affairs
- · Contact:

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

· Date of preparation / last revision 02/24/2015 / -

(Contd. on page 9)

USA

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/24/2015

Trade name: G-CEM LinkAce (Paste A, Shades: A2, AO3, BO1, and Translucent)

(Contd. of page 8)

Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

: Flammable liquids, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Sources

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- TOXNET (http://toxnet.nlm.nih.gov/)
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

· Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

* Data compared to the previous version altered. This version replaces all previous versions.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA