

SAFETY DATA SHEETS

This SDS packet was issued with item:

072069987

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072035244 072069904 072069912 072069920 072069938 072069946 072069953 072069961 072069979

MS004194

G-AENIAL FLO
MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION**DISTRIBUTOR**

GC AMERICA INC.
3737 West 127th St.
Alsip, Illinois, 60803
Telephone: 708-597-0900
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.
Transportation Emergency No. 800-424-9300

COMMON NAME: G-AENIAL FLO**CHEMICAL NAME:** N.A.**PRODUCT USE:** Light-cured flowable composite resin

The following information is provided with regard to the toxicity and hazards the pure components present in this product.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

| COMPONENT | C.A.S. | EXPOSURE LIMITS | LD50/LC50 | % |
|-----------------------------------|------------|-----------------|-----------|-------|
| Strontium glass | Not listed | | N.E. | 55-60 |
| Bis-MEPP | 41637-38-1 | N.E. | N.E. | 15-20 |
| Urethanedimethacrylate | 72869-86-4 | N.E. | N.E. | 5-10 |
| Dimethacrylate | 1830-78-0 | N.E. | N.E. | 5-10 |
| Lanthanoid Fluoride | 13760-80-0 | N.E. | N.E. | 5-10 |
| Silicon dioxide (fumed/amorphous) | 60842-32-2 | N.E. | N.E. | 1-5 |
| Pigment | | N.E. | N.E. | <0.1 |
| Photo initiator | | N.E. | N.E. | <0.1 |

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: N.A. **SPECIFIC GRAVITY:** N.E.
VAPOR PRESSURE: N.E. **MELTING POINT:** N.E.
VAPOR DENSITY: N.E. **EVAPORATION RATE:** N.E.
ODOR THRESHOLD: N.E. **SOLUBILITY IN WATER:** Not miscible
COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E.
APPEARANCE AND ODOR: Brown or clear color, viscous and odorless paste

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: N.E. **FLAMMABLE LIMITS:** N.A.
EXTINGUISHING MEDIA: Dry chemical, alcohol-resistant foam and carbon dioxide.
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full protective equipment.
UNUSUAL FIRE AND EXPLOSION HAZARDS: N.E.
HAZARDOUS COMBUSTION PRODUCTS: N.E.

SECTION 5 - REACTIVITY DATA

STABILITY: Stable ☒ Unstable ☐
POLYMERIZATION: Will Not Occur ☒ Will Occur ☐

CONDITIONS TO AVOID: High temperatures, ignition sources and excess heat.
INCOMPATIBILITY (MATERIALS TO AVOID): N.E.
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N.E.

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

| | YES | NO | NE | NA | NTP | IARC | OSHA | OTHER |
|---------------------|-----|----|----|----|-----|------|------|-------|
| MUTAGENIC AFFECTS | | X | | | | | | |
| TERATOGENIC AFFECTS | | X | | | | | | |
| REPRODUCTIVE TOXIN | | X | | | | | | |
| CARCINOGENICITY | | X | | | | | | |
| SENSITIZER | | X | | | | | | |

ROUTES OF ENTRY: Inhalation ☒ Skin ☒ Ingestion ☒

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Excessive exposure may produce a headache, irritates eyes and tearing.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Persons with pre-existing skin disorders or eye problems, or impaired liver, kidney or respiratory function may be more susceptible to the effects of the substance.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.

SKIN: Flush skin with plenty of soap and water. Seek medical attention.

INGESTION: Induce vomiting immediately as directed by medical personnel. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Eliminate source of ignition. Wipe or absorb with inert materials (dry sand, earth, etc.) and transfer to container for disposal.

WASTE DISPOSAL METHOD: Dispose of waste in facility permitted for waste in accordance with local, state and federal regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store at normal room temperature in a well ventilated area. Avoid direct sunlight.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: Reduce exposure in accordance with safety hygiene practice. If needed, use an approved respirator for organic vapors.

VENTILATION: Local Exhaust: Yes Mechanical: N.E. Special: N.E. Other: None

PROTECTIVE GLOVES: Disposable vinyl gloves are recommended.

EYE PROTECTION: Goggles or full face shield are recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station.

WORK/HYGIENIC PRACTICE: Follow routine safe hygiene practices.

SECTION 9 - PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200 and W.H.M.I.S. CPR

DATE: 24 September 2010

REVISED: 09 March 2012

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.

FIRE - 2

TOXICITY - 1

NFPA

REACTIVITY - 1

SPECIAL -



Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1



Reviewed on 02/24/2015

1 Identification

- **Product identifier**
- **Trade name:** G-ærial Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)
- **Relevant identified uses of the substance or mixture and uses advised against**
Dental material
The product is intended for professional use.
To avoid risks for humans and environment obtain instructions.
- **Application of the substance / the mixture** Dental filling material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GC America Inc.
3737 W. 127th Street
Alsip, IL 60803
USA

sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**
Acute Tox. 3 H311 Toxic in contact with skin.
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Acute Tox. 4 H302 Harmful if swallowed.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **Additional information:**
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**
 
GHS06 GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**
ytterbium trifluoride

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-ænia Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 1)

 urethane dimethacrylate (UDMA)
 stabilizer**

butylated hydroxytoluene (BHT)

Hazard statements

Harmful if swallowed.

Toxic in contact with skin.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Contaminated work clothing must not be allowed out of the workplace.

[In case of inadequate ventilation] wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

If experiencing respiratory symptoms: Call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

16 % of the mixture consists of component(s) of unknown toxicity.

Classification system:
NFPA ratings (scale 0 - 4)


Health = 2

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)


Health = 2

Fire = 1

Reactivity = 0

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures
Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

| | | |
|------------|--|--------|
| 41637-38-1 | ethoxylated bisphenol-A dimethacrylate (Bis-EMA) | 10-20% |
| | dimethacrylate** | 5-10% |
| 72869-86-4 | urethane dimethacrylate (UDMA) | 5-10% |
| 128-37-0 | butylated hydroxytoluene (BHT) | < 1% |
| | UV-light absorber** | < 1% |
| | stabilizer** | < 1% |

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-æniel Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 2)

· **Additional information:**

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

Do not use mouth to mouth or mouth to nose resuscitation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** Allergic reactions

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-æniel Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 3)

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Do not inhale dust / smoke / mist.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

· **Information about protection against explosions and fires:** No special measures required.

· **Storage:** Store only in the original receptacle.

· **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:** Observe instructions for use / storage.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· **Breathing equipment:** Suitable respiratory protective device recommended.

· **Protection of hands:** Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-ænia Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 4)

be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- Form:

- Pasty

- Color:

- According to product specification

- **Odor:**

- Characteristic

- **Odor threshold:**

- Not determined.

- **pH-value:**

- Not determined.

- **Change in condition**

- Melting point/Melting range:

- Undetermined.

- Boiling point/Boiling range:

- Undetermined.

- **Flash point:**

- > 150 °C (> 302 °F)

- **Flammability (solid, gaseous):**

- Not applicable.

- **Ignition temperature:**

- Undetermined.

- **Decomposition temperature:**

- Not determined.

- **Auto igniting:**

- Product is not selfigniting.

- **Danger of explosion:**

- Product does not present an explosion hazard.

- **Explosion limits:**

- Lower:

- Not determined.

- Upper:

- Not determined.

- **Vapor pressure:**

- Not determined.

- **Density:**

- Not determined.

- **Relative density**

- Not determined.

- **Vapour density**

- Not determined.

- **Evaporation rate**

- Not determined.

- **Solubility in / Miscibility with**

- Water:

- Insoluble.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

- Dynamic:

- Not determined.

- Kinematic:

- Not determined.

- **Solvent content:**

- Organic solvents:

- 0.0 %

- Solids content:

- 100.0 %

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-æniel Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 5)

Other information

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

128-37-0 butylated hydroxytoluene (BHT)

| | | |
|--------|------|--------------------------|
| Oral | LD50 | 10700 mg/kg (guinea pig) |
| | | 1040 mg/kg (mouse) |
| | | 2930 mg/kg (rat (f+m)) |
| Dermal | LD50 | 890 mg/kg (rat (f+m)) |

stabilizer**

| | | |
|------|------|----------------------------------|
| Oral | LD50 | 530 mg/kg (mouse) |
| | | 910 mg/kg (rat (f+m)) (OECD 401) |

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:**
Sensitization possible through inhalation.
Sensitization possible through skin contact.
- **Experience with humans:**
May cause damage to kidneys.
May cause damage to liver.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

| | |
|--------------------------------|---|
| ytterbium trifluoride | 3 |
| silicon dioxide, amorphous | 3 |
| butylated hydroxytoluene (BHT) | 3 |

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-æniel Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 6)

· Carcinogenic categories' legend:

- IARC Group 1: The agent is carcinogenic to humans.
- IARC Group 2A: The agent is probably carcinogenic to humans.
- IARC Group 2B: The agent is possibly carcinogenic to humans.
- IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.
- IARC Group 4: The agent is probably not carcinogenic to humans.
- NTP K: Known to be human carcinogen.
- NTP R: Reasonably anticipated to be human carcinogen.

12 Ecological information

· Toxicity
· Aquatic toxicity:
128-37-0 butylated hydroxytoluene (BHT)

NOEC-value Ecol. other effects 0.07 mg/l (daphnia magna)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxic effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
 Water hazard class 3 (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Void

(Contd. on page 8)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-ænia Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 7)

- | | |
|--|-----------------|
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act)**

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

glass, oxide, chemicals
 ethoxylated bisphenol-A dimethacrylate (Bis-EMA)
 dimethacrylate**
 ytterbium trifluoride
 urethane dimethacrylate (UDMA)
 silane**
 butylated hydroxytoluene (BHT)
 initiator**
 dimethacrylate**
 UV-light absorber**
 stabilizer**
 synergist**

Carcinogenic categories
EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

ytterbium trifluoride

A4

(Contd. on page 9)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-æniel Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 8)

butylated hydroxytoluene (BHT)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms


GHS06 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

ytterbium trifluoride

urethane dimethacrylate (UDMA)

stabilizer**

butylated hydroxytoluene (BHT)

· Hazard statements

Harmful if swallowed.

Toxic in contact with skin.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Contaminated work clothing must not be allowed out of the workplace.

[In case of inadequate ventilation] wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

If experiencing respiratory symptoms: Call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Department issuing MSDS: Regulatory Affairs

· Contact:

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

· Date of preparation / last revision 02/24/2015 / -

· Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

USA

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: G-æniel Flo (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 9)

DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Acute Tox. 4: Acute toxicity, Hazard Category 4
 Acute Tox. 3: Acute toxicity, Hazard Category 3
 Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem (www.echemportal.org)

Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society.
 CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- *** Data compared to the previous version altered.** This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA