

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

072071025

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

072038792 070421917 072038784 072038818 072038826 072038834 072071017 072071041

**SECTION 1 - SOURCE/IDENTITY/USE INFORMATION****DISTRIBUTOR**

GC AMERICA INC.  
3737 West 127th St.  
Alsip, Illinois, 60803  
Telephone: 708-597-0900  
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.  
Transportation Emergency Telephone No. 800-424-9300

**COMMON NAME:** GC FujiCem/FujiCEM Automix - PASTE A**CHEMICAL NAME:** N.A.**PRODUCT USE:** Reinforced glass ionomer luting cement – Paste A.

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed paste system.

**SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Alumino-fluoro-silicate glass (amorphous)	(Not listed)	TLV=10mg/m <sup>3</sup> PEL=15mg/m <sup>3</sup> (ACGIH)	N.E.	60-70
2-Hydroxyethylmethacrylate	868-77-9	N.E.	LD50=5888mg/kg (oral rat)	10-20
Urethanedimethacrylate	72869-8604	N.E.		10-12
Silica powder	112945-52-5	N.E.	N.E.	6

**SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

<b>BOILING POINT:</b> N.A.	<b>SPECIFIC GRAVITY (H2O = 1):</b> N.E.
<b>VAPOR PRESSURE:</b> N.E.	<b>MELTING POINT:</b> N.A.
<b>VAPOR DENSITY:</b> N.E.	<b>EVAPORATION RATE:</b> N.E.
<b>SOLUBILITY IN WATER:</b> Insoluble	<b>ODOR THRESHOLD:</b> N.E.
<b>COEFFICIENT OF OIL/WATER DISTRIBUTION:</b> N.E.	<b>APPEARANCE AND ODOR:</b> White paste, odorless

**SECTION 4 - FIRE AND EXPLOSION DATA**

**FLASH POINT:** Not flammable   **FLAMMABLE LIMITS:** N.A.  
**EXTINGUISHING MEDIA:** Material is not combustible. Use extinguishing media appropriate to the surrounding area.  
**SPECIAL FIRE FIGHTING PROCEDURES:** N.A.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** N.E.  
**HAZARDOUS COMBUSTION PRODUCTS:** Carbon dioxide, carbon monoxide

**SECTION 5 - REACTIVITY DATA**

**STABILITY:**                 Stable    Unstable   
**POLYMERIZATION:**     Will Not Occur    Will Occur

**CONDITIONS TO AVOID:** Avoid high temperatures and humidity**INCOMPATIBILITY (MATERIALS TO AVOID):** N.E.**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** At elevated temperatures various fluoride compounds will be liberated, including toxic hydrogen fluoride and sodium potassium fluoride.

**SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION**

	YES	NO	N.E.	N.A.	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation  Skin  Ingestion

**HEALTH HAZARD (Acute and Chronic):** Dusts of silica is a known cause of silicosis, a non-cancerous lung disease.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** Irritation and soreness in throat and nose.

**CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** May aggravate preexisting upper respiratory and lung disease.

**EMERGENCY FIRST AID PROCEDURES:**

**INHALATION:** Remove to fresh air. If irritation persists, seek medical attention.

**INGESTION:** Do not induce vomiting – give large volumes of water. Seek medical attention.

**SKIN:** Wash with soap and water.

**EYES:** Flush with large quantities of water. If irritation develops seek medical attention.

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

**IN CASE OF RELEASE OR SPILL:** Avoid generating dust while sweeping. If an excessive amount of dust is generated use a filter equipped vacuum and MSHA/NIOSH approved mask.

**WASTE DISPOSAL METHOD:** In accordance with local, state and federal regulations.

**STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Store at normal room temperatures and humidity.

**SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Minimize exposure in accordance with good hygiene practice. If needed, use MSHA-NIOSH approved respirator for dusts, mists and fumes.

**VENTILATION:** Local Exhaust: Yes Mechanical: N.A. Special: N.A Other: N.A.

**PROTECTIVE GLOVES:** Disposable vinyl gloves

**EYE PROTECTION:** Safety glasses

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eyewash station

**WORK/HYGIENIC PRACTICE:** Follow safe hygiene practices.

**SECTION 9- PREPARATION INFORMATION**

*This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR*

**DATE:** 27 September 2010

**REVISED:** 20 February 2012

N.A. = NOT APPLICABLE  
N.E. = NOT ESTABLISHED

*The information herein is given in good faith but no warranty expressed or implied is made.*

---

FIRE - 0	TOXICITY - 1	NFPA REACTIVITY - 0	SPECIAL -
----------	--------------	------------------------	-----------

---

**SECTION 1 - SOURCE/IDENTITY/USE INFORMATION****DISTRIBUTOR**

GC AMERICA INC.  
3737 West 127th St.  
Alsip, Illinois, 60803  
Telephone: 708-597-0900  
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.  
Transportation Emergency Telephone No. 800-424-9300

**COMMON NAME:** GC FUJICEM / GC FUJICEM AUTOMIX - PASTE B**CHEMICAL NAME:** N.A.**PRODUCT USE:** Radiopaque Reinforced Glass Ionomer Luting Cement – Paste B

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed paste system.

**SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Polyacrylic acid	9003-01-04	TWA=10ppm (ACGIH)	LD50 = 2500mg/kg (oral rat) LC50 = N.E.	30-40
Distilled water	7732-18-5	N.E.	N.E.	30-40
Silicon dioxide (fumed, amorphous)	14808-60-7	N.E.	N.E.	15-20
Silica powder	112945-52-5	N.E.	N.E.	2
Benzenesulfonic acid sodium salt	515-42-4	N.E.	N.E.	2-3

**SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

**BOILING POINT:** N.A. **SPECIFIC GRAVITY (H<sub>2</sub>O = 1):** N.E.  
**VAPOR PRESSURE:** N.E. **MELTING POINT:** N.A.  
**VAPOR DENSITY:** N.E. **EVAPORATION RATE:** N.E.  
**SOLUBILITY IN WATER:** N.E. **ODOR THRESHOLD:** N.E.  
**COEFFICIENT OF OIL/WATER DISTRIBUTION:** N.E. **APPEARANCE AND ODOR:** Colorless, slightly viscous and odorless

**SECTION 4 - FIRE AND EXPLOSION DATA**

**FLASH POINT:** N.E. **FLAMMABLE LIMITS:** N.A.  
**EXTINGUISHING MEDIA:** Alcohol foam, dry chemical  
**SPECIAL FIRE FIGHTING PROCEDURES:** Full protective clothing and self-contained breathing apparatus.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** N.E.  
**HAZARDOUS COMBUSTION PRODUCTS:** N.E.

**SECTION 5 - REACTIVITY DATA**

**STABILITY:** Stable  Unstable   
**POLYMERIZATION:** Will Not Occur  Will Occur

**CONDITIONS TO AVOID:** High heat  
**INCOMPATIBILITY (Materials to Avoid):** None known  
**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** None known



**SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION**

	YES	NO	N.E.	N.A.	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation  Skin  Ingestion

HEALTH HAZARD (Acute and Chronic): Care should be taken to avoid contact with skin or eyes.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: N.E.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

**EMERGENCY FIRST AID PROCEDURES:**

**INGESTION:** Do not induce vomiting - give large volumes of water. Seek medical attention.

**SKIN:** Wash with soap and water. If irritation persists seek medical attention.

**EYES:** Flush with water for 15 minutes. If irritation develops seek medical attention.

**INHALATION:** Remove to fresh air. If irritation persists seek medical attention.

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

**IN CASE OF RELEASE OR SPILL:** Cover with absorbent material. Collect spilled material. Clean up residue.

**WASTE DISPOSAL METHOD:** Dilute with water and flush into drain with large volumes of water.

**STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Store in a cool dry place in tightly closed container. Store away from heat.

**SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Minimize exposure in accordance with good hygiene practice. If needed, use MSHA-NIOSH approved respirator for dusts, mists and fumes.

**VENTILATION:** None required      **Local Exhaust:** N.A.      **Mechanical:** N.A.      **Special:** N.E.      **Other:** N.A.

**PROTECTIVE GLOVES:** Disposable vinyl gloves

**EYE PROTECTION:** Safety glasses

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eyewash station

**WORK/HYGIENIC PRACTICE:** N.E.

**SECTION 9- PREPARATION INFORMATION**

*This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR*

**DATE:** 6 December 2011

**REVISED:** 20 February 2012

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

*The information herein is given in good faith but no warranty expressed or implied is made.*

---

FIRE - 1	TOXICITY - 1	NFPA REACTIVITY - 0	SPECIAL – ACID
----------	--------------	------------------------	----------------

---

**SECTION 1 - SOURCE/IDENTITY/USE INFORMATION****DISTRIBUTOR**

GC AMERICA INC.  
3737 West 127th St.  
Alsip, Illinois, 60803  
Telephone: 708-597-0900  
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.  
Transportation Emergency Telephone No. 800-424-9300

**COMMON NAME:** GC FujiCem 2 - PASTE A

**CHEMICAL NAME:** N.A.

**PRODUCT USE:** Radiopaque Reinforced Glass Ionomer Luting Cement – Paste A.

*The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed paste system.*

**SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Alumino-fluoro-silicate glass (amorphous)	(Not listed)	N.E.	N.E.	60-70
Hydroxyethyl methacrylate	868-77-9	N.E.	N.E.	10-20
Dimethacrylate	1830-78-0	N.E.	N.E.	10-20
Bis-MEPP	41637-38-1	N.E.	N.E.	10-20
Silicon Dioxide (fumed, amorphous)		N.E.	N.E.	10-20
Pigment		N.E.	N.E.	Trace

**SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

**BOILING POINT:** N.E.                      **SPECIFIC GRAVITY (H<sub>2</sub>O = 1):** N.E.  
**VAPOR PRESSURE:** N.E.                  **MELTING POINT:** N.E.  
**VAPOR DENSITY:** N.E.                   **EVAPORATION RATE:** N.E.  
**SOLUBILITY IN WATER:** Insoluble       **ODOR THRESHOLD:** N.E.  
**COEFFICIENT OF OIL/WATER DISTRIBUTION:** N.E.    **APPEARANCE AND ODOR:** White paste, odorless

**SECTION 4 - FIRE AND EXPLOSION DATA**

**FLASH POINT:** N.E.                               **FLAMMABLE LIMITS:** N.E.  
**EXTINGUISHING MEDIA:** Dry chemical, alcohol-resistant foam or water  
**SPECIAL FIRE FIGHTING PROCEDURES:** N.A.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** N.E.  
**HAZARDOUS COMBUSTION PRODUCTS:** N.E.

**SECTION 5 - REACTIVITY DATA**

**STABILITY:**                      Stable                       Unstable   
**POLYMERIZATION:**       Will Not Occur                       Will Occur

**CONDITIONS TO AVOID:** Avoid high temperatures and humidity

**INCOMPATIBILITY (MATERIALS TO AVOID):** Avoid contact with hydrofluoric acid. Contact with acids liberates hydrogen fluoride gas which is toxic and corrosive.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** At elevated temperatures various fluoride compounds will be liberated, including toxic hydrogen fluoride and sodium potassium fluoride.



**SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION**

	YES	NO	N.E.	N.A.	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation  Skin  Ingestion

HEALTH HAZARD (Acute and Chronic): Dusts of silica glass can cause silicosis, a non-cancerous lung disease.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Irritation and soreness in throat and nose.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate pre-existing upper respiratory and lung disease. May cause sensitization by skin contact.

**EMERGENCY FIRST AID PROCEDURES:**

**INHALATION:** Remove to fresh air. If irritation persists, seek medical attention.

**INGESTION:** Do not induce vomiting – give large volumes of water. Seek medical attention.

**SKIN:** Wash with soap and water and rinse thoroughly.

**EYES:** Flush with large quantities of water. If irritation develops seek medical attention.

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

IN CASE OF RELEASE OR SPILL: Wipe or absorb with inert materials (dry sand, earth, etc.) and transfer to container for disposal.

WASTE DISPOSAL METHOD: Dispose of waste in facility permitted for waste in accordance with local, state and federal regulations

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store at normal room temperatures and humidity.

**SECTION 8 - CONTROL MEASURES**

RESPIRATORY PROTECTION: Minimize exposure in accordance with good hygiene practice. If needed, use MSHA-NIOSH approved respirator for dusts, mists and fumes.

VENTILATION: Local Exhaust: Yes Mechanical: N.A. Special: N.A Other: N.A.

PROTECTIVE GLOVES: Disposable vinyl gloves

EYE PROTECTION: Safety glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station

WORK/HYGIENIC PRACTICE: Follow safe hygiene practices.

**SECTION 9- PREPARATION INFORMATION**

*This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR*

DATE: 1 February 2012

N.A. = NOT APPLICABLE  
N.E. = NOT ESTABLISHED

*The information herein is given in good faith but no warranty expressed or implied is made.*

---

FIRE - 1	TOXICITY - 1	NFPA REACTIVITY - 0	SPECIAL -
----------	--------------	------------------------	-----------

---

**SECTION 1 - SOURCE/IDENTITY/USE INFORMATION****DISTRIBUTOR**

GC AMERICA INC.  
3737 West 127th St.  
Alsip, Illinois, 60803  
Telephone: 708-597-0900  
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.  
Transportation Emergency Telephone No. 800-424-9300

**COMMON NAME:** GC FUJICEM 2 - PASTE B**CHEMICAL NAME:** N.A.**PRODUCT USE:** Radiopaque Reinforced Glass Ionomer Luting Cement – Paste B

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed paste system.

**SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Polyacrylic acid	9003-01-04	TWA=10ppm (ACGIH)	LD50 = 2500mg/kg (oral rat) LC50 = N.E.	75-80
Distilled water	7732-18-5	N.E.	N.E.	1-5
Silicone dioxide (fumed, amorphous)		N.E.	N.E.	10-15
Initiator		N.E.	N.E.	1-5

**SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

**BOILING POINT:** N.E. **SPECIFIC GRAVITY (H<sub>2</sub>O = 1):** N.E.  
**VAPOR PRESSURE:** N.E. **MELTING POINT:** N.E.  
**VAPOR DENSITY:** N.E. **EVAPORATION RATE:** N.E.  
**SOLUBILITY IN WATER:** Not miscible or difficult to mix **ODOR THRESHOLD:** N.E.  
**COEFFICIENT OF OIL/WATER DISTRIBUTION:** N.E. **APPEARANCE AND ODOR:** Colorless, slightly viscous and odorless

**SECTION 4 - FIRE AND EXPLOSION DATA**

**FLASH POINT:** N.E. **FLAMMABLE LIMITS:** N.A.  
**EXTINGUISHING MEDIA:** Alcohol foam, dry chemical or water spray.  
**SPECIAL FIRE FIGHTING PROCEDURES:** N.E.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Product does not present an explosion hazard.  
**HAZARDOUS COMBUSTION PRODUCTS:** N.E.

**SECTION 5 - REACTIVITY DATA**

**STABILITY:** Stable  Unstable   
**POLYMERIZATION:** Will Not Occur  Will Occur

**CONDITIONS TO AVOID:** High heat**INCOMPATIBILITY (Materials to Avoid):** None known**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** None known



**SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION**

	YES	NO	N.E.	N.A.	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation  Skin  Ingestion 

HEALTH HAZARD (Acute and Chronic): Care should be taken to avoid contact with skin or eyes.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: N.E.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May cause sensitization by skin contact.

**EMERGENCY FIRST AID PROCEDURES:****INGESTION:** Do not induce vomiting - give large volumes of water. Seek medical attention.**SKIN:** Wash with soap and water. If irritation persists seek medical attention.**EYES:** Flush with water for 15 minutes. If irritation develops seek medical attention.**INHALATION:** Remove to fresh air. If irritation persists seek medical attention.**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

IN CASE OF RELEASE OR SPILL: Cover with absorbent material. Collect spilled material. Clean up residue.

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state and federal regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in a cool dry place in tightly closed container. Store away from heat.

**SECTION 8 - CONTROL MEASURES****RESPIRATORY PROTECTION:** Minimize exposure in accordance with good hygiene practice. If needed, use MSHA-NIOSH approved respirator for dusts, mists and fumes.**VENTILATION:** None required      **Local Exhaust:** N.A.      **Mechanical:** N.A.      **Special:** N.E.      **Other:** N.A.**PROTECTIVE GLOVES:** Disposable vinyl gloves**EYE PROTECTION:** Safety glasses**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eyewash station**WORK/HYGIENIC PRACTICE:** N.E.**SECTION 9- PREPARATION INFORMATION***This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR*DATE: 1 February 2012

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

*The information herein is given in good faith but no warranty expressed or implied is made.*

FIRE - 1

TOXICITY - 1

NFPA  
REACTIVITY - 0

SPECIAL



# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015


Version US-EN-Rev 1

Reviewed on 02/24/2015

## 1 Identification

- **Product identifier**
- **Trade name:** GC FujiCEM 2 (Paste A, Shade: Light Yellow)
- **Relevant identified uses of the substance or mixture and uses advised against**  
Dental material  
The product is intended for professional use.  
To avoid risks for humans and environment obtain instructions.
- **Application of the substance / the mixture** Dental cement
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
GC America Inc.  
3737 W. 127th Street  
Alsip, IL 60803  
USA  
  
sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**  
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900  
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Additional information:**  
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**  
  
GHS07
- **Signal word** Warning
- **Hazard-determining components of labeling:**  
2-hydroxyethyl methacrylate (HEMA)  
dimethacrylate component\*\*  
urethane dimethacrylate (UDMA)

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 1)

- **Hazard statements**

Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.

- **Precautionary statements**


Contaminated work clothing must not be allowed out of the workplace.  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wear protective gloves.  
Wear eye protection / face protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

6 % of the mixture consists of component(s) of unknown toxicity.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.  
· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

868-77-9	2-hydroxyethyl methacrylate (HEMA)	10-20%
	dimethacrylate component**	5-10%
72869-86-4	urethane dimethacrylate (UDMA)	1-5%
41637-38-1	ethoxylated bisphenol-A dimethacrylate (Bis-EMA)	1-5%
128-37-0	butylated hydroxytoluene (BHT)	< 0.5%

- **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

USA

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.
- **After eye contact:**  
Protect unharmed eye.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to penetrate the ground/soil.  
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**  
Absorb liquid components with liquid-binding material.  
Dispose of the collected material according to regulations.

(Contd. on page 4)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 3)

- **Reference to other sections**

- See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

- Observe instructions for use.

- Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.

- Avoid contact with the eyes and skin.

- **Information about protection against explosions and fires:** No special measures required.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

- Store only in unopened original receptacles.

- **Information about storage in one common storage facility:** Store away from foodstuffs.

- **Further information about storage conditions:** Observe instructions for use / storage.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

- The usual precautionary measures for handling chemicals should be followed.

- Avoid contact with the eyes and skin.

- Wash hands before breaks and at the end of work.

- Immediately remove all soiled and contaminated clothing.

- **Breathing equipment:** Suitable respiratory protective device recommended.

- **Protection of hands:** Protective gloves

- **Material of gloves**

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: GC FujiCEM 2 (Paste A, Shade: Light Yellow)

· Eye protection: Safety glasses

(Contd. of page 4)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Pasty
Color:	Orange
Odor:	Characteristic
Odor threshold:	Not determined.

pH-value:	Not determined.
-----------	-----------------

#### · Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

Flash point:	Not applicable.
--------------	-----------------

Flammability (solid, gaseous):	Not applicable.
--------------------------------	-----------------

Ignition temperature:	Undetermined.
-----------------------	---------------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Auto igniting:	Product is not selfigniting.
----------------	------------------------------

Danger of explosion:	Product does not present an explosion hazard.
----------------------	---

#### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapor pressure:	Not determined.
-----------------	-----------------

Density:	Not determined.
----------	-----------------

Relative density	Not determined.
------------------	-----------------

Vapour density	Not determined.
----------------	-----------------

Evaporation rate	Not determined.
------------------	-----------------

#### · Solubility in / Miscibility with

Water:	Insoluble.
--------	------------

Partition coefficient (n-octanol/water):	Not determined.
--	-----------------

#### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

#### · Solvent content:

Organic solvents:	0.0 %
-------------------	-------

Solids content:	85.5 %
-----------------	--------

Other information	No further relevant information available.
-------------------	--

USA

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: GC FujiCEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 5)

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No further relevant information available.
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

butylated hydroxytoluene (BHT)

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: GC FujiCEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act)**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

(Contd. on page 8)

USA



# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 7)

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

glass, oxide, chemicals

2-hydroxyethyl methacrylate (HEMA)

surface-treated silica\*\*

dimethacrylate component\*\*

urethane dimethacrylate (UDMA)

ethoxylated bisphenol-A dimethacrylate (Bis-EMA)

silane\*\*

butylated hydroxytoluene (BHT)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

butylated hydroxytoluene (BHT)

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

2-hydroxyethyl methacrylate (HEMA)

dimethacrylate component\*\*

urethane dimethacrylate (UDMA)

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Contaminated work clothing must not be allowed out of the workplace.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

USA

(Contd. on page 9)

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujicEM 2 (Paste A, Shade: Light Yellow)

(Contd. of page 8)

### 16 Other information

- **Department issuing MSDS:** Regulatory Affairs
- **Contact:**  
Regulatory Affairs  
Telephone No. +1 (708) 597-0900  
sds@gcamerica.com
- **Date of preparation / last revision** 02/24/2015 / -
- **Abbreviations and acronyms:**  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
HCS: Hazard Communication Standard (USA)  
MSDS: Material Safety Data Sheet  
SDS: Safety Data Sheet  
ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)  
ECHA: European Chemicals Agency  
OSHA: Occupational Safety and Health Administration (USA)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- **Sources**
  - Manufacturers' MSDSs/SDSs
  - OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
  - TOXNET (<http://toxnet.nlm.nih.gov/>)
  - ECHA (<http://echa.europa.eu/>)
  - EnviChem ([www.echemportal.org](http://www.echemportal.org))
- **Notes:**  
CAS Registry Number is a Registered Trademark of the American Chemical Society.  
CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.
- \* **Data compared to the previous version altered.** This version replaces all previous versions.
- **Disclaimer:**  
The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015


Version US-EN-Rev 1

Reviewed on 02/24/2015

## 1 Identification

- **Product identifier**
- **Trade name:** GC FujiCEM 2 (Paste B, Shade: Light Yellow)
- **Relevant identified uses of the substance or mixture and uses advised against**  
Dental material  
The product is intended for professional use.  
To avoid risks for humans and environment obtain instructions.
- **Application of the substance / the mixture** Dental cement
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
GC America Inc.  
3737 W. 127th Street  
Alsip, IL 60803  
USA  
  
sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**  
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900  
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Eye Dam. 1 H318 Causes serious eye damage.
- **Additional information:**  
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**  
  
GHS05
- **Signal word** Danger
- **Hazard-determining components of labeling:**  
polybasic carboxylic acid\*\*
- **Hazard statements**  
Causes serious eye damage.
- **Precautionary statements**  
Wear eye protection / face protection.

(Contd. on page 2)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

- **Additional information:**

1.2 % of the mixture consists of component(s) of unknown toxicity.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

polybasic carboxylic acid**	5-10%
-----------------------------	-------

- **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

- **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Seek medical treatment.

- **After eye contact:**

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

- **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 3)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to penetrate the ground/soil.  
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**  
Absorb liquid components with liquid-binding material.  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Observe instructions for use.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:** Store only in the original receptacle.

(Contd. on page 4)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 3)

- **Requirements to be met by storerooms and receptacles:**  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Observe instructions for use / storage.  
Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.
- **Breathing equipment:** Suitable respiratory protective device recommended.
- **Protection of hands:** Protective gloves
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Pasty
<b>Color:</b>	Blue
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
-------------------------------------	---------------

(Contd. on page 5)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 4)

<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	Undetermined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Water:</b>	36.2 %
<b>Solids content:</b>	63.3 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

USA

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 5)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:** No further relevant information available.

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** Strong irritant with the danger of severe eye injury.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

poly(acrylic acid)	3
silicon dioxide	3
Food Blue No. 1	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 7)

USA



# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act)**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

poly(acrylic acid)

silicon dioxide

polybasic carboxylic acid\*\*

poly(n-butyl methacrylate)

(Contd. on page 8)

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujicEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 7)

silane\*\*

water, distilled

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05

- **Signal word** Danger

- **Hazard-determining components of labeling:**

polybasic carboxylic acid\*\*

- **Hazard statements**

Causes serious eye damage.

- **Precautionary statements**

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

- **Department issuing MSDS:** Regulatory Affairs

- **Contact:**

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

- **Date of preparation / last revision** 02/24/2015 / -

- **Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 9)

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** GC FujiCEM 2 (Paste B, Shade: Light Yellow)

(Contd. of page 8)

IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

**Sources**

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem ([www.echemportal.org](http://www.echemportal.org))

**Notes:**

CAS Registry Number is a Registered Trademark of the American Chemical Society.  
CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- \* **Data compared to the previous version altered.** This version replaces all previous versions.

**Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA