# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

072071959

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072071934 072071942 072071967 072072122 272451144



MS346411

# GC RELINE SOFT/EXTRA SOFT/ULTRA SOFT – BASE MATERIAL SAFETY DATA SHEET

Page 1 of 2

## SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

**DISTRIBUTOR** 

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency No. 800-424-9300

**COMMON NAME:** GC RELINE SOFT – BASE

GC RELINE EXTRA SOFT -BASE GC RELINE ULTRA SOFT - BASE

CHEMICAL NAME: N.A.

**PRODUCT USE:** Chairside vinyl polysiloxane resilient denture liner

The following information is provided with regard to the toxicity and hazards the pure components present in this portion of the unmixed paste system

# SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Vinyl dimethyl polysiloxane	68083-19-2	N.E.	N.E.	40-55
Silicone dioxide	112926-00-8	TLV=10mg/m <sup>3</sup>	LD>10,000 mg/kg	50-55
		(total dust)	(oral rat)	
		(ACGIH)	LC50= N.E.	
Hydrogen polysiloxane	Not listed	N.E.	N.E.	5-10

## **SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

BOILING POINT:N.E.SPECIFIC GRAVITY:N.E.VAPOR PRESSURE:N.E.MELTING POINT:N.E.VAPOR DENSITY:N.E.EVAPORATION RATE:N.E.SOLUBILITY IN WATER:N.A.ODOR THRESHOLD:N.E.

COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E. APPEARANCE AND ODOR: White paste, odorless

#### **SECTION 4 - FIRE AND EXPLOSION DATA**

FLASH POINT: N.E. FLAMMABLE LIMITS: N.E.

**EXTINGUISHING MEDIA:** Use extinguishing media appropriate to surrounding area.

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing and full protective clothing. **UNUSUAL FIRE AND EXPLOSION HAZARDS:** Irritation and/or toxic aerosols or gases may be present.

HAZARDOUS COMBUSTION PRODUCTS: N.E.

### **SECTION 5 - REACTIVITY DATA**

STABILITY: Stable ☐ Unstable ☐ POLYMERIZATION: Will Not Occur ☐ Will Occur ☐

**CONDITIONS TO AVOID:** High temperatures (>121<sup>0</sup>C), open flames. **INCOMPATIBILITY (Materials to Avoid):** Strong acids, bases, and oxidizers.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N.E.



MS346411

## GC RELINE SOFT/EXTRA SOFT/ULTRA SOFT – BASE

Page 2 of 2

## SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation Skin Ingestion

**HEALTH HAZARD (Acute and Chronic):** May cause skin and eye irritation.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** Irritation and soreness of eyes, throat and nose.

**CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Individuals with pre-existing conditions of the lungs may increase susceptibility to the toxicity of excessive exposure.

#### **EMERGENCY FIRST AID PROCEDURES:**

EYES: Flush eyes with water for 15 minutes. Seek medical attention if irritation develops.

**SKIN:** Wash with soap and water. If irritation persists, seek medical attention.

**INGESTION:** Do not induce vomiting. Dilute by drinking several glasses of water. Seek medical attention.

**INHALATION:** Remove to fresh air if irritation develops.

#### **SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

IN CASE OF RELEASE OR SPILL: Wipe up and discard.

**WASTE DISPOSAL METHOD:** Comply with Federal, State and Local regulations. **STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Store in cool, dry place.

#### **SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Where there is a potential for inhalation exposure to produce dust or mist in excess of exposure limits, wear NIOSH/MSHA approved respiratory protection

VENTILATION: Local Exhaust: As needed Mechanical: N.E. Special: N.E. Other: N.E.

**PROTECTIVE GLOVES:** Rubber gloves **EYE PROTECTION:** Safety glasses or goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N.A. WORK/HYGIENIC PRACTICE: Observe good hygiene practices.

# **SECTION 9 - PREPARATION INFORMATION**

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

DATE: 09 January 2006 REVIEWED: 27 February 2012

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.

NFPA

FIRE - O TOXICITY - 1

REACTIVITY - 0

SPECIAL -



# MS346471 GC RELINE SOFT/EXTRA SOFT/ULTRA SOFT - PRIMER R MATERIAL SAFETY DATA SHEET

Page 1 of 2

## SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

**DISTRIBUTOR** 

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency No. 800-424-9300

**COMMON NAME:** GC RELINE SOFT – PRIMER R

GC RELINE EXTRA SOFT – PRIMER R GC RELINE ULTRA SOFT – PRIMER R

CHEMICAL NAME: N.A.

**PRODUCT USE:** Resin Primer/Adhesive for Vinyl Polysiloxane denture liner

The following information is provided with regard to the toxicity and hazards the pure components present in this product.

## SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Ethyl Acetate	141-78-6	TWA=400ppm	N.E.	>90%
		(ACGIH)		

## **SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E. APPEARANCE AND ODOR: Clear, liquid

## **SECTION 4 - FIRE AND EXPLOSION DATA**

FLASH POINT:  $4^{\circ}\text{C}$  FLAMMABLE LIMITS: LEL 2.1% UEL 11.5%

**EXTINGUISHING MEDIA:** Carbon dioxide, foam, or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: None

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Protect against electrostatic charges.

HAZARDOUS COMBUSTION PRODUCTS: N.E.

#### **SECTION 5 - REACTIVITY DATA**

STABILITY: Stable ☐ Unstable ☐ POLYMERIZATION: Will Not Occur ☐ Will Occur ☐

**CONDITIONS TO AVOID:** High heat, sources of ignition.

INCOMPATIBILITY (Materials to Avoid): Oxidizing agents, bases, acids, moisture, and heat.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** None

#### SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						



# MS346471 GC RELINE SOFT/EXTRA SOFT/ULTRA SOFT - PRIMER R

Page 2 of 2

0	ı	6	7	Т	ď	ì	V	6		П	9	3	Δ	ı	Т	н	Т	ч	Λ	F	7	Δ	R	ī	ח	П	ח	7	١	T.	Δ	J	a	n	d	١.	E	Т	Ŀ	I	3	т	7	۸	T	ח	ī	П	M	E	c	ì	2	M	7	۲	Т	1	ì	V	ı,	~	n	n	٠	'n	'n	П	0	Н	
	η.	ъ.	7		٠,	21			/			_	-1		4 8				1 -	٠٢.	-	-1	ıĸ	м.	_		_		٠.	117	-	ч.	• 1	ш	٠.				1	V.	٠,	ш	•		•	-			N	ш	٠,	и.	N	ы	٧.	м.		٠,	- 4			•	•		v		4 L	- 1	. ¬		

ROUTES OF ENTRY:	Inhalation 🖂	Skin 🖂	Ingestion 🔀	1

**HEALTH HAZARD (Acute):** May be harmful by inhalation, ingestion or skin absorption. Causes skin irritation. Vapor or mist is irritating to the eyes, mucous membranes and upper respiratory tract. Can cause CNS depression. Prolonged exposure can cause nausea, headache, and vomiting.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Nausea, headache and vomiting.

**CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Persons with pre-existing skin, eye, kidney, liver and respiratory ailments may be at increased risk from exposure.

#### **EMERGENCY FIRST AID PROCEDURES:**

**INHALATION:** Remove to fresh air. Seek medical attention in case of complaints. **EYES:** Flush with water for at least 15 minutes. Seek immediate medical attention. **SKIN:** Wash with soap and water. Seek medical attention if irritation persists.

**INGESTION:** If symptoms persist, seek medical attention.

#### SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Soak up with suitable absorbing material; place in proper container for disposal. Wash spill area.

WASTE DISPOSAL METHOD: In accordance with Federal, State and Local regulations. Do not flush to sewer.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in cool, dry place.

## **SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** None.

VENTILATION: Local Exhaust: Yes Mechanical: N.A. Special: N.A. Other: N.A.

PROTECTIVE GLOVES: Use rubber/vinyl gloves

**EYE PROTECTION:** Goggles

FIRE - 3

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Maintain eye wash station

**TOXICITY - 1** 

WORK/HYGIENIC PRACTICE: Follow safe hygiene practices

#### **SECTION 9 - PREPARATION INFORMATION**

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

This data is supplied to comply with OSHA Hazara Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CFR
DATE: 09 January 2006 REVIEWED: 27 February 2012
N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED
The information herein is given in good faith but no warranty expressed or implied is made.
NFPA

**REACTIVITY- 0** 

SPECIAL -



Printing date 02/27/2015

Version US-EN-Rev 1

Reviewed on 02/27/2015

## 1 Identification

- · Product identifier
- · Trade name: GC RELINE PRIMER R
- Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- · Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Flam. Lig. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### · Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- Hazard-determining components of labeling: ethyl acetate
- · Hazard statements

Highly flammable liquid and vapor.

(Contd. on page 2)

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 1)

Causes serious eye irritation.

May cause drowsiness or dizziness.

# · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves / eye protection / face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Additional information:

10 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 3 Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

141-78-6 ethyl acetate

80-90%

#### · Additional information:

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 2)

#### · After skin contact:

Rinse with warm water.

If symptoms persist consult doctor.

After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **5 Fire-fighting measures**

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **6 Accidental release measures**

## · Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Keep away from ignition sources

Avoid contact with the eyes and skin.

Wear protective clothing.

#### **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

#### · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

10

(Contd. on page 4)

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 3)

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray on a naked flame or any incandescent material.

- · Storage: Store only in the original receptacle.
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Observe instructions for use / storage.

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

## 141-78-6 ethyl acetate

PEL Long-term value: 1400 mg/m³, 400 ppm REL Long-term value: 1400 mg/m³, 400 ppm TLV Long-term value: 1440 mg/m³, 400 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands: Protective gloves
- Material of gloves

(Contd. on page 5)

US

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical prope	erties
· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	Fluid
Color:	Colorless
· Odor: · Odor threshold:	Ester-like Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-83 °C (-117 °F)
Boiling point/Boiling range:	77 °C (171 °F)
· Flash point:	-4 °C (25 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	2.1 Vol %
Upper:	11.5 Vol %
· Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	0.9 g/cm³ (7.511 lbs/gal)
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 6)

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 5)

· Solvent content:

Organic solvents: 90.0 % VOC content: 90.0 %

· Other information No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### · Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

us

(Contd. on page 7)

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 6)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information**

· UN-Number · DOT, ADR, IMDG, IATA	UN1173	
· UN proper shipping name		
· DOT	Ethyl acetate solution	
· ADR	1173 Ethyl acetate solution	
· IMDG, IATA	ETHYL ACETATE solution	
T     -   -   -   -   -		

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

(Contd. on page 8)

US

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

	(Contd. of
Label	3
ADR	
3	
Class	3 (F1) Flammable liquids
Label	3
MDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler): EMS Number:	33 F-E,S-D
	<u> </u>
Fransport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
Fransport/Additional information:	тот арриоало.
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
MDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
LACEPIEU quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
JN "Model Regulation":	UN1173, Ethyl acetate solution, 3, II

# 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  SARA (Superfund Amendments and Reauthorization Act)
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 9)

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 8)

## · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

## · TSCA (Toxic Substances Control Act):

ethyl acetate

#### · Carcinogenic categories

## · EPA (Environmental Protection Agency)

None of the ingredients is listed.

## TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02 GHS07

### · Signal word Danger

#### · Hazard-determining components of labeling:

ethyl acetate

#### Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves / eye protection / face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

- · Department issuing SDS: Regulatory Affairs
- · Contact:

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

· Date of preparation / last revision 02/27/2015 / -

#### Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

(Contd. on page 10)

Printing date 02/27/2015 Version US-EN-Rev 1 Reviewed on 02/27/2015

Trade name: GC RELINE PRIMER R

(Contd. of page 9)

SDS: Safety Data Sheet

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

#### · Sources

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- TOXNET (http://toxnet.nlm.nih.gov/)
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

#### · Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

\* Data compared to the previous version altered. This version replaces all previous versions.

#### · Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

- US