SAFETY DATA SHEETS

This SDS packet was issued with item:

072084507

N/A



MS328003

POLYPOUR - LIQUID A material safety data sheet

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900 Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency Telephone No. 800-424-9300

COMMON NAME:PolyPour - Liquid ACHEMICAL NAME:N.A.PRODUCT USE:Vinyl Polysiloxane Duplicating Material for laboratory use.

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of PolyPour. SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

CONTAINS NO HAZARDOUS MATERIALS

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:	>200°	SPECIFIC GRAVITY (H2O = 1)	: 1.02
VAPOR PRESSURE:	<1mm	MELTING POINT:	<-25°C
VAPOR DENSITY:	<1mm	EVAPORATION RATE:	<1
SOLUBILITY IN WATER	: Insoluble	ODOR THRESHOLD:	N.E.
COEFFICIENT OF OIL/V	VATER DISTRIBUTION: N.E.	APPEARANCE AND ODOR:	Odorless, semi opaque, white liquid

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: 415°F C.C.

FLAMMABLE LIMITS: N.A.

SPECIAL FIRE FIGHTING PROCEDURES: Do not spray a solid stream of water or foam directly into pool of hot burning liquid, as this may intensify the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None HAZARDOUS COMBUSTION PRODUCTS: N.E.

EXTINGUISHING MEDIA: Carbon dioxide or dry chemical

SECTION 5 - REACTIVITY DATA

STABILITY:	Stable 🖂
POLYMERIZATION:	Will Not Oc

Unstable 🗌 May Occur 🗌

CONDITIONS TO AVOID: None

INCOMPATIBILITY (Materials to Avoid): None

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Burning can produce carbon dioxide, carbon monoxide and oxides of silicon.

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

Not Occur

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		Х						
TERATOGENIC AFFECTS		Х						
REPRODUCTIVE TOXIN		Х						
CARCINOGENICITY		Х						
SENSITIZER		Х						

ROUTES OF ENTRY: Inhalation

Ingestion



MS328003 POLYPOUR - LIQUID A SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION - continued

Page 2 of 2

HEALTH HAZARD (Acute and Chronic): From the information available, there is no evidence of adverse effects. SIGNS AND SYMPTOMS OF OVEREXPOSURE: None currently known CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: N.A.INGESTION: N.A.SKIN: Wash with soap and water.EYES: Flush eyes with copious amounts of water. Call physician if irritation develops.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Avoid discharge into sewers or natural waters. If a small spill occurs, thoroughly mix into the spill an equal amount of liquid B and allow the material to cure before disposal.

WASTE DISPOSAL METHOD: Dispose of cured material by incineration in a furnace where permitted under Federal, State and local regulations; otherwise dispose of material in an approved landfill.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: None

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: N.A.

VENTILATION: Local Exhaust: N.A. Mechanical: YES

YES Special: N.E.

Other: N.E.

PROTECTIVE GLOVES: If skin irritation develops, use PVC gloves.

EYE PROTECTION: Safety glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK/HYGIENIC PRACTICE: Wash hands with soap and water after handling uncured material.

SECTION 9- PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

DATE: <u>09 January 2006</u> REVIEWED: <u>03 April 2012</u>

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

The information herein is given in good faith. No warranty expressed or implied is made.

NFPA FIRE – 1 TOXICITY – 1 REACTIVITY – 1 SPECIAL --



Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

```
1 Identification
```

- · Product identifier
- · Trade name: PolyPour (Catalyst, Liquid A)
- · Application of the substance / the mixture Dental impression material
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number: During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

STOT RE 1 H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). \cdot Hazard pictograms



GHS08

- · Signal word Danger
- Hazard-determining components of labeling: quartz (SiO2) tridumite

tridymite cristobalite

· Hazard statements

May cause cancer.

Causes damage to organs through prolonged or repeated exposure. May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

(Contd. on page 2)

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

(Contd. of page 1)

 Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wear eye protection / face protection. Wash thoroughly after handling. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1 0 Fire = 0FIRE Reactivity = 0 REACTIVITY 0 · Other hazards Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
14808-60-7	quartz (SiO2)	10-20%		
14464-46-1	cristobalite	10-20%		
15468-32-3	tridymite	10-20%		
A	af a mar a ti a ma			

• Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- Description of first aid measures
- · General information: If symptoms persist consult doctor.
- After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Rinse with warm water.

If symptoms persist consult doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

(Contd. of page 2)

- · After swallowing:
- Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid formation of dust.
 Wear protective clothing.
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
 Methods and material for containment and cleaning up: Pick up mechanically. Prevent formation of dust. Dispose of the collected material according to regulations.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Observe instructions for use. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

(Contd. on page 4)

US

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

(Contd. of page 3)

US

Do not inhale dust / smoke / mist. Any deposit of dust which cannot be avoided must be regularly removed. Open and handle receptacle with care.

 Information about protection against explosions and fires: Keep respiratory protective device available.
 Dust can combine with air to form an explosive mixture.

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Observe instructions for use / storage.

• **Specific end use(s)** No further relevant information available.

8 Ex	posure co	ntrols/pe	rsonal pr	otection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters

Control parameters
· Components with limit values that require monitoring at the workplace:
60676-86-0 silica, vitreous
PEL see Quartz listing
TLV TLV withdrawn
14808-60-7 quartz (SiO2)
PEL see Quartz listing TWA = (10 / (%SiO ₂) + 2)
REL Long-term value: 0.05* mg/m ³
*respirable dust; See Pocket Guide App. A
TLV Long-term value: 0.025* mg/m ³
*as respirable fraction
14464-46-1 cristobalite
PEL 1/2 value from respirable dust formulae for Quartz
REL Long-term value: 0.05* mg/m ³
*respirable dust; See Pocket Guide App. A
TLV Long-term value: 0.025* mg/m ³
*as respirable fraction
15468-32-3 tridymite
PEL 1/2 value from respirable dust formulae for Quartz
REL Long-term value: 0.05* mg/m ³
*respirable dust; See Pocket Guide App. A
TLV TLV withdrawn
· Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.
Do not inhale dust / smoke / mist.
Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.
Store protective clothing separately.
(Contd. on page 5)

(Contd. of page 4)

us

Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	White
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 200 °C (> 392 °F)
Flash point:	213 °C (415 °F)
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.02 g/cm³ (8.512 lbs/gal)
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

		(Contd. of page
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	0.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: No further relevant information available.

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Carcinogenic.
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
silica, vitreous	3
quartz (SiO2)	1
cristobalite	1
tridymite	1
· NTP (National Toxicology Program)	
quartz (SiO2)	K
cristobalite	K
tridymite	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Carcinogenic categories' legend:	
IARC Group 1: The agent is carcinogenic to humans.	
IARC Group 2A: The agent is probably carcinogenic to humans.	
IARC Group 2B: The agent is possibly carcinogenic to humans.	
IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.	
	(Contd on page 7

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

- **Repeated dose toxicity.** No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available. Carc. 1A

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

		(Contd. of page 7)
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	c II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

silica, vitreous

quartz (SiO2)

cristobalite

vinyl dimethylpolysiloxane

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

quartz (SiO2)

cristobalite

· NIOSH-Ca (National Institute for Occupational Safety and Health)

silica, vitreous

quartz (SiO2)

cristobalite

tridymite

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: quartz (SiO2)

(Contd. on page 9)

A2

A2

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

tridymite

cristobalite

Hazard statements

May cause cancer.

Causes damage to organs through prolonged or repeated exposure. May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray. Wear eye protection / face protection. Wash thoroughly after handling. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

 Department issuing SDS: Regulatory Affairs · Contact: **Regulatory Affairs** Telephone No. +1 (708) 597-0900 sds@gcamerica.com · Date of preparation / last revision 09/01/2015 / -Abbreviations and acronyms: GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Carc. 1A: Carcinogenicity, Hazard Category 1A STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 Sources Manufacturers' MSDSs/SDSs OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html) TOXNET (http://toxnet.nlm.nih.gov/) ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) (Contd. on page 10) US

Printing date 09/01/2015

Version US-EN-Rev 1

Reviewed on 09/01/2015

Trade name: PolyPour (Catalyst, Liquid A)

(Contd. of page 9)

US

· Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

* * Data compared to the previous version altered. This version replaces all previous versions.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.