SAFETY DATA SHEETS

This SDS packet was issued with item:

072364099

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072364123 075893805 273015084

MATERIAL SAFETY DATA SHEET

SECTION 1 - GENERAL, INFORMATION

Manufacturer: Danville Materials Inc.

3420 Fostoria Way #A-200

San Ramon, CA 94583

Telephone: (925) 973-0710
Date (revised): December 10, 2010
Product/Trade Name: SA-85, Alumina Abrasive

Chemical Name: Alumina

SECTION 2 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White or off-white, crystalline powder

Freeze-melt point: 3700 F (2038 C)

Solubility in water: Insoluble; soluble in concentrated acids and alkalies

Specific gravity: 2.4 - 3.9

Density: 8-80lb/ft (0.13 - 1.28 g/cm)

Odor: None, odorless

SECTION 3 - FIRE AND EXPLOSION DATA

Non-flammable; does not support combustion. Not an explosion hazard.

SECTION 4 - HEALTH DATA

Aluminum Oxide Exposure Limits: ACGIH TLV lOmg/m³, OSHA PEL 15, 5mg/m³, 64-85% by weight

Alumina is a low health risk by inhalation and should be treated as a nuisance dust as specified by the American Conference of Governmental Industrial Hygienists (ACGIII). Use with adequate ventilation.

Potential Health Effects:

Eyes: May cause mechanical irritation. Safety glasses recommended

Skin: None

Inhalation: Low health risk by inhalation. Treat as nuisance dust. Use

NIOSH-approved dust respirator.

Possible Effects of Overexposure: Individuals with lung disorders should not be exposed to conditions where large airborne quantities of the nuisance dust exist without precautions taken to alleviate the aggravated pre-existing medical condition.

First Aid Measures:

Eyes: Flush eyes with plenty of water for at least 15 minutes.

Irritation persists, consult physician.

Inhalation: Remove exposed person to fresh air. Restore and/or support

breathing as needed. If irritation results, consult a physician.

SECTION 5 - REACTIVITY DATA

None with water, air, heat, or strong oxidizers.

SECTION 6 - 'ENVIRONMENTAL

Waste may be considered as inert material.

SECTION 7 - HANDLING, STORAGE, TRANSPORTATION

Stable under normal conditions of use, transportation and storage. A void dust during clean-up. Keep material dry.

SECTION 8 - SPECIAL PRECAUTIONS

Use with adequate ventilation to meet exposure limits. When exposure is excessive, NIOSH approved respiratory protection should be used.

The data and information given in this Material Safety Data Sheet are accurate on the date of preparation. It does not indicate any warranty or representation.

0356 Rev C 0356 Rev C

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **1** of **7**

Alumina Abrasive SA-85

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Alumina Abrasive SA-85

Manufacturer/Supplier Trade name: Abrasive Alumina

Manufacturer/Supplier Article number: 0356

Recommended uses of the product and restrictions on use: Bathroom Tub Wash Cleaner.

Manufacturer Details:

Danville Materials 3420 Fostoria Way Suite a200 San Ramon, CA 94583

Tel:

Supplier Details:

Danville Materials 3420 Fostoria Way Suite a200 San Ramon, CA 94583

Tel:

Emergency telephone number:

CHEMTREC: 1-800-424-9300, 703-527-3887

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Acute toxicity (oral, dermal, inhalation), category 4
Specific target organ toxicity following single exposure, category 3

Acute inhalation category 4

Specific target organ toxicity following single exposure, category 3

Signal word: Warning.

Hazard statements:

Harmful if inhaled.

May cause respiratory irritation.

Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container as directed in Section 13.

Hazards not otherwise classified (HNOC):

May form combustible dust concentrations in the air

Other Non-GHS Classification:



according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **2** of **7**

Alumina Abrasive SA-85

NFPA/HMIS





NFPA SCALE (0-4)

HMIS RATINGS (0-4)

0=Minimal Hazard; 1=Slight Hazard; 2=Moderate Hazard; 3=Serious Hazard; 4=Severe Hazard.

SECTION 3: Composition/information on ingredients

Ingredients:			
CAS#	Description		Wt. %
CAS 1344-28-1	Alpha Alumina		64-85 %
	•	Percen	tages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Keep eyelids open while rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Headache. Nausea. Dizziness.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: None identified.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment:

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **3** of **7**

Alumina Abrasive SA-85

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Always obey local regulations. If necessary use trained response staff or contractor. Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Reference to other sections: No additional information.

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep away from food and beverages. Protect from freezing and physical damage. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection





Control Parameters: 1344-28-1, Aluminum oxide, ACGIH TLV: 1 mg/m3, OSHA PEL: 5mg/m3.

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Wear equipment for eye

protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are

appropriate eye protection.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye

protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **4** of **7**

Alumina Abrasive SA-85

SECTION 9: Physical and chemical properties

Appearance (physical	White or off-white,	Explosion limit lower:	Not applicable
state, color):	crystalline powder	Explosion limit upper:	Not applicable
Odor:	None, odorless	Vapor pressure:	Not applicable
Odor threshold:	Not Determined	Vapor density:	Not applicable
pH-value:	Not Determined	Relative density:	Not Determined
Melting/Freezing point:	3700°F (2038°C)	Solubilities:	Insoluble in water, soluble in concentrated acids and alkalizes.
Boiling point/Boiling range:	Not Determined	Partition coefficient (noctanol/water):	Not Determined
Flash point (closed cup):	> 104°C	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decompositio n temperature:	Not Determined
Flammability (solid, gaseous):	Non flammable	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density: 8-80 lb./ft. (0.13 -	1.28 g/cm)	1	

SECTION 10: Stability and reactivity

Reactivity: Nonreactive under normal conditions. **Chemical stability:** Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Incompatible materials. **Incompatible materials:** Strong acids.

Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

Acute Toxicity:			
Oral:	>10,000 mg/kg		LD50 Rat
Inhalation:	4 h - > 2.6 mg/l		LD50 Rat
Chronic Toxicity: No additional information.			
Corrosion irritation:			
Dermal:	No skin irritation		Rabbit
Ocular:	No eye irritation		Rabbit
Sensitization: Guinea pig		Guinea pig	: Did not cause sensitization on laboratory animals.
Single target organ (STOT): No addition		No addition	nal information.
Numerical measures: No addition		No addition	nal information.
Carcinogenicity: No addition		No addition	nal information.
Mutagenicity: No addition		No addition	nal information.
Reproductive toxicity: No addition		No addition	nal information.

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Page **5** of **7 Effective date:** 06.16.2015

Alumina Abrasive SA-85

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **6** of **7**

Alumina Abrasive SA-85

SECTION 12: Ecological information

Ecotoxicity: No toxicity at the limit of solubility.

Persistence and degradability: No information available. **Bioaccumulative potential**: No information available.

Mobility in soil: No information available.

Other adverse effects: No information available.

SECTION 13: Disposal considerations

Waste disposal recommendations:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Dispose of empty containers as unused product.

SECTION 14: Transport information

UN-Number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazard:
Transport in bulk:
Special precautions for user:

Not Regulated.
Not applicable.
Not applicable.
Not applicable.
Not applicable.

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings): Acute.

SARA Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

RCRA (hazardous waste code): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredient are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%): None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%): None of the ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **7** of **7**

Alumina Abrasive SA-85

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods. **PNEC:** Predicted No-Effect Concentration (REACH).

CFR: Code of Federal Regulations (USA).

SARA: Superfund Amendments and Reauthorization Act (USA).

RCRA: Resource Conservation and Recovery Act (USA).

TSCA: Toxic Substances Control Act (USA).

NPRI: National Pollutant Release Inventory (Canada).

DOT: US Department of Transportation. **IATA:** International Air Transport Association.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH: American Conference of Governmental Industrial Hygienists.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

NFPA: National Fire Protection Association (USA).

HMIS: Hazardous Materials Identification System (USA).

WHMIS: Workplace Hazardous Materials Information System (Canada).

DNEL: Derived No-Effect Level (REACH).

Effective date: 06.16.2015 **Last updated:** 06.16.2015

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **1** of **6**

Aluminum Oxide

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Aluminum Oxide

Manufacturer/Supplier Trade name: Aluminum Oxide

Manufacturer/Supplier Article number: 0144

Recommended uses of the product and restrictions on use: Bathroom Tub Wash Cleaner.

Manufacturer Details:

Danville Materials 3420 Fostoria Way Suite a200 San Ramon, CA 94583

Tel:

Supplier Details:

Danville Materials 3420 Fostoria Way Suite a200 San Ramon, CA 94583

Tel:

Emergency telephone number:

CHEMTREC: 1-800-424-9300, 703-527-3887

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Acute toxicity (oral, dermal, inhalation), category 4
Specific target organ toxicity following single exposure, category 3

Acute inhalation category 4

Specific target organ toxicity following single exposure, category 3

Signal word: Warning.

Hazard statements:

Harmful if inhaled.

May cause respiratory irritation.

Precautionary statements:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container as directed in Section 13.

Hazards not otherwise classified (HNOC):

May form combustible dust concentrations in the air

Other Non-GHS Classification:



according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **2** of **6**

Aluminum Oxide

NFPA/HMIS





NFPA SCALE (0-4)

HMIS RATINGS (0-4)

0=Minimal Hazard; 1=Slight Hazard; 2=Moderate Hazard; 3=Serious Hazard; 4=Severe Hazard.

SECTION 3: Composition/information on ingredients

Ingredients:			
CAS#	Description	Wt. %	
CAS 1344-28-1	Alpha Alumina	>99 %	
	Perce	ntages are by weight	

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Keep eyelids open while rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Headache. Nausea. Dizziness. Choking sensation, respiratory system passageways irritation.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: None identified.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment:

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **3** of **6**

Aluminum Oxide

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Always obey local regulations. If necessary use trained response staff or contractor. Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Reference to other sections: No additional information.

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep away from food and beverages. Protect from freezing and physical damage. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection





Control Parameters: 1344-28-1, Aluminum oxide, ACGIH TLV: 1 mg/m3, OSHA PEL: 5mg/m3.

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are

appropriate eye protection.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN

166(EU). Safety glasses or goggles are appropriate eye

protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **4** of **6**

Aluminum Oxide

SECTION 9: Physical and chemical properties

Appearance (physical	White or off-white,	Explosion limit lower:	Not applicable
state, color):	crystalline powder	Explosion limit upper:	Not applicable
Odor:	None, odorless	Vapor pressure:	Not applicable
Odor threshold:	Not Determined	Vapor density:	Not applicable
pH-value:	Not Determined	Relative density:	Not Determined
Melting/Freezing point:	3700°F (2038°C)	Solubilities:	Insoluble in water, soluble in concentrated acids and alkalizes.
Boiling point/Boiling range:	Not Determined	Partition coefficient (noctanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid, gaseous):	Non flammable	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density : 8-80 lb./ft. (0.13 - 1.28 g/cm)			

SECTION 10: Stability and reactivity

Reactivity: Nonreactive under normal conditions. **Chemical stability:** Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Incompatible materials. **Incompatible materials:** Strong acids.

Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

Acute Toxicity:			
Oral:	>10,000 mg/kg		LD50 Rat
Inhalation:	4 h - > 2.6 mg/l		LD50 Rat
Chronic Toxicity: No additional information.			
Corrosion irritation:			
Dermal:	No skin irritation		Rabbit
Ocular:	No eye irritation		Rabbit
Sensitization: Guinea pig		Guinea pig	: Did not cause sensitization on laboratory animals.
Single target organ (STOT): No addition		No addition	nal information.
Numerical measures: No addition		No addition	nal information.
Carcinogenicity: No additio		No addition	nal information.
Mutagenicity: No additio		No addition	nal information.
Reproductive toxicity: No addition		No addition	nal information.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **5** of **6**

Aluminum Oxide

SECTION 12: Ecological information

Ecotoxicity: No toxicity at the limit of solubility.

Persistence and degradability: No information available. **Bioaccumulative potential**: No information available.

Mobility in soil: No information available.

Other adverse effects: No information available.

SECTION 13: Disposal considerations

Waste disposal recommendations:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Dispose of empty containers as unused product.

SECTION 14: Transport information

UN-Number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazard:
Transport in bulk:
Not applicable.

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings): Acute.

SARA Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

RCRA (hazardous waste code): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredient are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%): None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%): None of the ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.16.2015 Page **6** of **6**

Aluminum Oxide

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods. **PNEC:** Predicted No-Effect Concentration (REACH).

CFR: Code of Federal Regulations (USA).

SARA: Superfund Amendments and Reauthorization Act (USA).

RCRA: Resource Conservation and Recovery Act (USA).

TSCA: Toxic Substances Control Act (USA).

NPRI: National Pollutant Release Inventory (Canada).

DOT: US Department of Transportation. **IATA:** International Air Transport Association.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH: American Conference of Governmental Industrial Hygienists.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

NFPA: National Fire Protection Association (USA).

HMIS: Hazardous Materials Identification System (USA).

WHMIS: Workplace Hazardous Materials Information System (Canada).

DNEL: Derived No-Effect Level (REACH).

Effective date: 06.16.2015 **Last updated:** 06.16.2015