SAFETY DATA SHEETS

This SDS packet was issued with item: 072795300

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070606160 070640011 071141621 071160696 072794246 072794592 072794600 072795219 072795227 072795235 072795243 072795250 072795276 072795284 072795292 072795318 072795359 072795383 072795938 072796274 072796373 075341953



Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 1 of 4

Section 1 – Identification

Product Name:

Chemical Name / Synonyms: **ProForm Splint and Temporary Retaier of Various Thicknesses** Copolyester

Manufacturer: KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067 Information Contacts: (856)-663-4700

Emergency Phone Numbers: US & Canada (800) 535 - 5053

EU Address:

Family: Copolyester Product Use: Vacuum Form Material Product #: Various KEYSTONE EUROPE LLC. Batavenweg 7 5349BC OSS, Netherlands Emergency Phone Numbers: International: 1-352-323-3500

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	N/A
Skin	Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.
Ingestion	If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.
Inhalation	Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause irritation.
NOTE: Refer to Section 1	1. Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

CAS Numbers	EINEUS#	INCI Ivame	TWA/STEL	TWA/STEL	Carcinogen IARC/NTP/OSHA	%
	ble					
		N/DA – No Data Available	N/DA – No Data Available	TWA/STEL N/DA – No Data Available	N/DA – No Data Available	TWA/STEL TWA/STEL IARC/NTP/OSHA N/DA – No Data Available N/DA – No Data Available

See Section 16 for Hazard and Precautionary Statement Key. Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.

First Aid for SkinNot a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated
material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with
cold water. Obtain medical treatment. Treatment as any normal thermal burn.
Do not swallow. Material is not expected to cause an ingestion problem.

First Aid for Inhalation N/A

Section 5 – Fire Fighting Measures Flash Point (°F/°C) Flammable Limit (vol%) Auto-ignition Temperature (vol%) N/A N/A N/A



Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 2 of 4

Method:

Extinguishing Media:	Suitable extinguishing media for the surrounding fire should be used.
Fire Fighting	Vinyl film is self extinguishing; however if burning is supported by another source of material, fumes
Instructions:	could be irritating.
Unusual Hazards:	Use self contained breathing apparatus when fighting fires.

Section 6 – Accidental Release Measures

 Spill or Release
 Minor spills – Clean up immediately. Slipping hazard.

 Procedures
 Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.

 See section 8 & section 12.

Section 7 – Handling and Storage

HandlingNo special handling requirements.StorageStore in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.Explosion HazardNone.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls	No special engineering controlled required.
Personal Protective	e Equipment
General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product.
Eye/ Face Protection	Wear safety glasses with side shields. Wear face shield during thermal process.
Skin Protection	Thermal insulating glove when handling molten product.
Respiratory Protection	None under ordinary operating use.

Section 9 – Physical and Chemical Properties

Appeara Clear, film or		Odor & Odor Threshold Odorless				O = 1): 1.25-	Viscosity N/A	% Volatile N/A		
Boiling Point/ Freezing Point	Decompositio Temperatur		Octanol/Water titioning Coefficie Log Po/w		Vapor ressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)	
N/A	N/DA	N/DA			N/A	N/A	N/A	N/A	N/A	
Flash	Point (°F/°C) N/A		Flamma	ble Lin N/A	nit (vol%))	Auto-ignition T	emperature N/A	e (vol%)	

Section 10 – Stability and Reactivity

Stability:
Stable solid
Hazardous Decomposition Products:

Incompatibility (Materials to Avoid): None **Hazardous Polymerization:** Will not occur

Conditions to Avoid: Heat, moisture, water

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity		itation – skin	Irritation – Eye
N/DA	N/DA		N/DA	N/DA		N/ DA
Sensitization		Mutagenicity		Sub-ch	ronic Toxicity	
N/ DA		N/DA			N/ DA	

Date of Issue: 06/23/2011



Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 3 of 4

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to
Fish				Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA
Chemical Fate Informati	on			
Biodegradability	N/A. This material is not expect	ted to bioaccumulate.		
Chemical Oxygen Dema	and N/ DA			

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Populatory Informati

action 15

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

Section 15 – Regulatory Info	mauon
US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U.S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product does not contain chemicals regulated under Section 304 as extremely
(TPQ)	hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

The components to this product are listed on the appropriate applicable state regulations.

International Regulations




Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 4 of 4

CDSL: Canadian Inventory	All components are listed, where applicable, Not controlled under WHMIS.
(on Canadian Transitional List)	

Labeling according to EC directives – 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	• HAZARD STATEMENT: N/A
	• PRECAUTIONARY STATEMENT: N/A

Section 16 – Other Information



MSDS Prepared by:	WME
Revision History:	03/08/11 Initial
Revision History:	06/23/11 Updated WHMIS.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.



PRO-FORM SPLINT AND RETAINER

EU Address:

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:

Chemical Name /

Synonyms:

Pro-Form Splint and Temporary Retainer of Various Thicknesses Copolyester Manufacturer: KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067 Information Contacts: (856)-663-4700

Batavenweg 7

Emergency Phone Numbers: US & Canada (800) 535 - 5053

KEYSTONE EUROPE LLC.

Emergency Phone Numbers:

International: 1-352-323-3500

5349BC OSS, Netherlands

Family: Copolyester Product Use: Vacuum Form Material

Product #: 9614780, 90; 9614800, 10, 16, 20, 30, 40, 50, 60, 70, 75, 80; 9614950; 9615025

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	N/A
Skin	Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.
Ingestion	If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.
Inhalation	Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause irritation.
NOTE D C + C + 11	

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established N/R – Not Reviewed	N/DA – No Data Avai N/A – Not Applicable						

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye	This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.
First Aid for Skin	Not a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with cold water. Obtain medical treatment. Treatment as any normal thermal burn.
First Aid for Ingestion	Do not swallow. Material is not expected to cause an ingestion problem.
First Aid for Inhalation	N/A
pg. 1 of 4	Revised Date: 06/16/2015 Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)		Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A		N/A	N/A
Method: Extinguishing Media: Fire Fighting Instructions:	Vinyl film is could be irri	tating.	s supported by another source of material, fumes
Unusual Hazards: Use self contained breathing apparatus when fighting fires.			

Section 6 – Accidental Release Measures

Spill or Release	Minor spills – Clean up immediately. Slipping hazard.
Procedures	Major spills - Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.
	See section 8 & section 12.

Section 7 – Handling and Storage

HandlingNo special handling requirements.StorageStore in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.Explosion HazardNone.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls No special engineering controlled required.

Personal Protective Equipment

GeneralTo identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a
hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard
EN166 be conducted before using this product.Eye/ Face ProtectionWear safety glasses with side shields. Wear face shield during thermal process.Skin ProtectionThermal insulating glove when handling molten product.

Respiratory Protection None under ordinary operating use.

Section 9 – Physical and Chemical Properties

11					PH Specific Gravity N/A (H2O = 1): 1.25- 1.35			% Volatile N/A	
Boiling Point/ Freezing Point	Decompositi Temperatu		Octanol/Water titioning Coefficie Log Po/w	ent	Vapor Pressure:	Vapor	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA		N/DA		N/A	N/A	N/A	N/A	N/A
Flash	<mark>Point (°F/°C)</mark> N/A		Flamma	ble L i N/A	imit (vol ^g	%)	Auto-ignition	Temperature N/A	e (vol%)

Section 10 – Stability and Reactivity

Stability: Stable solid Hazardous Decomposition Products: CO or CO2 **Incompatibility (Materials to Avoid):** None **Hazardous Polymerization:** Will not occur

Conditions to Avoid: Heat, moisture, water

pg. 2 of 4

Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

Section 11 – Toxicological Information **Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation** Irritation – skin Irritation - Eye Toxicity N/DA N/DA N/DA N/DA N/ DA Sensitization Mutagenicity **Sub-chronic Toxicity** N/ DA N/DA N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/A. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

Section 15 – Regulatory Information	mation
S Federal Regulations Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS: • NONE
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: • None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It's hazards are: • None
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261). • None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product does not contain chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).

Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

The components to this product are listed on the appropriate applicable state regulations.


International Regulations

iter national iteguiations	
CDSL: Canadian Inventory	All components are listed, where applicable, Not controlled under WHMIS.
(on Canadian Transitional List)	

Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	• HAZARD STATEMENT: N/A
	• PRECAUTIONARY STATEMENT: N/A

Section 16 – Other Information



Initial SDS Prepared by:	WME 03/08/11
Revision History:	06/23/11 Updated WHMIS.
	6/12/15 Removed "Material' from Material Safety Data Sheet, and M from MSDS

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.