SAFETY DATA SHEETS

This SDS packet was issued with item: 073260031

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073259058 073259082 073259090 073259991 073260007 073260015 073260023 073263449 073263456 073263464 073263472 073263480

, 'GC', '

MS137800

EXAFLEX - EXAMIX - EXAFAST – BASE ALL MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

MANUFACTURER

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900 Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency No. 800-424-9300

COMMON NAME: EXAFLEX BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY EXAMIX BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY - CARTRIDGE EXAMIX NDS BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY - CARTRIDGE EXAFAST NDS BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY - CARTRIDGE

CHEMICAL NAME: N.A. PRODUCT USE: Dental Impression Material

The following information is provided with regard to the toxicity and hazards the pure components present in this portion of the unmixed two paste system

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

| COMPONENT | C.A.S. | EXPOSURE LIMITS | LD50/LC50 | % |
|--|-------------|--|-----------|-------|
| Silica-Amorphous | 112926-00-8 | PEL = 10.0 mg/m ³ TLV/TWA = 10.0 mg/m ³ (as dust) (ACGIH) | N.E. | 40-45 |
| Vinyl Dimethyl Poly - Dimethyl Siloxane | 68083-19-2 | N.E. | N.E. | 40-60 |
| Dimethyl- methylhydrogenpolysiloxane | 68037-59-2 | N.E. | N.E. | 5 |

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

| BOILING POINT: | 160°C | SPECIFIC GRAVITY: | $(H_20=1)$ 1.35g/cm ³ |
|-----------------------|------------------------|----------------------|----------------------------------|
| VAPOR PRESSURE: | 100/50°C | MELTING POINT: | N.E. |
| VAPOR DENSITY: | 2.56 | EVAPORATION RATE: | N.E. |
| SOLUBILITY IN WATER: | Insoluble | ODOR THRESHOLD: | N.E. |
| COEFFICIENT OF OIL/WA | TER DISTRIBUTION: N.E. | APPEARANCE AND ODOR: | Odorless paste |

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: Not Flammable per ASTM D92

FLAMMABLE LIMITS: N.A.

EXTINGUISHING MEDIA: Dry Chemical, Carbon Dioxide, Alcohol Foam

SPECIAL FIRE FIGHTING PROCEDURES: Water is not effective medium. Firefighters should wear self contained breathing apparatus and full protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Irritating and/or toxic aerosols or gases may be present. HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide, Sulfur Hydrogen Sulfide

SECTION 5 - REACTIVITY DATA

STABILITY:

Stable 🔀

Unstable 🔄 Will Occur 🔲

POLYMERIZATION:WIII Not OccurWill OccurCONDITIONS TO AVOID:High temperatures (> 121°C); open flamesINCOMPATIBILITY (Materials to Avoid):Strong acids, bases, oxidizers.HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:N.E.



EXAFLEX - EXAMIX - EXAFAST – BASE ALL

Page 2 of 2

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

| | YES | NO | NE | NA | NTP | IARC | OSHA | OTHER |
|---------------------|-----------------------|----|----|----|-----|------|------|-------|
| MUTAGENIC AFFECTS | | Х | | | | | | |
| TERATOGENIC AFFECTS | | Х | | | | | | |
| REPRODUCTIVE TOXIN | | X | | | | | | |
| CARCINOGENICITY | X (as silica dust) | | | | | х | | |
| SENSITIZER | | X | | | | | | |

ROUTES OF ENTRY: Inhalation 🛛 Skin 🖾 Ingestion 🔀

HEALTH HAZARD (Acute and Chronic): Breathing vapor generated from this product may be irritating to the eyes, nose and throat. SIGNS AND SYMPTOMS OF OVEREXPOSURE: Headaches CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air if irritation develops
 EYES: Flush with large volumes of water, consult a physician if irritation develops.
 SKIN: Wash thoroughly with soap and water
 INGESTION: Do not induce vomiting. Dilute by drinking several glasses of water. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Absorb with inert material; transfer to container for disposal

WASTE DISPOSAL METHOD: In accordance with Local and Federal Regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store at normal room temperature in a well ventilated area

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: N.A.

| | VENTILATION: | Local Exhaust: Recommended | Me |
|--|--------------|----------------------------|----|
|--|--------------|----------------------------|----|

chanical: N.E. Special: N.E.

Other: N.E.

PROTECTIVE GLOVES: Synthetic/Vinyl Gloves EYE PROTECTION: Safety glasses or goggles OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N.E. WORK/HYGIENIC PRACTICE: N.E.

SECTION 9 - PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

| DATE: <u>09 January 2006</u> REVIEWED: <u>20 Febru</u> | | | | ••••• |
|---|----------------------------------|-------------------------------|-----------|-------|
| N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHE | | | | |
| The information herein is giv | en in good faith but no warranty | expressed or implied is made. | | |
| FIRE • 0 | TOXICITY - 1 | NFPA REACTIVITY - 1 | SPECIAL - | |



Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Page 1/9

1 Identification

· Product identifier

• **Trade name:** EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

· Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental impression material
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2B H320 Causes eye irritation.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- **Hazard statements** Causes eye irritation.
- · Precautionary statements
- Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· Additional information:

1.4 % of the mixture consists of component(s) of unknown toxicity.

(Contd. on page 2)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

(Contd. of page 1)

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

| HEALTH 0 | Health = 0 |
|--------------|----------------|
| FIRE 0 | |
| REACTIVITY 0 | Reactivity = 0 |

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

| [.] Dangerous c | omponents: | |
|--------------------------|-------------------------------------|--------|
| 112926-00-8 | silicon dioxide, amorphous | 25-50% |
| | polyethylene glycol derivative** | 5-10% |
| | methylhydrogen dimethylpolysiloxane | 1-5% |

Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Rinse with warm water.

If symptoms persist consult doctor.

- After eye contact: Protect unharmed eye.
 Rinse opened eye for several minutes under running water. Then consult a doctor.
 After swallowing: Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.

(Contd. on page 3)

USA

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

(Contd. of page 2)

- Information for doctor:
 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Remove persons from danger area.
 Avoid formation of dust.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to penetrate the ground/soil.
 In case of seepage into the ground inform responsible authorities.
 Methods and material for containment and cleaning up:
- Pick up mechanically. Prevent formation of dust. Dispose of the collected material according to regulations.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling

- Observe instructions for use.
- Prevent formation of dust.
- Any deposit of dust which cannot be avoided must be regularly removed.

Avoid contact with the eyes and skin.

(Contd. on page 4)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

(Contd. of page 3)

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

• **Information about protection against explosions and fires:** Dust can combine with air to form an explosive mixture.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

112926-00-8 silicon dioxide, amorphous

PEL Long-term value: 2 mg/m³

20mppcf or 80mg/m3 /%SiO2; 1mppcf = 0.1 mg/m³

- REL Long-term value: 6 mg/m³
 - See Pocket Guide App. C
- TLV TLV Withdrawn

· Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

- · Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

(Contd. on page 5)

1154

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

(Contd. of page 4)

| Physical and chemical prope | erties |
|---|---|
| Information on basic physical and General Information Appearance: | chemical properties |
| Form: | Pasty |
| Color: | According to product specification |
| · Odor: | Odorless |
| · Odor threshold: | Not determined. |
| · pH-value: | Not applicable. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Ignition temperature: | Undetermined. |
| [·] Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| [·] Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure: | Not applicable. |
| · Density: | Not determined. |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with Water: | Insoluble. |
| Partition coefficient (n-octanol/wa | |
| · Viscosity: | , |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| Solids content: | 100.0 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable at ambient temperature.

(Contd. on page 6)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

(Contd. of page 5)

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

silicon dioxide, amorphous

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 7)

3

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. of page 6)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

| 4 Transport information | |
|---|--------------------------|
| · UN-Number · DOT, ADR, ADN, IMDG, IATA | Void |
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA · Class | Void |
| Packing group DOT, ADR, IMDG, IATA | Void |
| Environmental hazards: Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 SARA (Superfund Amendments and Reauthorization Act)

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 8)

USA

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

(Contd. of page 7)

• TSCA (Toxic Substances Control Act):

vinyl dimethylpolysiloxane

polyethylene glycol derivative**

methylhydrogen dimethylpolysiloxane

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms Void

- · Signal word Warning
- Hazard statements
- Causes eye irritation.

Precautionary statements Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

| Department issuing MSDS: Regulatory Affairs |
|--|
| Contact: |
| Regulatory Affairs |
| Telephone No. +1 (708) 597-0900 |
| sds@gcamerica.com |
| Date of preparation / last revision 02/24/2015 / - |
| Abbreviations and acronyms: |
| GHS: Globally Harmonized System of Classification and Labelling of Chemicals |
| HCS: Hazard Communication Standard (USA) |
| MSDS: Material Safety Data Sheet |
| SDS: Safety Data Sheet |
| ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures |
| (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency |
| OSHA: Occupational Safety and Health Administration (USA) |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the |
| International Carriage of Dangerous Goods by Road) |
| IMDG: International Maritime Code for Dangerous Goods |
| DOT: US Department of Transportation |
| IATA: International Air Transport Association |
| ACGIH: American Conference of Governmental Industrial Hygienists |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) |
| HMIS: Hazardous Materials Identification System (USA) |
| LC50: Lethal concentration, 50 percent |
| (Contd. on page 9) |
| USA |

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

Trade name: EXAMIX NDS (Base, Descriptions: Heavy Body, Injection Type, Monophase, and Regular Type)

(Contd. of page 8)

LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Sources

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- TOXNET (http://toxnet.nlm.nih.gov/)
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

· Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

** Data compared to the previous version altered. This version replaces all previous versions.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA -