

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

073264876

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

073263894 073263902 073263910 073264751 073264777 073264785 07326479 073264801 073264819 073264827  
073264843 073264850 073264868 073264884 073264892 073264900 073264918 073264926 073264934 073264942  
073264959



MS338102

UNIFAST LC - POWDER
MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR
GC AMERICA INC.
3737 West 127th St.
Alsip, Illinois, 60803
Telephone: 708-597-0900
Hours: Mon. - Fri. 8:00 am. - 5:00 pm. C.S.T.
Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: UNIFAST LC - POWDER
CHEMICAL NAME: N.A.
PRODUCT USE: Construction of temporary dental devices - powder component

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Table with 5 columns: COMPONENT, C.A.S., EXPOSURE LIMITS, LD50/LC50, %

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: N.E.
VAPOR PRESSURE: N.E.
VAPOR DENSITY: N.E.
SOLUBILITY IN WATER: N.E.
COEFFICIENT OF OIL/WATER DISTRIBUTION: N.A.
SPECIFIC GRAVITY (H2O = 1): 1.0
MELTING POINT: N.E.
EVAPORATION RATE: N.E.
ODOR THRESHOLD: N.A.
APPEARANCE AND ODOR: Buff colored free flowing powder

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: N.A.
FLAMMABLE LIMITS: N.E.
EXTINGUISHING MEDIA: Water fog, carbon dioxide, dry chemical
SPECIAL FIRE FIGHTING PROCEDURES: Full protective equipment, including self-contained breathing apparatus.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Peroxides and their decomposition products are flammable and can ignite with explosive force if confined.
HAZARDOUS COMBUSTION PRODUCTS: On decomposition, Benzoyl Peroxide can product toxic and flammable vapors and Biphenyl (TLV=0.2ppm), Carbon dioxide and carbon monoxide.

SECTION 5 - REACTIVITY DATA

STABILITY: Stable [X] Unstable [ ]
POLYMERIZATION: Will Not Occur [X] Will Occur [ ]
CONDITIONS TO AVOID: Avoid excess heat.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids, bases, oxidizing agents, aromatic tertiary amines.
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None known

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

Table with 9 columns: YES, NO, NE, NA, NTP, IARC, OSHA, OTHER



MS338102

# UNIFAST LC - POWDER

Page 2 of 2

## SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION - continued

ROUTES OF ENTRY: Inhalation  Skin  Ingestion

### HEALTH HAZARD (Acute and Chronic):

**INHALATION:** May cause irritation of the nose, throat, lungs.

**INGESTION:** May cause toxic affects.

**SKIN:** May cause irritation

**EYES:** May cause irritation

**SIGNS AND SYMPTOMS OF OVEREXPOSURE:** Prolonged contact with eyes and skin may cause irritation. Inhalation may cause irritation of the nose, throat, and lungs. Ingestion may cause

**CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** N.A.

### EMERGENCY FIRST AID PROCEDURES:

**INHALATION:** Remove victim to fresh air. Seek medical attention.

**INGESTION:** Do not induce vomiting; give plenty of water. Seek medical attention.

**SKIN:** Wash with soap and water; rinse thoroughly.

**EYES:** Flush with water and seek medical attention.

## SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

**IN CASE OF RELEASE OR SPILL:** Sweep up powder. Wash area with detergent and water.

**WASTE DISPOSAL METHOD:** Contains Benzoyl Peroxide and Dibutyl phthalate. Consult local, state and federal regulations for acceptable disposal methods.

**STORAGE, HANDLING, AND SPECIAL PRECAUTIONS:** Store in a cool, dry place. Keep away from heat, open flames.

## SECTION 8 - CONTROL MEASURES

**RESPIRATORY PROTECTION:** Reduce exposure in accordance with good hygiene practice. If exposure limits are exceeded, use MSHA-NIOSH approved respirators for dusts, mists, fumes.

**VENTILATION:** Local Exhaust: Recommended Mechanical: N.A. Special: N.A. Other: N.A.

**PROTECTIVE GLOVES:** Should not be necessary in powder form. When mixing with liquid component use disposable vinyl gloves.

**EYE PROTECTION:** Dust goggles

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eyewash station

**WORK/HYGIENIC PRACTICE:** Follow routine good hygiene practices.

## SECTION 9 - PREPARATION INFORMATION

*This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR*

**DATE:** 09 January 2006

**REVIEWED:** 28 February 2012

N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

*The information herein is given in good faith but no warranty expressed or implied is made.*

FIRE - 1

TOXICITY - 1

NFPA  
REACTIVITY - 1

SPECIAL - OXY

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015


Version US-EN-Rev 1

Reviewed on 02/24/2015

## 1 Identification

- **Product identifier**
- **Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)
- **Relevant identified uses of the substance or mixture and uses advised against**  
Dental material  
The product is intended for professional use.  
To avoid risks for humans and environment obtain instructions.
- **Application of the substance / the mixture** Manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
GC America Inc.  
3737 W. 127th Street  
Alsip, IL 60803  
USA  
  
sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**  
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900  
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Additional information:**  
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**  
  
GHS07
- **Signal word** Warning
- **Hazard-determining components of labeling:**  
dibenzoyl peroxide
- **Hazard statements**  
May cause an allergic skin reaction.
- **Precautionary statements**  
Contaminated work clothing must not be allowed out of the workplace.  
Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 1)

Wear protective gloves.  
Wash contaminated clothing before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 1  
Reactivity = 1

The substance possesses oxidizing properties.

- **HMIS-ratings (scale 0 - 4)**



Health = 1  
Fire = 1  
Reactivity = 1

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

94-36-0	dibenzoyl peroxide	1-5%
---------	--------------------	------

- **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 2)

If symptoms persist consult doctor.

- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** Allergic reactions
  - **Indication of any immediate medical attention and special treatment needed**
- No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Avoid formation of dust.  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to penetrate the ground/soil.  
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Prevent formation of dust.  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Observe instructions for use.  
Prevent formation of dust.  
Any deposit of dust which cannot be avoided must be regularly removed.  
Avoid contact with the eyes and skin.

(Contd. on page 4)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 3)

- **Information about protection against explosions and fires:**  
Dust can combine with air to form an explosive mixture.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Observe instructions for use / storage.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

### Components with limit values that require monitoring at the workplace:

#### 94-36-0 dibenzoyl peroxide

PEL	Long-term value: 5 mg/m <sup>3</sup>
REL	Long-term value: 5 mg/m <sup>3</sup>
TLV	Long-term value: 5 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Do not inhale dust / smoke / mist.  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.  
Immediately remove all soiled and contaminated clothing.
- **Breathing equipment:** Suitable respiratory protective device recommended.
- **Protection of hands:** Protective gloves
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Powder
<b>Color:</b>	According to product specification
<b>Odor:</b>	Odorless

(Contd. on page 5)

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 4)

· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not applicable.
· <b>Change in condition</b> <b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not determined.
· <b>Ignition temperature:</b>	Undetermined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b> <b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not applicable.
· <b>Density at 20 °C (68 °F):</b>	1.2 g/cm <sup>3</sup> (10.014 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b> <b>Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b> <b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>Solvent content:</b> <b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	99.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

USA

(Contd. on page 6)



# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 5)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No further relevant information available.
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

dibenzoyl peroxide	3
poly(methyl methacrylate)	3
iron(III) oxide	3
titanium dioxide	2B
silicon dioxide, amorphous	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 7)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act)**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

dibenzoyl peroxide

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

(Contd. on page 8)

USA

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 7)

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

chromium(III) oxide

D, CBD

- **TLV (Threshold Limit Value established by ACGIH)**

dibenzoyl peroxide

A4

iron(III) oxide

A4

titanium dioxide

A4

chromium(III) oxide

A4

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

titanium dioxide

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

dibenzoyl peroxide

- **Hazard statements**

May cause an allergic skin reaction.

- **Precautionary statements**

Contaminated work clothing must not be allowed out of the workplace.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

- **Department issuing MSDS:** Regulatory Affairs

- **Contact:**

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

- **Date of preparation / last revision** 02/24/2015 / -

- **Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

(Contd. on page 9)

USA

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/24/2015

**Trade name:** UNIFAST LC (Powder, Shades: A2, A3, B2, B3, C2, and Translucent)

(Contd. of page 8)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

• **Sources**

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem ([www.echemportal.org](http://www.echemportal.org))

• **Notes:**

CAS Registry Number is a Registered Trademark of the American Chemical Society.

CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- \* **Data compared to the previous version altered.** This version replaces all previous versions.

• **Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA