SAFETY DATA SHEETS

This SDS packet was issued with item: 073296787

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071118215 071145481 073296753 073296761 073296779 073296845 073297405 073297413 073297421 073297447 073297454 073297462 073298502

| Section I | | Material Safety Da Emerge | | MTREC 800 404 0000 | |
|---------------------|---------------------------------------|--|---|---|--|
| Manufacturer: | Garreco, Inc. | | Emergency Telephone Number: CHEMTREC 800-424-9300 Telephone Number for Information: 501-362-6261 | | |
| | P.O. Box 1258 | | epared: 5/16/2011 | 01-302-0201 | |
| | Heber Springs, AR | | 000100.0/10/2011 | | |
| Section II - Ha | zardous Ingredients | Identity Information | | ······································ | |
| Hazardous Compone | nts (Specific Chemical Identity; Co | ommon Name(s)) OSHA | PEL ACGIH TLV % (optiona | 4) | |
| None | | | | ") | |
| Section III - P | hysical/Chemical Cha | racteristics | · · · · · | ···· | |
| Boiling Point: NAI | | Specific Gravity (H ₂ 0=1 |): 2.7 - 3.0 | | |
| Vapor Pressure (i | | Melting Point: 1450°C | . 2.1 - 5.6 | | |
| Vapor Density (Al | ÷ , | Evaporation Rate (Buty | Acctate =1): NAIE | | |
| Solubility in Water | - | Appearance and Odor: | | | |
| | re and Explosion Ha | | rowder, Low Odor | | |
| Flash Point: NAIF | | Flammable Limits: (LE | | | |
| Extinguishing Med | | Special Fire Fighting Pr | | | |
| | Explosion Hazards: None | opeoiar nie righting Pr | ocedures: None | | |
| Section V - Re | | | | · | |
| Stability: Stable | activity Data | Conditions to Avoid: No | | | |
| Incompatibility: A | cids | Hazardous Decomposition or By-products: Above 1450°C - CaO+SO ₂ | | | |
| | erization: Will Not Occur | Conditions to Avoid: No | | | |
| | ealth Hazard Data | | | | |
| Route(s) of Entry: | · · · · · · · · · · · · · · · · · · · | Inhalation? Yes | Skin? No | Ingestion? Yes | |
| Health Hazards: | Acute: NAIF | Chronic: NAIF | | ingestion? res | |
| Carcinogenicity: | | NTP? No | IARC Monographs? No | OSHA Regulated? No | |
| + + | ms of Exposure: NAIF | | IARO Monographs Pro | OSHA Regulateu ? No | |
| | | Exposure: Pre-existing up | per respiratory and lung diseas | | |
| | rst Aid Procedures | Exposition in re-existing upp | ber respiratory and ung useas | e. | |
| | | ilute by drinking water or m | ilk.*. Skin: *. Eye: Wash with I | ardo omounto of | |
| | first aid or medical attention | | IIIK OKIII Lye. wash with | arge amounts of | |
| | recautions for Safe H | | | ······································ | |
| | in Case Material is Releas | • | | | |
| | procedures, avoid dusting | • | | | |
| Waste Disposal M | • | oonalions. | | | |
| | I methods consistent with f | ederal state and local law | | | |
| | Taken in Handling and Stor | | | | |
| Avoid dusting c | - | | | | |
| Other Precautions | | | | | |
| | Control Measures | ······································ | | | |
| - | tion: OSHA approved dus | t mask. | | | |
| /entilation | Local Exhaust: Reco | | Special: NAIF | | |
| | | : Vent to dust collector. | Other: NAIF | | |
| | • | | | đ | |
| Protective Gloves: | As Desired | Eye Prot | ection: Goggles Recommende | ių. | |

SECTION 1 : Identification of the substance/preparation and of the company / undertaking

(a) GHS product identifier

(e) Emergency phone number CHEMTRAC 1-800-424-9300 CCN9105

Tecstone, Fastone, Tecstone FL (all colors except Purple and White), Labstone, Mounting Stone, Flasking Stone, Flask-It!, Apex, Natural Rock, Veri-Die, Veri-Die 20, Excalibur, X-Rock, Express Set, Pristine, Natural Rock, Archostone and Plaster

(b) Other means of identification

NA

(c) Recommended use of the chemical and restrictions on use For professional dental applications.

(d) Supplier's details

Garreco, LLC. 430 Hiram Road Heber Springs, AR 72543 Phone: 1-800-334-1443

SECTION 2: Hazards identification

(a) GHS classification of the substance/mixture

Substance Name

1. Undisclosed due to Confidential Business Information

(b) Label Elements

Hazard statements None Precautionary statements None

Hazard Symbol(s) NONE

Signal Word(s) NONE

(c) Other hazards which do not result in classification

IF ON SKIN: This material hardens and becomes hot when mixed with water. It SHOULD NOT be used to make a cast enclosing any part of the body, which may cause severe burns that may require surgical removal of affected tissue or amputation of limb. Contact with skin may cause irritation or abrasions.

IF INHALED: Dusts from this product may irritate the nose, throat, lungs, and upper respiratory tract. May cause coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IF SWALLOWED: May cause gastric disturbances if swallowed. Ingestion of a sufficient quantity may mechanically

obstruct the gut, especially the pyloric region.

IF IN EYES: Direct contact can cause mechanical irritation of eyes.

| SECTION 3: Composition/information on ingredients | | |
|--|-------------|----------------------------|
| (a) Chemical(s) Identity: | | Mixture: |
| (b) Common Name: | (c) CAS No. | Concentration (Percentage) |
| Undisclosed due to Confidential Business Information | NA | >99% |
| | | |

SECTION 4: First-aid measures

(a) Description of first aid measures:

IF ON SKIN (or hair): Rinse with water until free of material to avoid abrasions, then wash skin thoroughly with mild soap and water.

IF INHALED: If respiratory symptoms persist, consult physician.

IF SWALLOWED: If gastric disturbance occurs, consult physician.

Form No. A602

Date Prepared: 5/29/2018

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(b) Most important symptoms and effects, both acute and delayed:

IF INHALED: Nuisance conditions such as coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IN EYES: If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(c) Indication of any immediate medical attention and special treatment needed:

ND

SECTION 5: Fire-fighting measures

(a) Suitable extinguishing media:

Water or use extinguishing media appropriate for surrounding fire.

(b) Special hazards arising from the chemical or mixture:

None known

(c) Special protective equipment and precautions for fire-fighters:

Wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

(a) Personal precautions, protective equipment and emergency procedures:

No special precautions. Wear appropriate personal protective equipment.

(b) Environmental precautions:

Toxicity studies performed with fish, aquatic invertebrates and aquatic plants showed no toxic effect.

(c) Methods and material for containment and cleaning up:

Remove by dry-sweeping or vacuum. Avoid creating excessive dust. Do not wash down drains, may plug drains.

SECTION 7: Handling and storage

(a) Precautions for safe handling:

None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH approved dust respirator in poorly ventilated areas/TLV requirements are exceeded.

(b) Conditions for safe storage, including any incompatibilities:

Store in a dry area to minimize potential for clumping due to moisture absorption.

| SECTION 8: Exposure controls/Personal protection | | | |
|--|----------|--|--|
| (a) Control parameters: | | | |
| | ACGIH | OSHA | |
| Chemical | TLV | PEL TWA | |
| CBI | 10 mg/m³ | 15 mg/m ³ total, 5 mg/m ³ respirable | |

(b) Appropriate Engineering Controls:

Ventilate to keep exposures below TLV requirements. General ventilation is should be satisfactory. Use local exhaust ventilation if necessary to control dust.

(c) Individual protection measures:

RESPIRATORY: None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH/OSHA approved dust respirator in poorly ventilated areas or if TLV requirements are exceeded.

OTHER PROTECTIVE EQUIPMENT: No special body protection is required under typical circumstances. If necessary, refer to appropriate governing standards. An eyewash station and a safety shower are recommended.

| 0.20-FM | | |
|--|--|--------------|
| e ty Data Sheet m No. A602 | Date Prepared: | 5/29/2018 |
| SECTION 9: Physical and chemical properties | Date Frepared. | 5/29/2010 |
| (a) Appearance: | White to colored powder | |
| (b) Odor: | None | |
| (c) Odor threshold: | ND | |
| (d) pH: | 7.5 - 8.5 | |
| (e) Melting point / freezing point: | 1,450 Degrees Celsius | |
| (f) Initial boiling point and boiling range: | ND | |
| (g) Flash point | Not Combustible | |
| | NOLCOMPUSIBLE | |
| (h) Evaporation rate (BuAc=1): | | |
| (i) Flammability: | ND | |
| (j) Upper/lower flammability or explosive limits: | ND | |
| (k) Vapor Pressure: | ND | |
| (I) Vapor density: | ND | |
| (m) Relative density: | ND | |
| (n) Solubility: | ND | |
| (o) Partition coefficient: n-octanol/water: | ND | |
| (p) Auto-ignition temperature: | ND | |
| (q) Decomposition temperature: | 1,450 Degrees Celsius | |
| (r) Viscosity: | ND | |
| ·· · · | | |
| SECTION 10: Stability and reactivity | | |
| (a) Reactivity: | Low, HMIS 0 | |
| (b) Chemical stability: | Stable | |
| (c) Possibility of hazardous reactions: | Low | |
| (d) Conditions to avoid: | Incompatible with Acids | |
| | Decomposes to Calcium Oxide and Sulfur Dioxide at | 1 450 Dograd |
| (f) Hazardous decomposition products: | Celsius | ,,-ou Degree |
| SECTION 11: Toxicological information | | |
| Acute toxicity | NE | |
| Skin corrosion/irritation | NE | |
| Serious Eye Damage / Irritation | NE | |
| Respiratory or skin sensitization | NE | |
| Germ cell mutagenicity | NE | |
| Carcinogenicity | NE | |
| Reproductive toxicity | NE | |
| STOT-single exposure | NE NE | |
| STOT-repeated exposure | NE | |
| Aspiration Hazard | INE | |
| (a) Exposure route: | inhalation, skin and/or eye contact | |
| (b) Symptoms related to the physical, chemical and | toxicological characteristics: difficulty breathing, rashes or irritations | |
| (c) Delayed and immediate effects and also chronic | effects from short and long tem exposure: difficulty breathing, rashes or irritations | |
| (d) Numerical measures of toxicity: | See control parameters above | |
| SECTION 12: Ecological information | | |
| (a) Ecotoxicity: | | |
| | ND | |
| (b) Persistence and degradability: | | |
| | ND | |
| (c) Bioaccumulative potential | | |
| | ND | |
| (d) Mobility in soil: | | |
| | ND | |
| (e) Other adverse effects: | | |
| | ND | |
| | | |

Product: Recommendation

Sweep and dispose of material in accordance with all applicable federal, state and local regulations.

| SECTION 14: Transport information | |
|--|---|
| (a) UN Number | This product is not regulated as a hazardous material by neither the United States (DOT) Transportation regulations nor Canadian Transportation of Dangerous Goods. |
| (b) UN Proper shipping name | NA |
| (c) Transport hazard class(es) | ΝΑ |
| (d) Packing Group | NA |
| (e) Environmental hazards (f) Transport in bulk | NA |
| (g) Other Information | NA |
| | NA |
| SECTION 15: Regulatory information SARA Reporting Requirements: | NA |
| SARA Threshold Planning Quantity: | NA |
| TSCA Inventory Status: | ND |
| Other Federal Requirements: | NA |
| Other Canadian Regulations: | NA |
| State Regulatory Information: | NA |

| 3.10.20-FM | | | | | |
|--|----------------------------|-----------------|----------|--------------------------------|----------------|
| Safety Data Sheet | | | | | |
| Form No. A602 | | | | Date Prepared: | 5/29/2018 |
| SECTION 16: Oti PREPARED BY: | | | | | |
| GAR QMS SDS F | | A002 | | | |
| | | AUUZ | | | |
| HAZARDOUS MA | ATERIAL IDENTIFICATIO | N (HMIS) RATING | | | |
| | Health | 0 | | | |
| | Flammabi | lity 0 | | | |
| | Reactivity | 0 | | | |
| | Other | NA | | | |
| REVISION NUME | BER: 180529 | | | | |
| CHANGES FROM | I PREVIOUS VERSION: | Added Archostor | e | | |
| ABBREVIATION | 5 | | | | |
| NA Not Applicable | | | LD Leth | al Dose | |
| ND Not Determine | | | | ic Concentration | |
| NE Not Establish | | | TD Toxi | | |
| ppm parts per mil | | | BOD Bi | ological Oxygen Demand | |
| G Gallon | | | | hemical Oxygen Demand | |
| mg Milligram | | | Lo Lowe | | |
| L Liter | | | ThOD T | heoretical Oxygen Demand | |
| gm Gram | | | | reshold Limit | |
| mol Mole | | | IC Inhib | itory Concentration | |
| kg Kilogram | | | DOC Di | ssolved Organic Carbon | |
| µ Micro | | | H Hours | 8 | |
| mm Millimeter | | | M Mont | hs | |
| p Pico | | | D Days | | |
| Pa Pascals | | | Y Years | | |
| c cento | | | W Wee | ks | |
| LC Lethal Concentration | | | - | No Observed Effect Level | |
| ACGIH American Conference of Governmental Industrial Hygienist | | | | No Observed Adverse Effect L | |
| CPR Controlled Product's Regulation | | | | Occupational Safety and Health | Administration |
| DSL Canadian Domestic Substances List | | | | rmissible Exposure Limit | |
| NDSL Canadian Non-domestic Substance List | | | TLV Th | reshold Limit Value | |
| IARC Internationa | al Agency for Research for | Cancer | | | |
| | | | | | |

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OFCHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.