

SAFETY DATA SHEETS

This SDS packet was issued with item:

073297892

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073297603 073297611 073297629 073297637 073297645 073297652 073297660 073297678 073297686 073297694
073297702 073297728 073297736 073297744 073297751 073297769 073297777 073297785 073297793 073297801
073297819 073297827 073297850 073297868 073297876 073297884 073297900 073297918 073297926 073297934
073297942 073297959

Safety Data Sheet

Form No. A240

Date Prepared:**5/22/2014****SECTION 1 : Identification of the substance/preparation and of the company / undertaking****(a) GHS product identifier**

Tecstone, Fastone, Tecstone FL, Labstone, Orthostone,
Mounting Stone, Flasking Stone, Flask-It!, Apex, Natural
Rock, Veri-Die, Veri-Die 20, Excalibur, X-Rock, Express Set,
Cadscan, Pristine, Plaster, and OrthoPlaster
(All Colors)

(e) Emergency phone number

CHEMTRAC 1-800-424-9300

(b) Other means of identification

NA

(c) Recommended use of the chemical and restrictions on use

For professional dental applications.

(d) Supplier's details

Garreco, LLC.
430 Hiram Road
Heber Springs, AR 72543
Phone: 1-800-334-1443

SECTION 2: Hazards identification**(a) GHS classification of the substance/mixture****Substance Name**

1. Undisclosed due to Confidential Business Information
2. Crystalline Silica

(b) Label Elements**Hazard statements**

None

Precautionary statements

None

Hazard Symbol(s)

NONE

Signal Word(s)

NONE

(c) Other hazards which do not result in classification

IF ON SKIN: This material hardens and becomes hot when mixed with water. It SHOULD NOT be used to make a cast enclosing any part of the body, which may cause severe burns that may require surgical removal of affected tissue or amputation of limb. Contact with skin may cause irritation or abrasions.

IF INHALED: Dusts from this product may irritate the nose, throat, lungs, and upper respiratory tract. May cause coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IF SWALLOWED: May cause gastric disturbances if swallowed. Ingestion of a sufficient quantity may mechanically obstruct the gut, especially the pyloric region.

IF IN EYES: Direct contact can cause mechanical irritation of eyes.

IARC - International Agency for Research on Cancer: 1- Carcinogenic to humans; NTP National Toxicology Program (Health and Human Services Dept., Public Health Service, NIH/NIEHS): 1- Known to be carcinogen

ACGIH American Conference of Governmental Industrial Hygienists: A2 Suspected human carcinogen

CAL-65: Listed as Chemical known to the State of California to Cause Cancer

SECTION 3: Composition/information on ingredients**(a) Chemical(s) Identity:****(b) Common Name:**

Undisclosed due to Confidential Business Information
Crystalline Silica

(c) CAS No.

NA
14808-60-7

Mixture:**Concentration (Percentage)**

>99%
<0.05%

SECTION 4: First-aid measures**(a) Description of first aid measures:**

IF ON SKIN (or hair): Rinse with water until free of material to avoid abrasions, then wash skin thoroughly with mild soap and water.

IF INHALED: If respiratory symptoms persist, consult physician.

IF SWALLOWED: If gastric disturbance occurs, consult physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(b) Most important symptoms and effects, both acute and delayed:

IF INHALED: Nuisance conditions such as coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IN EYES: If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(c) Indication of any immediate medical attention and special treatment needed:

ND

SECTION 5: Fire-fighting measures**(a) Suitable extinguishing media:**

Water or use extinguishing media appropriate for surrounding fire.

(b) Special hazards arising from the chemical or mixture:

None known

(c) Special protective equipment and precautions for fire-fighters:

Wear appropriate personal protective equipment.

SECTION 6: Accidental release measures**(a) Personal precautions, protective equipment and emergency procedures:**

No special precautions. Wear appropriate personal protective equipment.

(b) Environmental precautions:

Toxicity studies performed with fish, aquatic invertebrates and aquatic plants showed no toxic effect.

(c) Methods and material for containment and cleaning up:

Remove by dry-sweeping or vacuum. Avoid creating excessive dust. Do not wash down drains, may plug drains.

SECTION 7: Handling and storage**(a) Precautions for safe handling:**

None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH approved dust respirator in poorly ventilated areas/TLV requirements are exceeded.

(b) Conditions for safe storage, including any incompatibilities:

Store in a dry area to minimize potential for clumping due to moisture absorption.

SECTION 8: Exposure controls/Personal protection**(a) Control parameters:**

Chemical	ACGIH	OSHA
	TLV	PEL TWA
CBI	10 mg/m ³	15 mg/m ³ total, 5 mg/m ³ respirable
Crystalline Silica	0.1 mg/m ³ respirable	0.1 mg/m ³ respirable

(b) Appropriate Engineering Controls:

Ventilate to keep exposures below TLV requirements. General ventilation is should be satisfactory. Use local exhaust ventilation if necessary to control dust.

(c) Individual protection measures:

RESPIRATORY: None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH/OSHA approved dust respirator in poorly ventilated areas or if TLV requirements are exceeded.

OTHER PROTECTIVE EQUIPMENT: No special body protection is required under typical circumstances. If necessary, refer to appropriate governing standards. An eyewash station and a safety shower are recommended.

Safety Data Sheet

Form No. A240

Date Prepared:**5/22/2014****SECTION 9: Physical and chemical properties**

(a) Appearance:	White to off-white powder
(b) Odor:	None
(c) Odor threshold:	ND
(d) pH:	7.5 - 8.5
(e) Melting point / freezing point:	1,450 Degrees Celsius
(f) Initial boiling point and boiling range:	ND
(g) Flash point	Not Combustible
(h) Evaporation rate (BuAc=1):	ND
(i) Flammability:	ND
(j) Upper/lower flammability or explosive limits:	ND
(k) Vapor Pressure:	ND
(l) Vapor density:	ND
(m) Relative density:	ND
(n) Solubility:	ND
(o) Partition coefficient: n-octanol/water:	ND
(p) Auto-ignition temperature:	ND
(q) Decomposition temperature:	1,450 Degrees Celsius
(r) Viscosity:	ND

SECTION 10: Stability and reactivity

(a) Reactivity:	Low, HMIS 0
(b) Chemical stability:	Stable
(c) Possibility of hazardous reactions:	Low
(d) Conditions to avoid:	Incompatible with Acids
(f) Hazardous decomposition products:	Decomposes to Calcium Oxide and Sulfur Dioxide at 1,450 Degrees Celsius

SECTION 11: Toxicological information

Acute toxicity	NE
Skin corrosion/irritation	NE
Serious Eye Damage / Irritation	NE
Respiratory or skin sensitization	NE
Germ cell mutagenicity	NE
Carcinogenicity	NE
Reproductive toxicity	NE
STOT-single exposure	NE
STOT-repeated exposure	NE
Aspiration Hazard	NE

(a) Exposure route:	inhalation, skin and/or eye contact
(b) Symptoms related to the physical, chemical and toxicological characteristics:	difficulty breathing, rashes or irritations
(c) Delayed and immediate effects and also chronic effects from short and long tem exposure:	difficulty breathing, rashes or irritations
(d) Numerical measures of toxicity:	See control parameters above

SECTION 12: Ecological information

(a) Ecotoxicity:	ND
(b) Persistence and degradability:	ND
(c) Bioaccumulative potential	ND
(d) Mobility in soil:	ND
(e) Other adverse effects:	ND

SECTION 13: Disposal considerations**Product:****Recommendation**

Sweep and dispose of material in accordance with all applicable federal, state and local regulations.

SECTION 14: Transport information**(a) UN Number**

This product is not regulated as a hazardous material by neither the United States (DOT) Transportation regulations nor Canadian Transportation of Dangerous Goods.

(b) UN Proper shipping name

NA

(c) Transport hazard class(es)

NA

(d) Packing Group

NA

(e) Environmental hazards

NA

(f) Transport in bulk

NA

(g) Other Information

NA

SECTION 15: Regulatory information**SARA Reporting Requirements:**

NA

SARA Threshold Planning Quantity:

NA

TSCA Inventory Status:

ND

Other Federal Requirements:

NA

Other Canadian Regulations:

NA

State Regulatory Information:

NA

SECTION 16: Other information**PREPARED BY:**

Kristofer Mainar

GAR QMS SDS REFERENCE:

A002

HAZARDOUS MATERIAL IDENTIFICATION (HMIS) RATING:

Health	0
Flammability	0
Reactivity	0
Other	NA

REVISION NUMBER: 140522**CHANGES FROM PREVIOUS VERSION:**

SECOND VERSION
MADE FORMAT CORRECTIONS

Safety Data Sheet

Form No. A240

Date Prepared:**5/22/2014****ABBREVIATIONS**

NA Not Applicable
ND Not Determined
NE Not Established
ppm parts per million
G Gallon
mg Milligram
L Liter
gm Gram
mol Mole
kg Kilogram
μ Micro
mm Millimeter
p Pico
Pa Pascals
c cent
LC Lethal Concentration
ACGIH American Conference of Governmental Industrial Hygienist
CPR Controlled Product's Regulation
DSL Canadian Domestic Substances List
NDSL Canadian Non-domestic Substance List
IARC International Agency for Research for Cancer

LD Lethal Dose
TC Toxic Concentration
TD Toxic Dose
BOD Biological Oxygen Demand
COD Chemical Oxygen Demand
Lo Lowest
ThOD Theoretical Oxygen Demand
TLm Threshold Limit
IC Inhibitory Concentration
DOC Dissolved Organic Carbon
H Hours
M Months
D Days
Y Years
W Weeks
NOEL No Observed Effect Level
NOAEL No Observed Adverse Effect Level
OSHA Occupational Safety and Health Administration
PEL Permissible Exposure Limit
TLV Threshold Limit Value

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OF CHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED.

THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.

3.10.20-FM

Safety Data Sheet

Form No. A653

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Orthoplaster
Orthostone White
Tecstone FL White
Tecstone FL
Purple
Cad-Scan (All-Colors)
Veri Die White Plus
Veri Die Cream
Veri Die Ivory
Veri Die Golden Tan
Veri Die EH Cream
Apex Pearl White
Apex Pastel
Apex Ivory
Apex Light Tan

Recommended use of the chemical and restrictions on use: For professional dental applications.

Supplier: Garreco, LLC
430 Hiram Rd.
Heber Spring, AR 72543
800-334-1443

Emergency Phone: For Chemical Emergency
Spill, Leak, Fire, or Accident
Call **CHEMTREC** Day or Night
Within USA and Canada: 1-800-424-9300 (CCN9105)
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. HAZARDS IDENTIFICATION**GHS Classification:**

Physical:	Health:	Environmental
None	Carcinogen Category 2	None

GHS Label Elements:



Warning

Statements of Hazard

Suspected of causing cancer by inhalation.

Precautionary Phrases

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Use personal protective equipment as required.
If exposed or concerned: Get medical advice.
Store locked up.
Dispose of contents and container in accordance with local, state, and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Gypsum Plaster	Mixture	90-95%
Proprietary Additive	Proprietary	1-5%
Non-Hazardous Additives	Mixtures	0-5%

4. FIRST AID MEASURES

Eye: Flush eyes with water, while holding the eyelids apart. Get medical attention if irritation occurs.

Skin: Wash skin thoroughly with soap and water. Get medical attention if irritation develops. Remove and launder clothing before re-use.

Ingestion: Do not induce vomiting. Rinse mouth with water and give one glass of water to drink. Get medical attention if irritation or symptoms develop.

Inhalation: Remove victim to fresh air. Get medical attention if breathing difficulties develop.

Most important Symptoms: Dust may cause slight eye irritation. May cause abrasive skin irritation. May harden if ingested and cause stomach or intestinal blockage. Mixture with water may cause heating, which may cause thermal burns in contact with skin. Contains an ingredient that is suspected of causing cancer by inhalation.

Indication of immediate medical attention/special treatment: Immediate medical attention is not required.

5. FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical: Product is not flammable or combustible.

Special Protective Equipment and Precautions for Fire-Fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Avoid breathing dust. Ventilate area. Avoid contact with the eyes. Avoid contact with skin and clothing. Wear appropriate protective clothing. Evacuate spill area and keep unprotected personnel away. Avoid releases to the environment.

Methods and Materials for Containment and Cleaning Up: Sweep up and collect into an appropriate container for disposal. Report releases as required by local, state and federal authorities.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Prevent contact with the eyes. Avoid contact with skin and clothing. Avoid breathing dust. Wear protective clothing and equipment. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Wash clothing before re-use.

Do not reuse containers. Empty containers retain product residues and contaminants which can be hazardous. Follow all SDS precautions when handling empty containers.

Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry, well ventilated area away from acids. Keep container tightly closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Gypsum Plaster	5 mg/m ³ TWA OSHA PEL (Respirable Fraction) 15 mg/m ³ TWA OSHA PEL (Total dust)
Non-Hazardous Additives	None Established
Proprietary Additive	10 mg/m ³ TWA ACGIH TLV 15 mg/m ³ TWA OSHA PEL (Total Dust)

Engineering Controls: Use with adequate general or local exhaust ventilation to minimize exposures levels.

Respiratory Protection: In operations where exposure levels are excessive or irritation is experienced, an approved respirator with dust/mist cartridges or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Skin Protection: Impervious gloves are required if contact is possible.

Eye Protection: Chemical safety goggles should be worn where contact is possible.

Other: Impervious coveralls, apron and boots are required if needed to prevent skin contact and contamination of personal clothing. A safety shower and eye wash should be available in the immediate work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Powder (various colors) with low to no odor.

Physical State: Solid.	Odor Threshold: Not established
Vapor Density: Not applicable	Initial Boiling Point/Range: Not available
Solubility In Water: Not soluble	Vapor Pressure: Not applicable
Relative Density: 2.96	Evaporation Rate: Not available
Melting/Freezing Point: 1450°C (2642°F)	pH: Not applicable
VOC Content: 0%	Octanol/Water Coefficient: Not available
Solubility: Not available	Decomposition Temperature: 1450°C (2642°F)
Viscosity: Not applicable	Flammability (solid, gas): Not flammable
Flashpoint: Not applicable	Autoignition Temperature: Not applicable
Flammable Limits: LEL: Not applicable UEL: Not applicable	

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Will not occur under normal storage and handling conditions.

Conditions to Avoid: Keep away from moisture.

Incompatible Materials: Acids.

Hazardous Decomposition Products: When heated to decomposition emits calcium oxide and sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS:

Eye: May cause mechanical irritation.

Skin: May cause mild mechanical irritation. When mixed with water, product produces heat which may cause thermal burns.

Ingestion: Ingestion may result in gastrointestinal or stomach blockage.

Inhalation: Inhalation of dust may cause respiratory irritation.

Sensitization: Not expected to cause sensitization.

Chronic: No effects expected.

Carcinogenicity: This product contains a Proprietary Additive which is categorized by IARC as Possibly Carcinogenic to Humans (Category 2B.) None of the other components present are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, or OSHA.

Germ Cell Mutagenicity: None of the components of this product are suspected to cause Mutagenicity.

Reproductive Toxicity: None currently known for the mixture.

Numerical Measures of Toxicity: Gypsum Powder: Oral rat LD50 >10,000 mg/kg; Dermal Rabbit LD50 >10,000 mg/kg; Inhalation rat LC50 >5.09 ng/L/4 hr (no mortalities at highest concentration achievable)

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Product is not toxic to the aquatic environment.

Persistence and Degradability: Not applicable for inorganic materials.

Bioaccumulative Potential: Not expected to bioaccumulate.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local and national environmental regulations.

14. TRANSPORT INFORMATION

DOT Hazardous Materials Description:

Proper Shipping Name: Not Regulated

UN Number: None

Hazard Class/Packing Group: None

Labels Required: None

IMDG Shipping Name: Not Regulated

UN Number: None

IMDG Hazard Class/Packing Group: None

IMDG Hazard Labels Required: None

IATA Shipping Name: Not Regulated

UN Number: None

IATA Hazard Class/Packing Group: None

IATA Hazard Labels Required: None

15. REGULATORY INFORMATION

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state and federal regulations.

Hazard Category for Section 311/312: Refer to Section 2 for OSHA Hazard Classification.

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

United States TSCA: All the components are listed or exempt.

California Proposition 65:



WARNING. Cancer ☐ www.P65Warnings.ca.gov

Canada DSL: All the components are listed or exempt.

16. OTHER INFORMATION

NFPA Rating: Health = 0 Fire = 0 Reactivity = 0

HMIS Rating: Health = 0* Fire = 0 Reactivity = 0

Revision Number: 181026

Date of current revision: 10/26/18

Date of previous revision: New SDS

Revision summary: New SDS.

This SDS covers the associated Raw Materials: 820010, 8200060, 820070, 820080, 820090, 8200120, 8200132, 8200160, 8200140, 8200150, 8200065, 8200152, 8200162, 8200050, 8200025, 8200110, 8200010, 8200030, 8100075, 8200500, 8100053, 8100113, 8100560, 8100041, 8100063, 8100400, 8100510

ABBREVIATIONS

NA Not Applicable
ND Not Determined
NE Not Established
ppm parts per million

G Gallon
mg Milligram
L Liter
gm Gram
mol Mole
kg Kilogram
μ Micro
mm Millimeter

p Pico
Pa Pascals
c cento

LC Lethal Concentration
ACGIH American Conference of Governmental
Industrial Hygienist
CPR Controlled Product's Regulation
DSL Canadian Domestic Substances List
NDSL Canadian Non-domestic Substance List
IARC International Agency for Research for
Cancer

LD Lethal Dose
TC Toxic Concentration
TD Toxic Dose
BOD Biological Oxygen Demand
COD Chemical Oxygen Demand
Lo Lowest
ThOD Theoretical Oxygen Demand
TLm Threshold Limit
IC Inhibitory Concentration
DOC Dissolved Organic Carbon
H Hours
M Months
D Days
Y Years
W Weeks
NOEL No Observed Effect Level
NOAEL No Observed Adverse Effect Level
OSHA Occupational Safety and Health
Administration
PEL Permissible Exposure Limit
TLV Threshold Limit Value

NOTICE

Safety Data Sheet

Form No. A653

This Safety Data Sheet is prepared in compliance with Federal Regulations (29CFR 1910.1200.) Any applicable state and local regulations should be consulted. The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazard connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.