## **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 073298098

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073297157

Section I		Emergency	/ Telephone Number: CHEM	TREC 800-424-9300		
Manufacturer:	Garreco, Inc. Telephone Number for Information: 501-362-6261					
	P.O. Box 1258 Date Prepared: 5/16/2011					
	Heber Springs, AR 72543					
Section II - Ha	azardous Ingredients/	dentity Information				
Hazardous Componei	nts (Specific Chemical Identity; Cor	nmon Name(s)) OSHA PEL	. ACGIH TLV % (optiona	1)		
None						
	hysical/Chemical Cha					
Boiling Point: NAIF		Specific Gravity (H <sub>2</sub> 0=1): 2.7 - 3.0				
Vapor Pressure (mm Hg.): NAIF		Melting Point: 1450°C	Melting Point: 1450°C			
Vapor Density (A	IR=1): NAIF	Evaporation Rate (But	yl Acetate =1): NAIF			
Solubility in Wate	r: 0.20%	Appearance and Odor	: Powder, Low Odor			
Section IV - F	ire and Explosion Ha	ard Data				
Flash Point: NAI	F	Flammable Limits: (LE	EL) N/A (UEL) N/A			
Extinguishing Me	dia: NAIF	Special Fire Fighting P	rocedures: None			
	Explosion Hazards: None					
Section V - Re	eactivity Data					
Stability: Stable			Conditions to Avoid: None			
Incompatibility: A	kcids	Hazardous Decompos	ition or By-products: Above 1	450°C - CaO+SO2		
	nerization: Will Not Occur	Conditions to Avoid: N	lone			
Section VI - H	lealth Hazard Data					
Route(s) of Entry	:	Inhalation? Yes	Skin? No	Ingestion? Yes		
Health Hazards:	Acute: NAIF	Chronic: NAIF				
Carcinogenicity:		NTP? No	IARC Monographs? No	OSHA Regulated? No		
	oms of Exposure: NAIF					
		Exposure: Pre-existing u	pper respiratory and lung dise	ease.		
	First Aid Procedures					
	-		milk,*. Skin: *. Eye: Wash wit	h large amounts of		
· · · · · · · · · · · · · · · · · · ·	first aid or medical attention					
	Precautions for Safe H					
•	n in Case Material is Relea					
	up procedures, avoid dusting	conditions.				
Waste Disposal N						
	fill methods consistent with		WS.			
	e Taken in Handling and Sto	ring:				
Avoid dusting						
Other Precaution						
Castian VIII	Control Measures					
	ection: OSHA approved due					
Respiratory Prote	Local Exhaust: Reco	ommended	Special: NAIF			
Respiratory Prote						
	Mechanical (Genera	): Vent to dust collector.	Other: NAIF tion: Goggles Recommended			



## 1. PRODUCT AND COMPANY IDENTIFICATION

## Product Identity:

Tecstone Fastone Tecstone FL (All colors except Purple and White) Labstone Mounting Stone Flasking Stone Flask-It! Apex Natural Rock Veri-Die Veri-Die 20 Excalibur X-Rock Express Set Pristine Natural Rock Archostone Plaster Satin Stone

**Recommended use of the chemical and restrictions** For professional dental applications. **on use:** 

Supplier:	Garreco, LLC 430 Hiram Rd. Heber Spring, AR 72543 800-334-1443
Emergency Phone:	For Chemical Emergency Spill, Leak, Fire, or Accident Call <b>CHEMTREC</b> Day or Night Within USA and Canada: 1-800-424-9300 (CCN9105) Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2. HAZARDS IDENTIFICATION

## **GHS Classification:**

Physical:	Health:	Environmental
None	None	None

#### GHS Label Elements: None Required

#### Statements of Hazard

#### **Precautionary Phrases**

None Required

None Required

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Gypsum Plaster	Mixture	95-100%
Non-Hazardous Additives	Mixtures	0-5%

#### 4. FIRST AID MEASURES

**Eye:** Flush eyes with water, while holding the eyelids apart. Get medical attention if irritation occurs. **Skin:** Wash skin thoroughly with soap and water. Get medical attention if irritation develops. Remove and launder clothing before re-use.

**Ingestion:** Do not induce vomiting. Rinse mouth with water and give one glass of water to drink. Get medical attention if irritation or symptoms develop.

Inhalation: Remove victim to fresh air. Get medical attention if breathing difficulties develop.

**Most important Symptoms:** Dust may cause slight eye irritation. May cause abrasive skin irritation. May harden if ingested and cause stomach or intestinal blockage. Mixture with water may cause heating, which may cause thermal burns in contact with skin.

**Indication of immediate medical attention/special treatment:** Immediate medical attention is not required.

#### 5. FIRE FIGHTING MEASURES

**Suitable (and Unsuitable) Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Specific hazards arising from the chemical:** Product is not flammable or combustible. **Special Protective Equipment and Precautions for Fire-Fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment, and Emergency Procedures:** Avoid breathing dust. Ventilate area. Avoid contact with the eyes. Avoid contact with skin and clothing. Wear appropriate protective clothing. Evacuate spill area and keep unprotected personnel away. Avoid releases to the environment.

**Methods and Materials for Containment and Cleaning Up:** Sweep up and collect into an appropriate container for disposal. Report releases as required by local, state and federal authorities.

### 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** Prevent contact with the eyes. Avoid contact with skin and clothing. Avoid breathing dust. Wear protective clothing and equipment. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Wash clothing before re-use.

Do not reuse containers. Empty containers retain product residues and contaminants which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including Any Incompatibilities:** Store in a cool, dry, well ventilated area away from acids. Keep container tightly closed.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines:

Gypsum Plaster	5 mg/m <sup>3</sup> TWA OSHA PEL (Respirable Fraction) 15 mg/m <sup>3</sup> TWA OSHA PEL (Total dust)
Non-Hazardous Additives	None Established

**Engineering Controls:** Use with adequate general or local exhaust ventilation to minimize exposures levels.

**Respiratory Protection:** In operations where exposure levels are excessive or irritation is experienced, an approved respirator with dust/mist cartridges or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Skin Protection: Impervious gloves are required if contact is possible.

**Eye Protection:** Chemical safety goggles should be worn where contact is possible.

**Other:** Impervious coveralls, apron and boots are required if needed to prevent skin contact and contamination of personal clothing. A safety shower and eye wash should be available in the immediate work area.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Powder (various colors) with low to no odor.

Physical State: Solid.	Odor Threshold: Not established
Vapor Density: Not applicable	Initial Boiling Point/Range: Not available
Solubility In Water: Not soluble	Vapor Pressure: Not applicable
Relative Density: 2.96	Evaporation Rate: Not available
Melting/Freezing Point: 1450°C (2642°F)	pH: Not applicable
VOC Content: 0%	Octanol/Water Coefficient: Not available
Solubility: Not available	<b>Decomposition Temperature:</b> 1450°C (2642°F)
Viscosity: Not applicable	Flammability (solid, gas): Not flammable
Flashpoint: Not applicable	Autoignition Temperature: Not applicable
Flammable Limits: LEL: Not applicable	
UEL: Not applicable	

#### 10. STABILITY AND REACTIVITY

**Reactivity:** Not normally reactive.

Chemical Stability: Stable.

**Possibility of Hazardous Reactions:** Will not occur under normal storage and handling conditions. **Conditions to Avoid:** Keep away from moisture.

Incompatible Materials: Acids.

**Hazardous Decomposition Products:** When heated to decomposition emits calcium oxide and sulfur dioxide.

#### 11. TOXICOLOGICAL INFORMATION

#### HEALTH HAZARDS:

**Eye:** May cause mechanical irritation.

**Skin:** May cause mild mechanical irritation. When mixed with water, product produces heat which may cause thermal burns.

**Ingestion:** Ingestion may result in gastrointestinal or stomach blockage.

Inhalation: Inhalation of dust may cause respiratory irritation.

Sensitization: Not expected to cause sensitization.

Chronic: No effects expected.

**Carcinogenicity:** None of the components present are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, or OSHA.

**Germ Cell Mutagenicity:** None of the components of this product are suspected to cause Mutagenicity.

**Reproductive Toxicity:** None currently known for the mixture.

**Numerical Measures of Toxicity:** Gypsum Powder: Oral rat LD50 >10,000 mg/kg; Dermal Rabbit LD50 >10,000 mg/kg; Inhalation rat LC50 >5.09 ng/L/4 hr (no mortalities at highest concentration achievable)

#### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity:

Product is not toxic to the aquatic environment.

Persistence and Degradability: Not applicable for inorganic materials.

Bioaccumulative Potential: Not expected to bioaccumulate.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

#### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local and national environmental regulations.

#### 14. TRANSPORT INFORMATION

DOT Hazardous Materials Description: Proper Shipping Name: Not Regulated UN Number: None Hazard Class/Packing Group: None Labels Required: None

IMDG Shipping Name: Not Regulated UN Number: None IMDG Hazard Class/Packing Group: None IMDG Hazard Labels Required: None

IATA Shipping Name: Not Regulated UN Number: None IATA Hazard Class/Packing Group: None IATA Hazard Labels Required: None

#### **15. REGULATORY INFORMATION**

**CERCLA 103 Reportable Quantity:** This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state and federal regulations.

Hazard Category for Section 311/312: Refer to Section 2 for OSHA Hazard Classification.

**Section 313 Toxic Chemicals:** This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

#### Section 302 Extremely Hazardous Substances (TPQ): None

**United States TSCA:** All the components are listed or exempt.

**California Proposition 65:** 

WARNING. Cancer – <u>www.P65Warnings.ca.gov</u>

Canada DSL: All the components are listed or exempt.

16. OTHER INFORMATION

**NFPA Rating:** Health = 0 Fire = 0 **HMIS Rating:** Health = 0 Fire = 0 Reactivity = 0Reactivity = 0

Revision Number: 181025 Date of current revision: 10/26/18 Date of previous revision: New SDS Revision summary: New SDS. 3.10.20-FM Safety Data Sheet Form No. A652

This SDS covers the associated Raw Materials: 820010, 8200060, 820070, 820080, 820090, 8200120, 8200132, 8200160, 8200140, 8200150, 8200065, 8200152, 8200162, 8200025, 8200110, 8200010, 8200030, 8100075, 8200500, 8100053, 8100113, 8100560, 8100041, 8100063, 8100400, 8100510

#### ABBREVIATIONS

NA Not Applicable ND Not Determined **NE Not Established** ppm parts per million G Gallon mg Milligram L Liter qm Gram mol Mole kg Kilogram µ Micro mm Millimeter p Pico Pa Pascals c cento LC Lethal Concentration ACGIH American Conference of Governmental Industrial Hygienist **CPR Controlled Product's Regulation DSL Canadian Domestic Substances List** NDSL Canadian Non-domestic Substance List IARC International Agency for Research for Cancer

LD Lethal Dose **TC Toxic Concentration** TD Toxic Dose BOD Biological Oxygen Demand COD Chemical Oxygen Demand Lo Lowest ThOD Theoretical Oxygen Demand TLm Threshold Limit IC Inhibitory Concentration DOC Dissolved Organic Carbon H Hours M Months D Davs Y Years W Weeks NOEL No Observed Effect Level NOAEL No Observed Adverse Effect Level **OSHA** Occupational Safety and Health Administration PEL Permissible Exposure Limit **TLV Threshold Limit Value** 

#### NOTICE

This Safety Data Sheet is prepared in compliance with Federal Regulations (29CFR 1910.1200.) Any applicable state and local regulations should be consulted. The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazard connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material is furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.