## **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

074089140

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076665343 076665491 076665517 076665525 076665541

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072801017 073270824 075897863

Actiocms.com ACTIO MSDS ID: 1156667

View Section: 12345678910111213141516

EC Directive Pictograms

Personal Protective Pictograms

Gloves
Dust
Respirator
Faceshield
Full
Suit
Splash

Goggles

## SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION AD31001MS

Product Name: Patterson Topical Benzocaine Anesthetic

Manufacturer MSDS.: AD31001MS

Manufacturer Name: Patterson Companies, Inc.

Address: 1031 Mendota Heights Road

St. Paul, MN 55120

General Use: Recommended Use: Topical anesthetic

Restrictions on Use: Use only as directed

Business Phone: 651-686-1600 Business Fax: 651-686-9331

CHEMTREC Numbers:

For emergencies in the US, call CHEMTREC: 800-424-9300

Revision Date:1/28/11 Supersedes: 6/22/09 Revision Number: 2

Trade Names: Topex« Topical Anesthetic Gel/Liquid

Chemical Name/Classification: Mixture

U.N. Number: None

U.N. Dangerous Goods Classification: Not Regulated

Product Codes: AD31001, AD31002, AD31003, AD31004, AD31005, AD31006,

AD31007, AD31064, AD31065, AD31067, AD31068, AD31011, AD31012,

AD31014

Ingredient NameCAS#Ingredient Percent

Polyethylene Glycol25322-68-330-50% by Weight

EC Number: Not available

EC Index Number:1

IUPAC Name: Poly(ethylene oxide)

Substance Classification: Not applicable

Benzocaine94-09-720% by Weight

EC Number:202-303-5 EC Index Number:1 Hazard Symbols:Xi Risk Phrases:R43

IUPAC Name: Ethyl p-aminobenzoate

Refer to Section 16 for the full text of the EU Classifications and R Phrases.

To Top of page

SECTION 3 : HAZARDS IDENTIFICATIONAD31001MS

\*\*\*\*\*\*\*\*\*\*\*\*\*

EU Classification: Irritant (Xi)

EU Labelling: X Irritant

Contains benzocaine:

R43 May cause sensitization by skin contact.

S24/25 Avoid contact with skin and eyes.

S37 Wear suitable gloves

US Hazard Classification: Hazardous

Applies to all ingredients:

Route of Exposure: Eye, Skin, Inhalation, Ingestion

Signs/Symptoms:Contact with skin, eyes or mucous membranes may cause numbness. Repeated skin contact may cause burning and itching of the skin with dermatitis or rash.

Aggravation of Pre-Existing Conditions: Employees with pre-existing skin disorders may be at increased risk from exposure. Polyethylene Glycol:

Target Organs: Specific Target Organ Toxicity (STOT):

Repeated Exposure: Propylene glycol: In 2 week inhalation study, rats were administered whole body exposure for 6 hr/day for 9 days. No exposure related clinical signs or ophthalmic changes were noted and no mortality was recorded during the study.

Benzocaine :

Target Organs: Specific Target Organ Toxicity (STOT): Single Exposure: Benzocaine: When applied topically as recommended, benzocaine has been shown to be relatively nontoxic, however, sensitization may occur.

To Top of page

Eye Contact: Flush eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get medical attention if irritation or other symptoms persist. Skin Contact: Wash skin thoroughly with soap and water. Get medical attention if symptoms develop and persist. Inhalation: None needed under normal use conditions. If irritation develops, remove to fresh air. Get medical attention if symptoms persist. Ingestion: If swallowed, call a poison control center. Only

induce vomiting if directed by medical personnel. Never give anything by mouth to an unconscious person.

Note to Physicians: (Treatment, Testing, and Monitoring):

Treatment of overexposure should be directed at the control of symptoms and clinical conditions.

Most important symptoms of exposure:

Contact with skin, eyes or mucous membranes may cause numbness. Repeated skin contact may cause burning and itching of the skin with dermatitis or rash.

Other: None known.

To Top of page

Fire:Flammability: Not flammable
Explosion:Explosive limits: Not applicable
Flash Point:> 300 deg F/> 149 deg C
Auto Ignition Temperature:Not available
Extinguishing Media:Suitable: Use media appropriate for

surrounding fire.

Fire Fighting Instructions: Fire Fighting Procedures: Cool fire exposed containers and structures with water.

Specific Hazards Arising from the Chemical: None known.

Precautions for Fire Fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals. Protective Equipment: Recommended Protective Equipment for Fire Fighters:

EYES/FACE, SKIN, RESPRIATORY, THERMAL

To Top of page

Personal Precautions: PPE and Emergency Procedures: For large spills, wear gloves and eye protection. Small spills do not require special precautions.

Recommended Personal Protective Equipment for Containment and Clean-up:

EYES/FACE, SKIN

Spill Cleanup Measures: Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal.

Environmental Precautions: Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

To Top of page

Handling: Precautions for Safe Handing: Avoid contact with the eyes and skin. Wash thoroughly after handling. Use in accordance with package instructions.

Storage: Conditions for Safe Storage: Avoid prolonged storage at elevated temperatures as product degradation may occur. Work Practices: Wash thoroughly after handling. Remove and launder contaminated clothing before reuse.

Hygiene Practices: Wash thoroughly after handling. Remove and launder contaminated clothing before reuse.

To Top of page

Engineering Controls: Appropriate Engineering Controls: No special controls required.

Personal Protective Equipment

Routine Handling: Specific Thermal Hazards: Not applicable

Recommended Personal Protective Equipment:

EYES/FACE, SKIN

Skin Protection Description: Avoid skin contact. Wear plastic or rubber gloves to avoid contact.

Eye/Face Protection: Avoid eye contact. Safety glasses should be worn if contact is likely.

Respiratory Protection: None required under normal use conditions.

Exposure Limits: Occupational Exposure Limits:

Polyethylene Glycol:

10 mg/m3 TWA AIHA WEEL (aerosol) 1000 mg/m3 (inhalable) DFG MAK

Benzocaine: None Established

Biological Exposure Limits: None Established Environmental Exposure Controls: None required for normal use.

General Hygiene Considerations and Work Practices: Wash thoroughly after handling. Remove and launder contaminated clothing before reuse.

Protective Measures During Repair and Maintenance of Contaminated Equipment: Not applicable for product.

To Top of page

Physical State/Appearance:Gel Odor:Characteristic of flavor

pH:6.05

Decomposition Temperature: Not available

Vapor Pressure: Negligible Vapor Density: Not available

Flash Point:> 300 deg F/> 149 deg C Auto Ignition Temperature:Not available

Boiling Point: Initial: > 482 deg F/> 250 deg C

Freezing Point:Not available Melting Point:Not available

Solubility:Disperses

Density:Relative: 1.091 @ 25 deg C Evaporation Point:Not available Viscosity:164,000 centipose

Odor Threshold:Not available

Coefficient of Water/Oil Distribution: Partition coefficient:

n-octanol/water: Not available Flammability: Not flammable Explosive Properties: None

Explosive limits: Not applicable

Oxidizing Properties: None

To Top of page

Chemical Stability: Stable.

Conditions to Avoid: None known.

Incompatibilities with Other Materials: Avoid oxidizing agents. Reactivity: Will not polymerize.

Possibility of Hazardous Reactions: Hazardous reactions are unlikely.

Hazardous Decomposition Products: Thermal decomposition may produce carbon and nitrogen oxides.

To Top of page

Applies to all ingredients:

Eye Effect:Direct contact may cause irritation with redness and tearing. Numbness may occur.

Skin Effects: Direct contact may cause numbness. Prolonged or repeated skin contact may cause contact dermatitis or hypersensitivity to benzocaine with burning, stinging, tenderness and edema.

Ingestion Effects: Swallowing may cause nausea, vomiting and diarrhea. In rare cases bezocaine has been shown to cause methemoglobemia.

Inhalation Effects: None expected from normal use. Inhalation of mists may cause respiratory irritation.

Chronic Effects: None expected.

Carcinogenicity: None of the components of this product are listed as carcinogens by OSHA, IARC, ACGIH, NTP or EU Directives.

Mutagenicity: No data available

Reproductive Toxicity: No data available.

Other Toxicological Information: Medical Conditions Aggravated by Exposure: Employees with pre-existing skin disorders may be at increased risk from exposure.

Polyethylene Glycol:

Ingestion Effects:Oral mouse LD50: 28,900 mg/kg

Other Toxicological Information: Specific Target Organ Toxicity (STOT):

Repeated Exposure: Propylene glycol: In 2 week inhalation study, rats were administered whole body exposure for 6 hr/day for 9 days. No exposure related clinical signs or ophthalmic changes were noted and no mortality was recorded during the study.

Benzocaine :

Ingestion Effects:LD50 oral rat: 3042 mg/kg

Other Toxicological Information: Specific Target Organ Toxicity (STOT):
Single Exposure: Benzocaine: When applied topically as recommended, benzocaine has been shown to be relatively nontoxic, however, sensitization may occur.

To Top of page

Ecological Paragraph: Toxicity:

Propylene glycol: Salmo salar (Atlantic salmon) > 1000 mg/L Biodegradation:Benzocaine: Readily biodegradable Other:Other Adverse Effects: None known. Bio-accumulative Potential: Benzocaine: Estimated BCF is 5. Potential for bioaccumulation is low.

Mobility in Soil: Benzocaine: Moderate mobility based upon an estimated Koc of 250.

Results of PBT/vPvB Assessment: Not required.

To Top of page

Waste Disposal:Regulations: Dispose in accordance with local and national environmental regulations.

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: None needed for normal anticipated use.

To Top of page

UN Proper Shipping Name: Not Regulated

UN Class:None
UN Number:None

UN Packaging Group:None

Special precautions for user: Not applicable

To Top of page

Applies to all ingredients:

TSCA 8(b): Inventory Status: Toxic Substances Control Act (TSCA): This product is a drug and not subject to chemical notification requirements.

SARA: Superfund Amendments and Reauthorization Act (SARA) Title III Information:

Section 304:Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting

requirements. Report spills required under federal, state and local regulations.

Section 312 Hazard Category: SARA Section 311/312 (40 CFR 370) Hazard Categories:

Acute:Yes Chronic:No Fire:No Reactive:No Pressure:No

Section 313 Toxic Release Form: This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components: None

Section 112(r): Clean Air ActClean Air Act (CAA): Not Listed Section 116.4 part 117: Clean Water ActClean Water Act (CWA): Not Listed

OSHA 29 CFR 1200:OSHA Hazard Classification: Sensitizer State:California: This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components: None

Canada WHMIS: Canadian Workplace Hazardous Materials Information System (WHMIS): Drugs are not subject to WHMIS European Community Chemical Inventory Status: EU REACH: This product is a medicinal product and not subject to registration requirements.

To Top of page

MSDS Revision Date:1/28/11

Supersedes: 6/22/09 Revision Number: 2

Full text of Classification abbreviations used in Section 2 and 3:

Xi Irritant

R43 May cause sensitization by skin contact.

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for

components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.

Copyright- 1996-2009 Actio Corporation. All Rights Reserved. To Top of page