

SAFETY DATA SHEETS

This SDS packet was issued with item:

074390167

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

074378097 074378105 074378352 074378360 074378386 074390118 074390126 074390134 074390142 074390159

074390175 074390183 074390191 074390209 074390217 074390225 074390233 074390241 074390258 074390266

074390274 074390282 074390415 074390423 074390431 074390449 074390480 074390498 074390506 074390555

074390563

TYTIN FC

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 Collins Ave.
City, State, Zip: Orange, CA 92867
Emergency: 1-800-424-9300
Telephone: Chemtrec 1-800-537-7123
Date Prepared: November 16, 2004

2 - COMPOSITION INFORMATION

Hazardous Ingredients

	<u>CAS #</u>	<u>PEL</u>	<u>TLV</u>	<u>%</u>
Mercury	7439-97-6	0.05 mg/m ³	0.05 mg/m ³	44.5*

* (% Based on final Amalgam composition by weight)

Other Ingredients

Alloy powder contains silver, tin and copper metals.

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 674 °F
Specific Gravity (H₂O = 1): 13.35
Vapor Pressure (mm Hg): 0.0012 mm Hg @ 68 °F
Melting Point: -38 °F
Vapor Density: N/E
Evaporation Rate: N/E
Solubility in Water: 0.0002g/100g water @ 68 °F
Appearance and Odor: Powder: Odorless dark-gray alloy of silver, tin and copper. **Liquid:** Mercury is a silvery, mobile, odorless liquid.
This MSDS addresses the mercury (liquid) portion of the product, which is a known health hazard. The powder is not considered to be hazardous. The health hazard data section references information relative to bulk quantities of elemental mercury and may not reflect the actual hazards of small quantities such as those encountered with this product.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/A
Flammable Limits: LEL: N/A **UEL:** N/A
Extinguishing Media: Carbon dioxide, dry chemical foam
Special Fire Fighting Procedures: Firefighters should wear self-contained breathing apparatus when fighting a fire in an area containing mercury.
Unusual Fire Fighting Procedures: Emits toxic fumes in fire conditions.

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: High temperatures.
Incompatibility (Material to Avoid): Halogens, ammonia, and strong oxidizing agents.
Hazardous Decomposition Byproducts: Mercury Vapor.
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA Acute/Chronic

Routes of Entry:

Skin: Irritant/Sensitizer/Neurotoxin/Nephrotoxin
Acute Exposure: May cause redness and irritation. **Chronic Exposure:** Possible sensitization, dermatitis and swelling. Mercury may be absorbed through intact skin causing urinary problems
Eyes: Irritant.
Acute Exposure: Contact may cause irritation. Mercury is corrosive and may cause corneal injury or burns. **Chronic Exposure:** Mercury may be deposited in the lens of the eye, causing visual disturbances.
Inhalation: Irritant/Sensitizer/Neurotoxin
Acute Exposure: Inhalation of mercury vapor can cause cough, fever, nausea, and vomiting. **Chronic Exposure:** Inhalation of high concentrations mercury vapor over a long period causes mercurialism. Findings are extremely variable & include tremors, salivation, stomatitis, loosening of teeth, blue lines on gums, pain & numbness in extremities.
Ingestion: Neurotoxic/nephrotoxic
Acute Exposure: May cause nausea, vomiting, kidney damage and nerve effects. **Chronic Exposure:** Symptoms include Central Nervous System (CNS) disorders.

Carcinogenicity - NTP: No
IARC Monographs: No **OSHA Regulated Carcinogen:** No

7 - EMERGENCY AND FIRST AID PROCEDURES

Skin: Wash thoroughly with soap and water. Use hand cream. If irritation persists, consult a physician.
Eye: Flush with water for at least 15 minutes. Consult a physician.
Inhalation: Move to fresh air. If irritation persists, consult a physician.
Ingestion: Contact a physician. May cause neurotoxic/nephrotoxic effects.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Isolate the area and begin clean-up immediately. Do not touch spilled material. Cover all liquid droplets with a commercially available mercury vapor suppressant such as HG-X or elemental Sulfur. Collect the droplets using specialized mercury vacuum cleaners.
Waste Disposal Method: Material should not be allowed to enter sewers. All scrap mercury liquid and set alloy must be sent for reclamation by a commercial metal recycling facility.
Precautions to be taken in handling and storing: Store in a cool, dry place away from ignition sources.
Other precautions: Use according to directions. Wash hands thoroughly before smoking or eating.

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): Not needed for small quantities as encountered in this product. **AVOID BREATHING OF VAPORS. HIGHLY TOXIC - IRRITANT - SENSITIZER.**
VENTILATION:
Local Exhaust: Use in a well ventilated area to keep exposure under 0.05 mg/m³.
Mechanical (General): Should be sufficient
Protective Gloves: Chemical resistant or latex gloves required
Eye Protection: Safety glasses with side shields. Full face shields
Work/Hygiene Practices: USE ONLY ACCORDING TO DIRECTIONS.
Wash thoroughly after handling. Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Regulated: DOT, IATA, IMO
Proper Shipping Name: Mercury
Hazard Class: 8
UN Number: 2809
Packing Group: III
Label: Corrosive
NOTE: See 49 CFR 173.4

11 - SPECIAL INFORMATION

HMS (Hazardous Material Identification System) Rating:
H3 F0 R0
[HMS Index: 4 - Severe Hazard; 3 -Serious Hazard; 2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

State RTK: California Proposition 65 WARNING:
This product contains mercury, a chemical known to the State of California to cause birth defects or other reproductive harm.