SAFETY DATA SHEETS

This SDS packet was issued with item:

074577409

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074577334 074577342 074577359 074577367 074577375 074577383 074577391 074577417 074577425 074577433 074577441 074577458 074577466 074577474



Printing date 05/01/2016 Reviewed on 05/01/2016

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

· Article number: US178-CP

· Application of the substance / the preparation Dental filling material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

1565-94-2 bisphenol A diglycidylmethacrylate

(1) H315; H319

2.5-10%

· Other ingredients:

Silanated barium glass filler

Pre-polymerized organic filler

Hydrophobic aromatic dimethacrylate

Hydrophobic aliphatic dimethacrylate

dl-Camphorquinone

Accelerators

Initiators

Pigments

3 Hazards identification

· Classification of the substance or mixture



H315 Causes skin irritation.

H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

-USA



Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 1)

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\begin{aligned} & \text{Health} = 0 \\ & \text{Fire} = 0 \\ & \text{Reactivity} = 0 \end{aligned}$

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

Reactivity = 0

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

-USA

(Contd. on page 3)



Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

General Information	
Appearance:	
Form:	Pasty
Color:	Different according to coloring
· Odor:	Odorless
Odour threshold:	Not determined.
· pH-value:	Not applicable
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapor pressure:	Not applicable
Density at 20°C (68 °F):	1.8 g/cm ³ (15.021 lbs/gal)
· Vapour density	Not applicable
· Solubility in / Miscibility with	
Water:	Insoluble.

(Contd. on page 4)



Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 3)

· Other information No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number	Not applicable	
· UN proper shipping name · ADR	Not applicable Void	
· Transport hazard class(es)	Not applicable	
· Packing group	Not applicable	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	

(Contd. on page 5)

USA ·



Printing date 05/01/2016 Reviewed on 05/01/2016

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 4)

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

·Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 1

TICA



Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 10/17/2012 Reviewed on 09/13/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

· Article number: US178-CP

· Application of the substance / the preparation Dental filling material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

2 Composition/information on ingredients

- · Chemical characterization: Single Component
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

1565-94-2 bisphenol A diglycidylmethacrylate

(1) H315; H319

2.5-10%

· Other ingredients:

Silanated barium glass filler

Pre-polymerized organic filler

Hydrophobic aromatic dimethacrylate

Hydrophobic aliphatic dimethacrylate

dl-Camphorquinone

Accelerators

Initiators

Pigments

3 Hazards identification

· Classification of the substance or mixture



H315 Causes skin irritation.

H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)



Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 10/17/2012 Reviewed on 09/13/2012

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 1)

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\begin{aligned} & \text{Health} = 0 \\ & \text{Fire} = 0 \\ & \text{Reactivity} = 0 \end{aligned}$

· HMIS-ratings (scale 0 - 4)



Health = 0
 Fire = 0
 Reactivity =

Reactivity = 0

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

USA ·

(Contd. on page 3)



Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 10/17/2012 Reviewed on 09/13/2012

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical and chemical propertion	es
· General Information · Appearance:	
Form:	Pasty
Color:	Different according to coloring
· Odor:	Odorless
· Odour threshold:	Not determined.
· pH-value:	Not applicable
· Change in condition	Undetermined.
Melting point/Melting range: Boiling point/Boiling range:	Undetermined.
0. 0	
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapor pressure:	Not applicable
· Density at 20°C (68 °F):	1.8 g/cm ³ (15.021 lbs/gal)
· Vapour density	Not applicable
· Solubility in / Miscibility with	
Water:	Insoluble.
· Segregation coefficient (n-octonol/wat	ter): Not applicable

(Contd. on page 4)

- USA



acc. to ISO/DIS 11014

Printing date 10/17/2012 Reviewed on 09/13/2012

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 3)

· Other information No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · **Sensitization:** No sensitizing effects known.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

Transport information	N	
UN-Number	Not applicable	
UN proper shipping name ADR	Not applicable Void	
Transport hazard class(es)	Not applicable	
Packing group	Not applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	

(Contd. on page 5)



acc. to ISO/DIS 11014

Printing date 10/17/2012 Reviewed on 09/13/2012

Trade name: CLEARFIL MAJESTY ES-2; Classic and Premium

(Contd. of page 4)

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

·Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 1