# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

075190301

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075190319 075190327 075190335 075190343 075190350 075190368 075190376 075190384 075190392 075190400 075190418 075190426 075190434 075190483 075190491 075190509 075190517 075190525 075190533 075190541

# MATERIAL SAFETY DATA SHEET ESTELITE OMEGA

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME

**ESTELITE OMEGA** 

PRODUCT USE

Resin-based Dental Restorative Material. For dental professionals only.

SUPPLIER

Tokuyama Dental America Inc.

MANUFACTURER Tel: (877) 378 3548 (Toll-Free)

Tokuyama Dental Corporation 38-9, Taitou 1-chome, Taitou-ku,

Tokyo, Japan

TEL: +81-3-3835-7201

CONTACT PERSON

http://www.tokuyama-dental.com/contact.htm

**EMERGENCY TELEPHONE** 

National Capital Poison Center

3201 New Mexico Avenue, Suite 310 Washington, DC 20016

Telephone: +1 202 362 3867

Emergency telephone: 1 800 222 1222

Fax: +1 202 362 8377 E-mail: pc@poison.org Web site: http://www.poison.org

San Francisco

California Poison Control System at San Francisco General Hospital

University of California San Francisco, Box 1369

1001 Potrero Avenue, Bldg 5 Rm 2A21 San Francisco, California 94143-1369 Telephone: +1 415 643 3200

Emergency telephone: 1 800 222 1222

Fax: +1 415 502 6010 E-mail: coadmin@calpoison.org Web site: http://www.calpoison.org

http://www.who.int/ipcs/poisons/centre/en/

# 2 HAZARDS IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

INGESTION

Slightly irritating. DIGESTIVE SYSTEM.

SKIN CONTACT

Slightly irritating. May cause sensitization by skin contact.

**EYE CONTACT** Slightly irritating.

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name Name	EC No.	CAS-No.	Content %
bisphenol A di(2-hydroxy propoxy) dimethacrylate	216-367-7	1565-94-2	10-30%
camphorquinone	233-814-1	10373-78-1	< 1%
dibutyl hydroxy toluene	204-881-4	128-37-0	< 1%
MEQUINOL	205-769-8	150-76-5	< 1%
triethylene glycol dimethacrylate	203-652-6	109-16-0	5-10%

# 4 FIRST-AID MEASURES

#### GENERAL INFORMATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### **ESTELITE OMEGA**

INHALATION

Move the exposed person to fresh air at once.

INGESTION

Try to induce vomiting. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash the skin immediately with soap and water.

**EYE CONTACT** 

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

#### **5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA** 

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapors.

SPECIFIC HAZARDS

When heated and in case of fire, irritating vapours/gases may be formed.

PROTECTIVE MEASURES IN FIRE

Wear full protective clothing.

#### 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this material safety data sheet.

SPILL CLEAN UP METHODS

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

#### 7 HANDLING AND STORAGE

**HANDLING** 

All handling to take place in well-ventilated area.

STORAGE

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, direct sunlight, sparks and open flames.

STORAGE CLASS

Chemical storage.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### PROTECTIVE EQUIPMENT





#### **ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

HAND PROTECTION

Wear protective gloves.

**EYE PROTECTION** 

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**MEQUINOL** CLEAN AIR ACT

COMPONENT

MEQUINOL

#### **ESTELITE OMEGA**

## 9 PHYSICAL AND CHEMICAL PROPERTIES **APPEARANCE** Paste COLOR Yellow white, Translucent Yellow RELATIVE DENSITY 1.9 pH-VALUE, CONC. SOLUTION 7 10 STABILITY AND REACTIVITY STABILITY Stable under normal temperature conditions and recommended use. CONDITIONS TO AVOID Keep away from heat, sparks and open flame. Protect against direct sunlight. MATERIALS TO AVOID Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS Toxic gases are generated when heated. 11 TOXICOLOGICAL INFORMATION TOXICOLOGICAL INFORMATION No data on possible toxic effects have been found. 12 ECOLOGICAL INFORMATION Ballian, r **ECOTOXICITY** No data on possible environmental effects have been found. 13 DISPOSAL CONSIDERATIONS DISPOSAL METHODS Dispose of waste and residues in accordance with local authority requirements. 14 TRANSPORT INFORMATION TRANSPORT NOTES 15 REGULATORY INFORMATION **INVENTORIES** US EU. AUS JAP KOR PHLP COMPONENT CAN CHN No. **EINECS MEQUINOL** No. COMPONENT TSCA 12(b) Export Notification MEQUINOL No. US FEDERAL REGULATIONS SARA 302-TPQ CERCLA-RQ **SARA 313** COMPONENT

Not Listed

Not Listed

Not Listed

CAA Accidental Release Prevention

No.

# **ESTELITE OMEGA**

US STATE REGULATIONS

COMPONENT	CAS	CA	FL	MA	MN	NJ	PA	RI
MEQUINOL	150-76-5	Not						
		Listed						

REGULATORY REFERENCES

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

그리는 그는 그 그림에 되고 있었다면 그 그 그 있다는 그는 그리는 그는 그리고			and the control of the state of the control of the
16 OTHER INFORMATION		44. A. C. College (1997) 14 (1997) 15.	
16 OTHER INFORMATION	· · · · · · · · · · · · · · · · · · ·		for the contract of the first of the contract
- 101 (G. 1名 東松海林及野宮市市外市2017年) (本語) (マライラス 30 F-2-17 (3 F-2-17 )	化氯化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	the state of the s	
45145 - 5 44144541162 - 5 1, 345 11, 35 1 1455			

REVISION DATE

15/01/2013

# DISCLAIMER

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.

# SAFETY DATA SHEET ESTELITE OMEGA

# 1. Identification

Product identifier

Product name ESTELITE OMEGA

Recommended use of the chemical and restrictions on use

**Restriction on use** Resin-based Dental Restorative Material. For dental professionals only.

Details of the supplier of the safety data sheet

**Supplier** Tokuyama Dental America, Inc.

740 Garden View CT., Suite 200 Encinitas, CA 92024 U.S.A.

Tel: +1-760-942-7211 Fax:+1-760-942-7212

Contact person http://www.tokuyama-dental.com/tdc/contact.htm

Manufacturer Tokuyama Dental Corporation

38-9, Taitou 1-chome, Taitou-ku, Tokyo

110-0016, Japan TEL: +81-3-3835-2261 FAX: +81-3-3835-2265

**Emergency telephone number** 

Emergency telephone Tokuyama Dental America, Inc. Tel: +1-760-942-7211

Days and hours of operation: 9:00-17:00(PST/PDT), Weekdays, except national holidays in

US.

Language: English only.

#### 2. Hazard identification

#### Classification of the substance or mixture

WHMIS Regulatory Status This product has been classified according to the hazard criteria of the Hazardous Product

Regulations and the SDS contains all required information.

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Not Classified

Label elements

**Pictogram** 



Signal word Warning

**Hazard statements** H317 May cause an allergic skin reaction.

## **ESTELITE OMEGA**

**Precautionary statements** P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with local regulations.

# 3. Composition/information on ingredients

#### **Mixtures**

2-PROPENOIC ACID, 2-METHYL-, (1-

HYDROXY-3,1-PROPANEDIYL)] ESTER

10-30%

METHYLETHYLIDENE)BIS[4,1-PHENYLENEOXY(2-

CAS number: 1565-94-2

2-PROPENOIC ACID, 2-METHYL-, 1,2-

5-10%

ETHANEDIYLBIS(OXY-2,1-ETHANEDIYL) ESTER

CAS number: 109-16-0

BICYCLO[2.2.1]HEPTANE-2,3-DIONE, 1,7,7-TRIMETHYL-,

<0.1%

(±)-

CAS number: 10373-78-1

**TITANIUM DIOXIDE (TiO2)** 

<0.1%

CAS number: 13463-67-7

PHENOL, 4-METHOXY-CAS number: 150-76-5

<0.1%

2.6-DI-t-BUTYL-4-METHYLPHENOL

<0.1%

CAS number: 128-37-0

Composition comments

All percentages displayed expressed as weight/weight.

#### 4. First-aid measures

#### Description of first aid measures

**General information** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Inhalation** Due to the physical nature of this product, exposure by this route is unlikely.

**Ingestion** Try to induce vomiting. Get medical attention if any discomfort continues.

**Skin contact** Remove contaminated clothing. Wash skin thoroughly with soap and water. If skin irritation or

rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical attention if irritation persists after washing.

#### Most important symptoms and effects, both acute and delayed

#### **ESTELITE OMEGA**

Skin contact Allergic rash.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing media Extinguish with the following media: Foam. Carbon dioxide or dry powder.

Specific hazards arising from the hazardous product

**Specific hazards** Irritating gases or vapours.

Hazardous combustion Thermal decomposition or combustion products may include the following substances: Toxic

**products** gases or vapours.

Advice for firefighters

**Protective actions during** Avoid breathing fire gases or vapours.

firefighting

Special protective equipment Wear chemical protective suit.

for firefighters

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

**Environmental precautions** 

**Environmental precautions** No specific recommendations.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Eliminate all sources of

ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide

adequate ventilation.

Reference to other sections

**Reference to other sections** For waste disposal, see Section 13.

# 7. Handling and storage

# Precautions for safe handling

**Usage precautions**All handling should only take place in well-ventilated areas.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 0°C/32°F and 25°C/77°F. Keep away from heat, sparks and

open flame. Protect from sunlight.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

## 8. Exposure Controls/personal protection

# **Control parameters**

Occupational exposure limits

**TITANIUM DIOXIDE (TiO2)** 

# **ESTELITE OMEGA**

Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m<sup>3</sup>

A4

PHENOL, 4-METHOXY-

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

#### 2,6-DI-t-BUTYL-4-METHYLPHENOL

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ inhalable fraction and vapor

Α4

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

**Exposure controls** 

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

**Eye/face protection** The following protection should be worn: Chemical splash goggles.

Hand protection Wear protective gloves. It is recommended that chemical-resistant, impervious gloves are

worn.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

**Respiratory protection**No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

**Appearance** Paste

Colour Yellow-white , Translucent Yellow

Odour Not available.

Odour threshold Not available.

**pH** pH (concentrated solution): 7

Melting point Not available.

**Initial boiling point and range** Not available.

Flash point Not available.

**Evaporation rate** Not available.

Upper/lower flammability or

explosive limits

Vapour density

Not available.

Not available.

Other flammability Not available.

Vapour pressure Not available.

Relative density 1.9

Solubility(ies) Not available.

# **ESTELITE OMEGA**

Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.ViscosityNot available.Explosive propertiesNot available.

Other information Not available.

# 10. Stability and reactivity

Oxidising properties

**Reactivity** May polymerize. See the other subsections of this section for further details.

Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

May polymerize.

Not available.

Conditions to avoid Keep away from heat, sparks and open flame. Protect against direct sunlight.

Materials to avoid Strong oxidizing agents.

Hazardous decomposition

products

Heating may generate the following products: Toxic gases or vapours.

# 11. Toxicological information

# Information on toxicological effects

Routes of exposure Skin , Eyes , Ingestion , Health effects: See section 4.

Inhalation: Titanium dioxide (TiO2) is kneaded in the product, it does not exist as respirable particles. Due to the physical nature of this product, exposure by this route is unlikely.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Not available.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Not available.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Not available.

Skin corrosion/irritation

**Skin corrosion/irritation** Not available.

Serious eye damage/irritation

Serious eye damage/irritation Not available.

Respiratory sensitization

Respiratory sensitization Not available.

Skin sensitization

**Skin sensitization** May cause an allergic skin reaction.

# Germ cell mutagenicity

# **ESTELITE OMEGA**

Genotoxicity - in vitro

Not available.

Genotoxicity - in vivo

Not available.

Carcinogenicity

Carcinogenicity Not available.

IARC carcinogenicity Some of the ingredients are listed or exempt.

NTP carcinogenicity Some of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Not available.

Reproductive toxicity -

Not available.

development

Specific target organ toxicity - single exposure

STOT - single exposure

Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

Not available.

Aspiration hazard

**Aspiration hazard** Not available.

Toxicological information on ingredients

**TITANIUM DIOXIDE (TiO2)** 

Carcinogenicity

IARC carcinogenicity

IARC Group 2B Possibly carcinogenic to humans.

NTP carcinogenicity

Reasonably anticipated to be a human carcinogen.

2,6-DI-t-BUTYL-4-METHYLPHENOL

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

**NTP carcinogenicity** Reasonably anticipated to be a human carcinogen.

12. Ecological Information

**Toxicity** No data available.

Ecological information on ingredients

2,6-DI-t-BUTYL-4-METHYLPHENOL

Chronic aquatic toxicity

M factor (chronic) 1

Persistence and degradability

Persistence and degradability No data available.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

# **ESTELITE OMEGA**

Mobility in soil

**Mobility** No information available.

Other adverse effects

Other adverse effects Not known.

13. Disposal considerations

Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, TDG).

**UN** number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Transport hazard class(es)

Transport Labels (International)

Not applicable.

Packing group

Packing group (International) Not applicable.

**Environmental hazards** 

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Regulatory References According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as

amended) and the requirements of the Hazardous Product Regulations (HPR) Hazardous Products Regulations - SOR/2015-17. Transportation of Dangerous Goods Regulations -

SOR/2015-100.

16. Other information

Training advice There is a specific duty on the importer/user/distributor of the substances and mixtures to

ensure that the workers have received appropriate training and refresher training.

**Revision comments** This is the first issue.

# **ESTELITE OMEGA**

Revision date 2018-06-20

Revision 1

Hazard statements in full H317 May cause an allergic skin reaction.

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be replied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.