SAFETY DATA SHEETS

This SDS packet was issued with item: 075218276

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074576005 074576047 074576054 075217559 075218284 075218292 075218300 075218318 075218342 075229604 075229612 075229620 075229638 075229646



Printing date 05/07/2012

Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name: CLEARFIL LINER BOND 2V ; PRIMER B

- · Article number: US061-PB
- · Application of the substance / the preparation Dental bonding material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan • Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com

2 Composition/information on ingredients

· Chemical characterization: Single Component

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

868-77-9 2-hydroxyethyl methacrylate

🕀 H315; H319; H317

20-40%

• Other ingredients: Hydrophilic aliphatic dimethacrylate Water Catalysts Others

3 Hazards identification

 \cdot Classification of the substance or mixture

GHS07

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🔀 Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact.

- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of international guidelines.
- · Classification system:
- The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- · Label elements
- · GHS label elements
- The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning

(Contd. on page 2)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER B

	(Contd. of page 1)
	ermining components of labelling:
• •	nyl methacrylate
· Hazard state	
	skin irritation.
	serious eye irritation.
	ause an allergic skin reaction.
	ry statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Classificatio NFPA rating 	n system: gs (scale 0 - 4)
	Health $= 1$
	Fire = 1 Reactivity = 0
· HMIS-ratin	gs (scale 0 - 4)
HEALTH1FIRE1REACTIVITY1	Fire = 1
	—

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

· Protective equipment:

Wear self-contained respiatory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Dilute with plenty of water.

(Contd. on page 3)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER B

(Contd. of page 2)

- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

USA



Reviewed on 04/01/2012

(Contd. of page 3)

Trade name: CLEARFIL LINER BOND 2V ; PRIMER B

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

• General Information • Appearance:	
Form:	Liquid
Color:	Transparent
· Odor:	Odorless
· pH-value:	Not applicable
· Change in condition	
Melting point/Melting range:	$-12 \degree C$ (2-hydroxyethyl methacrylate)
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)
· Flash point:	97 °C (2-hydroxyethyl methacrylate)
· Ignition temperature:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapor pressure:	Not applicable
· Density:	1.1 g/cm ³ (9.18 lbs/gal)
· Vapour density	Not applicable
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Segregation coefficient (n-octonol/water):	Not applicable
· Other information	No further relevant information available.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Incompatible materials: No further relevant information available.

 \cdot Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig)

3275 mg/kg (mouse)

5050 mg/kg (rat)

(Contd. on page 5)



Material Safety Data Sheet acc. to ISO/DIS 11014

Trade name: CLEARFIL LINER BOND 2V ; PRIMER B

(Contd. of page 4)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- \cdot Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
• UN proper shipping name • DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
• Environmental hazards: • Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.
· UN "Model Regulation":	-

(Contd. on page 6)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER B

(Contd. of page 5)

USA

Sar	`a
	tion 355 (extremely hazardous substances):
Nor	ne of the ingredient is listed.
Sec	tion 313 (Specific toxic chemical listings):
Nor	ne of the ingredients is listed.
TSC	CA (Toxic Substances Control Act):
All	ingredients are listed.
	oposition 65
	emicals known to cause cancer:
Nor	ne of the ingredients is listed.
	emicals known to cause reproductive toxicity for females:
Nor	ne of the ingredients is listed.
Che	emicals known to cause reproductive toxicity for males:
Nor	ne of the ingredients is listed.
Che	emicals known to cause developmental toxicity:
	ne of the ingredients is listed.
	ncerogenity categories
	A (Environmental Protection Agency)
Nor	ne of the ingredients is listed.
	RC (International Agency for Research on Cancer)
Nor	ne of the ingredients is listed.
TL	V (Threshold Limit Value established by ACGIH)
Nor	ne of the ingredients is listed.
NIC	OSH-Ca (National Institute for Occupational Safety and Health)
Nor	ne of the ingredients is listed.
OS	HA-Ca (Occupational Safety & Health Administation)
Nor	ne of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Relevant phrases
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.



Printing date 05/07/2012

Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL LINER BOND 2V ; BOND A

- · Article number: US061-BA
- · Application of the substance / the preparation Dental bonding material

· Details of the supplier of the safety data sheet

- · Manufacturer:
- Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

Contact information: Kuraray America, Inc.
33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.
Tel: 800-879-1676
Fax: 888-700-5200
Website: www.kuraraydental.com

2 Composition/information on ingredients

· Chemical characterization: Single Component

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

1565-94-2	bisphenol A diglycidylmethacrylate	🚸 H315; H319	25-45%
868-77-9	2-hydroxyethyl methacrylate	🚸 H315; H319; H317	20-40%

· Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate Hydrophobic aliphatic methacrylate Colloidal silica dl-Camphorquinone Accelerators Others

3 Hazards identification

· Classification of the substance or mixture

GHS07

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

X Irritant

- Irritating to eyes and skin. May cause sensitisation by skin contact.
- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of international guidelines.
- · Classification system:
- The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- · Label elements
- · GHS label elements
- The product is classified and labelled according to the Globally Harmonized System (GHS).
- Hazard pictograms GHS07


(Contd. on page 2)



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V; BOND A



4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Wear self-contained respiatory protective device. Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; BOND A

(Contd. of page 2)

- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves


The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Reviewed on 04/01/2012

(Contd. of page 3)

Trade name: CLEARFIL LINER BOND 2V; BOND A

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

acc. to ISO/DIS 11014

· Eye protection:



Tightly sealed goggles

~	
General Information	
Appearance:	T · · · 1
Form:	Liquid
Color:	Yellow
Odor:	Odorless
pH-value:	Not applicable
Change in condition	
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)
Flash point:	97 °C (2-hydroxyethyl methacrylate)
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapor pressure:	Not applicable
Density:	1.1 g/cm ³ (9.18 lbs/gal)
Vapour density	Not applicable
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Segregation coefficient (n-octonol/water):	Not applicable
Other information	No further relevant information available.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig)

(Contd. on page 5)

USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; BOND A

(Contd. of page 4)

3275 mg/kg (mouse)

5050 mg/kg (rat)

- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- \cdot on the eye: Irritating effect.
- \cdot Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

+ Hansport mormation		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
• UN proper shipping name • DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
 Packing group DOT, ADR, IMDG, IATA 	Void	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
		(Contd. on page



_

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V; BOND A

· Section 355 (extremely hazardous substances):

(Contd. of page 5)

· UN "Model Regulation":

15 Regulatory information

- · Sara
- None of the ingredient is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Relevant phrases
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL LINER BOND 2V ; BOND B

- · Article number: US061-BB
- · Application of the substance / the preparation Dental bonding material

· Details of the supplier of the safety data sheet

- · Manufacturer:
- Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan · Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com

2 Composition/information on ingredients

· Chemical characterization: Single Component

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	s components:	
	bisphenol A diglycidylmethacrylate	30-50%
	� H315; H319	
868-77-9	2-hydroxyethyl methacrylate	20-40%
	🚸 H315; H319; H317	
94-36-0	benzoyl peroxide	<2%
	🔗 🛞 H241; 🐠 H319; H317	
• Other ing	redients:	

Hydrophobic aliphatic methacrylate Colloidal silica Others

3 Hazards identification

· Classification of the substance or mixture



- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC

х Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2) USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; BOND B

	(Contd. of page 1
Label eleme	ents
GHS label of	elements
The product	is classified and labelled according to the Globally Harmonized System (GHS).
Hazard pic	tograms GHS07
Signal word	l Warning
	ermining components of labelling:
	hyl methacrylate
benzoyl per	
Hazard stat	
	s skin irritation.
	s serious eye irritation.
	ause an allergic skin reaction.
	ary statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
D 221	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification NFPA ration	ngs (scale 0 - 4)
	Health = 1
	Fire = 1
<1	Reactivity = 0
HMIS-ratir	ngs (scale 0 - 4)
HEALTH	1 Health $= 1$
FIRE	1 Fire = 1
	\mathbf{O} Reactivity = 0

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- If symptoms persist consult doctor.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

• Protective equipment:

Wear self-contained respiatory protective device.

(Contd. on page 3)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; BOND B

Wear fully protective suit.

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 4)

USA



KUGATAN Material Safety Data Sheet acc. to ISO/DIS 11014 acc. to ISO/DIS 11014

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 3) resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information	
Appearance:	
Form:	Liquid
Color:	Transparent
Odor:	Odorless
pH-value:	Not applicable
Change in condition	
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)
Flash point:	97 °C (2-hydroxyethyl methacrylate)
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapor pressure:	Not applicable
Density:	1.1 g/cm ³ (9.18 lbs/gal)
Vapour density	Not applicable
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 5)

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 4)

11 Toxicological information		
· Acute toxicity:		
· LD/LC50 values that are relevant for classification:		
868-77-9 2-hydroxyethyl methacrylate		
Oral LD50 4680 mg/kg (guinea pig)		
3275 mg/kg (mouse)		
5050 mg/kg (rat)		
94-36-0 benzoyl peroxide		
Oral LD50 5700 mg/kg (mouse)		
7710 mg/kg (rat)		
LD50 250 mg/kg (mouse - intraperitoneal)		
Primary irritant effect:		
on the skin: Irritant to skin and mucous membranes.		
• on the eye: Irritating effect. • Sensitization: Sensitization possible through skin contact.		
Sensitization: Sensitization possible unough skin contact. Additional toxicological information: The product shows the following dengars according to interpally approved calculation methods		

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

• Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.


13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number Void · DOT, ADR, ADN, IMDG, IATA · UN proper shipping name · DOT, ADR, ADN, IMDG, IATA Void (Contd. on page 6) USA



Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V; BOND B

		(Contd. of page 5)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
\cdot Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

· Sara

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
· Section 313 (Specific toxic chemical listings):	
94-36-0 benzoyl peroxide	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
\cdot Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
\cdot Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
94-36-0 benzoyl peroxide	,
· TLV (Threshold Limit Value established by ACGIH)	
94-36-0 benzoyl peroxide	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	· ·
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administation)	
None of the ingredients is listed.	

(Contd. on page 7)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; BOND B

(Contd. of page 6)

USA

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 \cdot Version: 3

- · Relevant phrases
- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.



Printing date 05/07/2012

Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaki	ng
· Product identifier	
· Trade name: <u>CLEARFIL LINER BOND 2V ; PRIMER A</u>	
• Article number: US061-PA • Application of the substance / the preparation Dental bonding material	
 Details of the supplier of the safety data sheet Manufacturer: Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan Contact information: Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com 	
2 Composition/information on ingredients	
Chemical characterization: Single Component Description: Mixture of substances listed below with nonhazardous additions. Dangerous components:	
868-77-9 2-hydroxyethyl methacrylate (1) H315; H319; H31	7 5-25%
• <u>Other ingredients:</u> 10-Methacryloyloxydecyl dihydrogen phosphate Hydrophilic aliphatic dimethacrylate dl-Camphorquinone Water Accelerators Dyes Others	
3 Hazards identification	
 Classification of the substance or mixture GHS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Irritant Irritant Irritating to eyes and skin. May cause sensitisation by skin contact. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of international guideline Classification system: The classification was made according to the latest editions of international substances li 	
upon from company and literature data. • Label elements	
• GHS label elements The product is classified and labelled according to the Globally Harmonized System (GH	IS).
• Hazard pictograms GHS07	(Contd. on page 2)



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER A

<pre>Cond. of page 1 Signal word Warning Hazard-determining components of labelling: 2-hydroxyethyl methacrylate Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. Precentionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if p321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 HMIS-ratings (scale 0 - 4) </pre>		
 Hazard-determining components of labelling: 2-hydroxyethyl methacrylate Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 	(Contd. of pag	· Signal word Warning
 2-hydroxyethyl methacrylate Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 		•
 Hazard statements Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 		8 . 8
 H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 		
H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. • Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0		
H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0		
Precautionary statementsP261Avoid breathing dust/fume/gas/mist/vapours/spray.P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P321Specific treatment (see on this label).P362Take off contaminated clothing and wash before reuse.P501Dispose of contents/container in accordance with local/regional/national/international regulations.Classification system:NFPA ratings (scale 0 - 4)Health = 1 Fire = 1 Reactivity = 0		
P261Avoid breathing dust/fume/gas/mist/vapours/spray.P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P321Specific treatment (see on this label).P362Take off contaminated clothing and wash before reuse.P501Dispose of contents/container in accordance with local/regional/national/international regulations.Classification system:NFPA ratings (scale 0 - 4)Health = 1 Fire = 1 Reactivity = 0		
 P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 	irs/spray	•
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 		
P321 Specific treatment (see on this label). P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0		P305+P351+P338 IF IN EYES: Rinse cautiously with v
P362Take off contaminated clothing and wash before reuse.P501Dispose of contents/container in accordance with local/regional/national/international regulations.Classification system: NFPA ratings (scale 0 - 4)Health = 1 Fire = 1 Reactivity = 0		
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0	before reuse	
regulations. Classification system: NFPA ratings (scale $0 - 4$) Health = 1 Fire = 1 Reactivity = 0		
Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0		
NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0		•
Fire = 1 Reactivity = 0		
$\begin{array}{c} \text{Fire} = 1 \\ \text{Reactivity} = 0 \end{array}$		Health $= 1$
1 0 Reactivity = 0		
• •		
		• •
HEALTH 1 Health = 1		
FIRE 1 Fire = 1		
REACTIVITY Reactivity = 0		REACTIVITY O Reactivity = 0

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- If symptoms persist consult doctor.

5 Firefighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Wear self-contained respiatory protective device. Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

USA



Printing date 05/07/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER A

(Contd. of page 2)

- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves


The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Reviewed on 04/01/2012

(Contd. of page 3)

Trade name: CLEARFIL LINER BOND 2V ; PRIMER A

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Physical and chemical properties	
General Information	
Appearance:	
Form:	Liquid
Color:	Orange
Odor:	Odorless
pH-value:	Not applicable
Change in condition	
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)
Flash point:	97 °C (2-hydroxyethyl methacrylate)
Ignition temperature:	Not applicable
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapor pressure:	Not applicable
Density:	1.1 g/cm ³ (9.18 lbs/gal)
Vapour density	Not applicable
Solubility in / Miscibility with	
Water:	Partly miscible.
Segregation coefficient (n-octonol/water):	Not applicable
Other information	No further relevant information available.

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• Incompatible materials: No further relevant information available.

 \cdot Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig)

(Contd. on page 5)

USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER A

(Contd. of page 4)

3275 mg/kg (mouse)

5050 mg/kg (rat)

- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- \cdot Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

+ ITansport mormation		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
 Packing group DOT, ADR, IMDG, IATA 	Void	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
		(Contd. on page



_

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL LINER BOND 2V ; PRIMER A

· Section 355 (extremely hazardous substances):

(Contd. of page 5)

· UN "Model Regulation":

15 Regulatory information

- · Sara
- None of the ingredient is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 3
- · Relevant phrases
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL ESTHETIC CEMENT EX ; PASTE A & B

- Article number: 173
- · Application of the substance / the preparation Resin-based dental adhesive cement

· Details of the supplier of the safety data sheet

- · Manufacturer:
- Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

Contact information: Kuraray America, Inc.
33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.
Tel: 800-879-1676
Fax: 888-700-5200
Website: www.kuraraydental.com

2 Composition/information on ingredients

· Chemical characterization: Single Component

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
1565-94-2	bisphenol A diglycidylmethacrylate	🗙 Xi R36/38	1
		🚺 H315; H319	
109-16-0	triethylene glycol dimethacrylate	🗙 Xi R36/37/38	
		🚺 H315; H319; H335	

· Other ingredients:

Hydrophobic aromatic dimethacrylate Hydrophilic aliphatic dimethacrylate Silanated silica filler Silanated barium glass filler Colloidal silica dl-Camphorquinone Catalysts Accelerators Pigments Others

3 Hazards identification

· Classification of the substance or mixture



H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of international guidelines. • Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

CA

2.5-10%

2.5-10%



Reviewed on 04/01/2012

Trade name: CLEARFIL ESTHETIC CEMENT EX ; PASTE A & B

	(Contd. of page 1)
· Label elements	
· GHS label eleme	nts
The product is cla	ssified and labelled according to the Globally Harmonized System (GHS).
· Hazard pictogram	ms GHS07
· Signal word War	ning
 Hazard statement 	ıts
H315 Causes skin	irritation.
H319 Causes serie	ous eye irritation.
 Precautionary st 	atements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

Material Safety Data Sheet

acc. to ISO/DIS 11014

4 First aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- \cdot After eye contact: Rinse opened eye for several minutes under running water.
- \cdot After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up: \mbox{Pick} up mechanically.
- \cdot Reference to other sections No dangerous substances are released.

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL ESTHETIC CEMENT EX ; PASTE A & B

(Contd. of page 2) · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the creation were used as basis. · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. · Breathing equipment: Not required. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Not required.

Physical and chemical properti	es
· General Information	
· Appearance:	
Form:	Pasty
Color:	Colored
· Odor:	Odorless
· pH-value:	Not applicable
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable
Upper:	Not applicable
· Vapor pressure:	Not applicable
· Density:	2.0 g/cm ³
· Vapour density	Not applicable
· Solubility in / Miscibility with	
Water:	Insoluble.
· Segregation coefficient (n-octonol/wa	ter): Not applicable
· Other information	No further relevant information available.

(Contd. on page 4)



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL ESTHETIC CEMENT EX ; PASTE A & B

(Contd. of page 3)

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	Void	
ADR	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	



Reviewed on 04/01/2012

Trade name: CLEARFIL ESTHETIC CEMENT EX ; PASTE A & B

		(Contd. of page 4)
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	l of Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

· Section 355 (extremely hazardous substances): None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 1

- · Relevant phrases
- Causes skin irritation. H315
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.



Safety Data Sheet acc. to OSHA HCS

Version 4

Printing date 07/28/2017

Reviewed on 07/24/2017

1 Identification

· Product identifier

· Trade name: CLEARFIL LINER BOND 2V; BOND A

· Article number: US061-BA

· Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Dental bonding material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A.

Tel: 800-879-1676

Fax: 888-700-5200

Website: www.kuraraydental.com

· Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night

- Within USA and Canada: 1-800-424-9300 CCN706984 or
- +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS07
- · Signal word Warning

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

1	· Precautionary sta	atements
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray
	P264	Wash thoroughly after handling.
	P280	Wear protective gloves / eye protection / face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P321	Specific treatment (see on this label).
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.
		(Contd on page

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Version 4

Printing date 07/28/2017

Reviewed on 07/24/2017

Trade name: CLEARFIL LINER BOND 2V ; BOND A

D2(2		(Contd. of page 1)
P363 P501	Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/internat regulations.	
· Other haz	ards	
	PBT and vPvB assessment	
• PBT: Not • vPvB: Not		
VPVD: NOU	applicable.	
3 Compos	ition/information on ingredients	
5 Compos	tion/information on ingreatents	
· Chemical	characterization: Substances None	
	characterization: Mixtures	
entimetai	n : Mixture of substances listed below with nonhazardous additions.	
-		
	s components:	
1565-94-2	bisphenol A diglycidylmethacrylate	25-45%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
868-77-9	2-hydroxyethyl methacrylate	20-40%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
• Other ing	redients:	
	ryloyloxydecyl dihydrogen phosphate	
	bic aliphatic dimethacrylate	
Colloidal s	1 5	
dl-Campho	orquinone	
Accelerato	•	

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Do not induce vomiting; immediately call for medical help.

- If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.

(Contd. on page 3)



Printing date 07/28/2017

Safety Data Sheet acc. to OSHA HCS

Version 4

Reviewed on 07/24/2017

Trade name: CLEARFIL LINER BOND 2V; BOND A

Wear fully protective suit.

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures See Section 8.

· Environmental precautions:

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8 °C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

US



Printing date 07/28/2017

Version 4

Reviewed on 07/24/2017

(Contd. of page 3)

Trade name: CLEARFIL LINER BOND 2V ; BOND A

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



*

Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid Yellow	
Odor:	Odorless	
	Odoffess	
pH-value:	Not determined	
Change in condition		
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)	
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)	
Flash point:	97 °C (2-hydroxyethyl methacrylate)	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidizing properties	Not determined	
Vapor pressure:	Not determined	
Density:	1.1 g/cm ³	
Relative density	Not determined	
Vapor density	Not determined	
Evaporation rate	Not determined	



Safety Data Sheet acc. to OSHA HCS

Printing date 07/28/2017

Version 4

Reviewed on 07/24/2017

Trade name: CLEARFIL LINER BOND 2V; BOND A

		(Contd. of page 4)
· Solubility in / Miscibili Water:	ty with Not miscible or difficult to mix.	
· Partition coefficient (n-	octanol/water): Not determined	
· Viscosity:	Not determined	

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig)

3275 mg/kg (mouse)

5050 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)



Safety Data Sheet acc. to OSHA HCS

Printing date 07/28/2017

Version 4

Reviewed on 07/24/2017

(Contd. of page 5)

Trade name: CLEARFIL LINER BOND 2V; BOND A

Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

 \cdot Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

11 Hunsport mior mation	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
 Packing group DOT, ADR, IMDG, IATA 	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 7)



Printing date 07/28/2017

Version 4

Reviewed on 07/24/2017

(Contd. of page 6)

Trade name: CLEARFIL LINER BOND 2V ; BOND A

Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
Companyity astronomics

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

· NFPA ratings (scale 0 - 4)

Hea Fire

Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE1Fire = 1

REACTIVITY Reactivity = 0

Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1

* * Data compared to the previous version altered.

US -