SAFETY DATA SHEETS

This SDS packet was issued with item: 075229737

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

75219530 75219548 75219555 75219563

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075219530 075219548 075219555 075219563 075229703 075229711 075229729 075229745



Version 3

Reviewed on 04/13/2018

1 Identification

· Product identifier

· Trade name: CLEARFIL CERAMIC PRIMER

• Article number: CA117

· Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Adhesive, dental ceramic

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan · Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.

Tel: 800-879-1676

Fax: 888-700-5200

Website: www.kuraraydental.com

· Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or

- +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour.

GHS08 Health hazard

Carcinogenicity - Category 1A H350 May cause cancer.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS08
- · Signal word Danger

· Hazard-determining components of labeling:

ethanol

- · Hazard statements
- H225 Highly flammable liquid and vapour.

H350 May cause cancer.

· Precautionary statements

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. Keep container tightly closed. P233 P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P242 Use non-sparking tools.

(Contd. on page 2)



Version 3

Reviewed on 04/13/2018

Trade name: CLEARFIL CERAMIC PRIMER

	(Contd. of page 1)
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

3 Composition/information on ingredients

· Chemical characterization: Substances None

- · Chemical characterization: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

 Flammable Liquids - Category 2, H225; Carcinogenicity - Category 1A, H350 2530-85-0 3-trimethoxysilylpropyl methacrylate Acute Toxicity (Dermal) - Category 3, H311; Skin Irritation - Category 2, H311; Skin I			
		The second secon	50-100% w/w
Acute Toxicity (Dermal) – Category 3, H311: 🗘 Skin Irritation - Category 2.		3-trimethoxysilylpropyl methacrylate Acute Toxicity (Dermal) – Category 3, H311; () Skin Irritation - Category 2,	2.5-10% w/w
H315; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335; Flammable Liquids - Category 4, H227 Other ingredients: 10-Methacryloyloxydecyl dihydrogen phosphate		Single Exposure - Category 3, H335; Flammable Liquids - Category 4, H227	

4 First-aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

CA



Reviewed on 04/13/2018

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 2)

Environmental precautions:

Dilute with plenty of water.

- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

• Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

• **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

EL Short-term value: 1000 ppm

EV Long-term value: 1,900 mg/m³, 1,000 ppm

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

(Contd. on page 4)

CA



Safety Data Sheet According to HPR

Version 3

Reviewed on 04/13/2018

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Colorless · Odor: Alcohol-like · pH-value: Not determined · Change in condition Melting point/Melting range: -114.5 °C (ethanol) **Boiling point/Boiling range:** 78 °C (ethanol) · Flash point: 13°C (ethanol) 425.0 °C (ethanol) · Ignition temperature: · Decomposition temperature: Not determined • Danger of explosion: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. · Explosion limits: Lower: 3.5 Vol % (ethanol) **Upper:** 15.0 Vol % (ethanol) · Oxidizing properties Not determined · Vapor pressure: 59.0 hPa (20°C, ethanol) · Density: 1.1 g/cm³ · Relative density Not determined 1.6 g/cm³ (ethanol, air=1) · Vapor density

 • Evaporation rate
 Not determined

 • Solubility in / Miscibility with
 Partly miscible.

 • Partition coefficient (n-octanol/water): -0.32 (ethanol)

 • Viscosity:
 Not determined

 • Other information
 No further relevant information available.

10 Stability and reactivity

• Reactivity No further relevant information available.

(Contd. on page 5)

CA



Reviewed on 04/13/2018

Trade name: CLEARFIL CERAMIC PRIMER

· Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 ethanol

04-17-3 60		
Oral	LD50	3450 mg/kg (mouse)
		7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
	LD50	3600 mg/kg (rat - intraperioneal)
2530-85-0	3-trimeth	oxysilylpropyl methacrylate
Oral	LD50	22600 mg/kg (rat)
Dermal	LD50	500 mg/kg (rabbit)
Additiona	n: No irrita : No irritat on: No ser l toxicolog	ant effect. ting effect. nsitizing effects known. gical information:
· Carcinoge	0	
· IARC (Int	ernationa	l Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

(Contd. of page 4)



Safety Data Sheet According to HPR

Version 3

Reviewed on 04/13/2018

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	UN1170
TDG, IMDG, IATA	1170
UN proper shipping name	
DOT	Ethanol, mixture
TDG	1170 Ethanol (Ethyl alcohol), mixture
IMDG	ETHANOL (ETHYL ALCOHOL), mixture
ΙΑΤΑ	ETHANOL, mixture
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label TDG, IMDG, IATA	3
Class	3 Flammable liquids
Label	3
Packing group	
DOT, TDG, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	UN1170, Ethanol (Ethyl alcohol), mixture, 3, II

(Contd. on page 7)



Reviewed on 04/13/2018

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 6)

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• SARA 311/312: See Section 2 for the information on physical and health hazards.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

64-17-5 ethanol

· Canadian Ingredient Disclosure list (limit 1%)

2530-85-0 3-trimethoxysilylpropyl methacrylate

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

* Data compared to the previous version altered.



Version 3

Reviewed on 05/22/2018

1 Identification

· Product identifier

Trade name: PANAVIA F 2.0; ED PRIMER II Liquid A

· Article number: CA070-A

· Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Dental material for tooth surface conditioning

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

· Contact information: Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com • Emergency telephone number: For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture GHS07 Skin Irritation - Category 2 H315 Causes skin irritation. Eye Irritation - Category 2A H319 Causes serious eye irritation.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS07
- · Signal word Warning

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

CA



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid A

	(Conta. of page 1)
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

3 Composition/information on ingredients

· Chemical characterization: Substances None

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

868-77-9 2-hydroxyethyl methacrylate

Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317

25-50% w/w

Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate N-Methacryloyl-5-aminosalicylic acid Water Accelerators

1100010101015

4 First-aid measures

· Description of first aid measures

- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Do not induce vomiting; immediately call for medical help.

- If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures See Section 8.

- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.


(Contd. on page 3)

۰CA

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid A



Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- Information about storage in one common storage facility:
- Store away from oxidizing agents.
- Store away from reducing agents.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

- (



Printing date 05/22/2018



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0; ED PRIMER II Liquid A

(Contd. of page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and	chemical properties	
General Information		
Appearance:	T inclu	
Form: Color:	Liquid Transparent	
· Odor:	Odorless	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)	
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)	
· Flash point:	97 °C (2-hydroxyethyl methacrylate)	
· Ignition temperature:	Not applicable.	
· Decomposition temperature:	Not determined	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Oxidizing properties	Not determined	
· Vapor pressure:	Not applicable.	
Density:	1.1 g/cm ³	
· Relative density	Not determined	
· Vapor density	Not applicable.	
• Evaporation rate	Not determined	
· Solubility in / Miscibility with		
Water:	Partly miscible.	
· Partition coefficient (n-octanol/wat	er): Not applicable.	
· Viscosity:	Not determined	
• Other information	No further relevant information available.	

(Contd. on page 5)



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid A

(Contd. of page 4)

10 Stability and reactivity

· Reactivity No further relevant information available.

Chemical stability

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate Oral LD50 4680 mg/kg (guinea pig)

3275 mg/kg (mouse)

- 5050 mg/kg (rat)
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

kura*ray*

Printing date 05/22/2018

Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid A

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number		
DOT, TDG, ADN, IMDG, IATA	Void	
· UN proper shipping name		
DOT, ADN, IMDG, IATA	Void	
TDG	Void	
Transport hazard class(es)		
DOT, TDG, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
DOT, TDG, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

·Sara
· Section 355 (extremely hazardous substances):
None of the ingredient is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
• SARA 311/312: See Section 2 for the information on physical and health hazards.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Canadian substance listings:
· Canadian Domestic Substances List (DSL)
All ingredients are listed.
· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

(Contd. on page 7)

CA



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid A

(Contd. of page 6)

CA

· Canadian Ingredient Disclosure list (limit 1%)

868-77-9 2-hydroxyethyl methacrylate

16 Other information

*

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

** Data compared to the previous version altered.



Version 3

Reviewed on 05/22/2018

1 Identification

· Product identifier

Trade name: PANAVIA F 2.0; ED PRIMER II Liquid B

· Article number: CA070-B

· Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Dental material for tooth surface conditioning

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com **Emergency telephone number:** For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

• Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void

*

· Hazard statements Void

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components: Void

Other ingredients:

N-Methacryloyl-5-aminosalicylic acid Water Catalysts Accelerators

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 2)

CA



Version 3

Printing date 05/22/2018

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid B

(Contd. of page 1)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures See Section 8.

- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections No dangerous substances are released.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.

(Contd. on page 3)



Version 3

Review

Reviewed on 05/22/2018

(Contd. of page 2)

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid B

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

9 I hysical and chemical proper	
Information on basic physical and	chemical properties
· General Information	
· Appearance: Form:	Liquid
Color:	Liquid Transparent
· Odor:	Odorless
pH-value:	Not applicable.
• Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined
· Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties	Not determined
· Vapor pressure:	Not applicable.
· Density:	1.0 g/cm ³
· Relative density	Not determined
Vapor density	Not applicable.
• Evaporation rate	Not determined
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	ter): Not applicable.
· Viscosity:	Not determined
• Other information	No further relevant information available.

(Contd. on page 4)



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0; ED PRIMER II Liquid B

(Contd. of page 3)

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

·NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 5)



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; ED PRIMER II Liquid B

(Contd. of page 4)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number · DOT, TDG, ADN, IMDG, IATA	Void	
· UN proper shipping name		
DOT, ADN, IMDG, IATA	Void	
TDG	Void	
Transport hazard class(es)		
DOT, TDG, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, TDG, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• SARA 311/312: See Section 2 for the information on physical and health hazards.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

** Data compared to the previous version altered.



Version 3

1 Identification

· Product identifier

Trade name: PANAVIA F 2.0; PASTE A

· Article number: CA089-PA

· Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Resin-based dental adhesive cement

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Detanl Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

· Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com · Emergency telephone number: For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void

*

- · Hazard statements Void
- · Other hazards Not applicable

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: Void

• Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate

- Hydrophobic aromatic dimethacrylate
- Hydrophobic aliphatic dimethacrylate
- Hydrophilic aliphatic dimethacrylate
- Silanated silica filler
- Silanated colloidal silica
- dl-Camphorquinone
- Catalysts
- Initiators

(Contd. on page 2)



Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE A

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.



Version 3

Reviewed on 05/22/2018

(Contd. of page 2)

Trade name: PANAVIA F 2.0 ; PASTE A

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

Information on basic physical and cher	nical properties
General Information	
Appearance:	
Form:	Pasty
Color:	Colored
Odor:	Odorless
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Ignition temperature:	Not applicable.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
Vapor pressure:	Not applicable.
Density:	2.2 g/cm ³
Vapor density	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.

(Contd. on page 4)



Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0; PASTE A

(Contd. of page 3)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

 $(Contd. \ on \ page \ 5)$

CA



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

(Contd. of page 4)

Trade name: PANAVIA F 2.0 ; PASTE A

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number		
[•] DOT, TDG, ADN, IMDG, IATA	Void	
· UN proper shipping name		
DOT, ADN, IMDG, IATA	Void	
· TDG	Void	
Transport hazard class(es)		
DOT, TDG, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, TDG, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	a II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):
All ingredients are listed.
· Section 313 (Specific toxic chemical listings):
All ingredients are listed.
• SARA 311/312: See Section 2 for the information on physical and health hazards.
TSCA (Toxic Substances Control Act):
All ingredients are listed.
Canadian substance listings:
· Canadian Domestic Substances List (DSL)
All ingredients are listed.
· Canadian Ingredient Disclosure list (limit 0.1%)
All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

** Data compared to the previous version altered.



Version 3

Reviewed on 05/22/2018

1 Identification

· Product identifier

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

• Article number: CA089-PB

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Resin-based dental adhesive cement

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

• Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com **Emergency telephone number:** For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed.

· Label elements

- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labeling:
- sodium fluoride
- Hazard statements

H302 Harmful if swallowed.

Precautionary statements

- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Hazard-determining components of labeling: sodium fluoride
- · Other hazards Not applicable

3 Composition/information on ingredients

· Chemical characterization: Substances None

CA



Version 3

Printing date 05/22/2018

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

entimetai	characterization: Mixtures n: Mixture of substances listed below with nonhazardous additions.	Contd. of page
-	s components:	
7681-49-4	sodium fluoride	<10% w/w
	Acute Toxicity (Oral) - Category 3, H301; Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319	
· Other ingr	redients:	
Hydrophob	ic aromatic dimethacrylate	
Hydrophob	ic aliphatic dimethacrylate	
Hydrophili	c aliphatic dimethacrylate	
Silanated b	arium glass filler	
Catalysts	·	
Accelerator	rs	
Pigments		

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:
- Mouth respiratory protective device.
- Wear fully protective suit.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

(Contd. of page 2)

7 Handling and storage

· Handling:

- Precautions for safe handling Prevent formation of dust.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:
- Do not store together with acids.
- Store away from oxidizing agents.
- Store away from reducing agents.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7681-49-4 sodium fluoride

EL Long-term value: 2.5 mg/m³ as F

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the skin.
- Avoid contact with the eyes.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:
- Neoprene gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

C.



Version 3

Printing date 05/22/2018

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

9 Physical and chemical properties

Information on basic physical and chemical p	properties
General Information	
· Appearance: Form:	Destru
Color:	Pasty Colored
· Odor:	Odorless
· Odor threshold:	Not determined
· Important information on protection of healt	
environment, and on safety.	Not determined
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	1012 °C (sodium fluoride)
Boiling point/Boiling range:	1704 °C (sodium fluoride)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined
· Auto igniting:	Not determined
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties	Not determined
· Vapor pressure:	Not applicable.
· Density:	2.0 g/cm ³
· Relative density	Not determined
· Vapor density	Not applicable.
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	Not determined
· Dynamic:	Not determined
Kinematic:	Not determined
· Solvent separation test	Not determined
· Water:	Not determined
· Solids content:	Not determined
• Other information	No further relevant information available.

(Contd. of page 3)

(Contd. on page 5)



Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

(Contd. of page 4)

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7681-49-4 sodium fluoride

Oral LD50 44 mg/kg (mouse)

52 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, TDG, ADN, IMDG, IATA	Void	
· UN proper shipping name		
DOT, ADN, IMDG, IATA	Void	
·TDG	Void	
· Transport hazard class(es)		
· DOT, TDG, ADN, IMDG, IATA		
·Class	Void	
· Packing group		
DOT, TDG, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

Sara	
Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
SARA 311/312: See Section 2 for the information on physical and health hazards.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Canadian substance listings:	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
	(Contd. on page 7



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/22/2018

Trade name: PANAVIA F 2.0 ; PASTE B (TC, White, Light, Opaque)

(Contd. of page 6)

CA

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

16 Other information

*

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

** Data compared to the previous version altered.



Version 3

Reviewed on 05/23/2018

1 Identification

· Product identifier

• Trade name: PANAVIA F 2.0 ; OXYGUARD II

- · Article number: CA089-O
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Dental material for curing promotion and surface protection

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

· Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com · Emergency telephone number: For chemical emergency spill, leak, fire, exposure or accident

- Within USA and Canada: 1-800-424-9300 CCN706984 or
- +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void

*

· Hazard statements Void

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

56-81-5 glycerol

• Other ingredients: Polyethyleneglycol Catalysts Accelerators Dyes

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 2)

50-70% w/w

Call CHEMTREC day and night

CA



Version 3

Reviewed on 05/23/2018

(Contd. of page 1)

Trade name: PANAVIA F 2.0; OXYGUARD II

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures See Section 8.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

- Store away from reducing agents.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)



Reviewed on 05/23/2018

Trade name: PANAVIA F 2.0 ; OXYGUARD II

(Contd. of page 2)

	nponents with limit values that require monitoring at the workplace:
	31-5 glycerol
EL	Long-term value: 10* 3** mg/m ³
	*mist; **mist, resirable
	Long-term value: 10 mg/m ³
Ado	litional information: The lists that were valid during the creation were used as basis.
	osure controls
	sonal protective equipment:
	eral protective and hygienic measures:
	usual precautionary measures for handling chemicals should be followed.
	athing equipment: Not required.
-	tection of hands:
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/
	chemical mixture.
	action of the glove material on consideration of the penetration times, rates of diffusion and the
	radation terial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality
	varies from manufacturer to manufacturer. As the product is a preparation of several substances, the
	stance of the glove material can not be calculated in advance and has therefore to be checked prior to the
	lication.
	etration time of glove material
	exact break trough time has to be found out by the manufacturer of the protective gloves and has to be
	erved.
	protection: Goggles recommended during refilling.
·Eye	protection: Goggles recommended during reniling.
) Ph	ysical and chemical properties
·Inf	ormation on basic physical and chemical properties

General Information		
- Appearance:		
Form:	Gel	
Color:	Green	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
[•] Change in condition Melting point/Melting range: Boiling point/Boiling range:	18.2 °C (glycerol) 290.0 °C (glycerol)	
· Flash point:	177 °C (glycerol)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	393°C (glycerol)	
· Decomposition temperature:	Not determined	
· Auto igniting:	Not determined	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0.9 Vol % (glycerol)	
		(Contd. on page



Reviewed on 05/23/2018

Trade name: PANAVIA F 2.0; OXYGUARD II

	(0	Contd. of page 3
Upper:	Not applicable.	
· Oxidizing properties	Not determined	
· Vapor pressure:	0.1 hPa (20°C, glycerol)	
· Density:		
Relative density	Not determined	
Vapor density	Not applicable.	
Evaporation rate	Not determined	
· Solubility in / Miscibility with	h	
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not applicable.	
· Viscosity:	Not determined	
· Dynamic:	Not determined	
· Kinematic:	Not determined	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 5)

CA



Reviewed on 05/23/2018

Trade name: PANAVIA F 2.0 ; OXYGUARD II

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

 \cdot Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

 \cdot **Recommendation:** Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

- \cdot **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number		
DOT, TDG, ADN, IMDG, IATA	Void	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	Void	
· TDG	Void	
· Transport hazard class(es)		
DOT, TDG, ADN, IMDG, IATA		
- Class	Void	
· Packing group		
DOT, TDG, IMDG, IATA	Void	
· Environmental hazards:		
Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

•	Sar	a
	C	

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• SARA 311/312: See Section 2 for the information on physical and health hazards.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 6)

(Contd. of page 4)

⁻ C/



Safety Data Sheet According to HPR Version 3

Printing date 05/23/2018

Reviewed on 05/23/2018

Trade name: PANAVIA F 2.0 ; OXYGUARD II

(Contd. of page 5)

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

** Data compared to the previous version altered.

CA -



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

1 Identification

· Product identifier

· Trade name: ALLOY PRIMER

- Article number: CA054
- Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- \cdot Application of the substance / the mixture Adhesive, dental metal

· Details of the supplier of the safety data sheet

Manufacturer: Kuraray Noritake Dental Inc.
1621 Sakazu, Kurashiki, Okayama 710-0801, Japan
Contact information:

Contact information: Kuraray America, Inc.
33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.
Tel: 800-879-1676
Fax: 888-700-5200
Website: www.kuraraydental.com
Emergency telephone number: For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night
Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour. GHS07 Eye Irritation - Category 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure -H336 May cause drowsiness or dizziness. Category 3 · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02, GHS07 · Signal word Danger · Hazard-determining components of labeling: acetone · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. (Contd. on page 2) CA



Version 3

Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

	(Contd. of page 1)
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

 67-64-1

 acetone

 Image: Planmable Liquids - Category 2, H225;

 Eye Irritation - Category 2A, H319;

 Specific Target Organ Toxicity - Single Exposure - Category 3, H336

50-100% w/w

• Other ingredients:

6-(4-Vinylbenzyl-N-propyl)amino-1,3,5-triazine-2,4-dithione 10-Methacryloyloxydecyl dihydrogen phosphate

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Generally the product does not irritate the skin.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

(Contd. on page 3)



Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures See Section 8.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).

Information about storage in one common storage facility: Store away from oxidizing agents.

- Store away from reducing agents.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

- 67-64-1 acetone
- EL Short-term value: 500 ppm

Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:** Neoprene gloves



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 3)

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Neoprene gloves

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Transparent
Odor:	Acetone-like
pH-value:	Not determined
Change in condition	
Melting point/Melting range:	-94.7 °C (acetone)
Boiling point/Boiling range:	55 °C (acetone)
Flash point:	-19 °C (acetone)
Ignition temperature:	465.0 °C (acetone)
Decomposition temperature:	Not determined
Danger of explosion:	Product is not explosive. However, formation of explosive air/
	vapor mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol % (acetone)
Upper:	13.0 Vol % (acetone)
Oxidizing properties	Not determined
Vapor pressure at 20 °C:	233.0 hPa (acetone)
Density:	0.79 g/cm ³ (acetone)
Relative density	Not determined
Vapor density	2.0 g/cm ³ (acetone, air=1)
Evaporation rate	Not determined
Solubility in / Miscibility with	
Water:	Partly miscible.

CA



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

(Contd. of page 4)

Trade name: ALLOY PRIMER

· Viscosity:

Not determined

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

Sensitization: Based on available data, the classification criteria are not met.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

(Contd. on page 6)

CA



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 5)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number · DOT · TDG, IMDG, IATA	UN1090 1090	
· UN proper shipping name · TDG · IMDG, IATA	1090 ACETONE, solution ACETONE, solution	
· Transport hazard class(es)		
DOT		
· Class · Label · TDG, IMDG, IATA	3 Flammable liquids 3	
· Class	3 Flammable liquids	
· Label	3	
[·] Packing group [·] DOT, TDG, IMDG, IATA	II	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Flammable liquids 33 F-E,S-D	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	UN1090; ACETONE, solution; 3; II	

(Contd. on page 7)



Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 6)

15	Dogu	atowy	infor	motion	
12	Regu	latory		mation	

· Sara

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• SARA 311/312: See Section 2 for the information on physical and health hazards.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

* Data compared to the previous version altered.



Safety Data Sheet According to HPR Version 3

Reviewed on 05/25/2018

1 Identification

· Product identifier

· Trade name: K-ETCHANT GEL

• Article number: CA021

· Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Dental etching composite

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan · Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com · Emergency telephone number: For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night

- Within USA and Canada: 1-800-424-9300 CCN706984 or
- +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture **GHS05** Corrosion Skin Corrosion - Category 1B H314 Causes severe skin burns and eye damage. Serious Eye Damage - Category 1 H318 Causes serious eye damage. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: phosphoric acid · Hazard statements H314 Causes severe skin burns and eye damage. · Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse. P405 Store locked up. (Contd. on page 2)



Safety Data Sheet According to HPR

Version 3

Trade name: K-ETCHANT GEL

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

7664-38-2 phosphoric acid
 Skin Corrosion - Category 1B, H314; Acute Toxicity (Oral) - Category 4, H302

25-50% w/w

Other ingredients: Colloidal silica

Water

Dyes

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.

(Contd. on page 3)

[·] C#



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

(Contd. of page 2)

Trade name: K-ETCHANT GEL

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- Information about storage in one common storage facility:
- Store away from oxidizing agents.
- Store away from reducing agents.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

7664-38-2 phosphoric acid

- EL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³
- EV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

CA



Version 3

Reviewed on 05/25/2018

Trade name: K-ETCHANT GEL

(Contd. of page 3) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and General Information	enemieur properties	
Appearance:		
Form:	Gel	
Color:	Red	
Odor:	Odorless	
pH-value:	1.8	
Change in condition		
Melting point/Melting range:	42.4 °C (phosphoric acid)	
Boiling point/Boiling range:	Not determined	
Flash point:	Not determined	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidizing properties	Not determined	
Vapor pressure:	Not determined	
Density:	1.3 g/cm^3	
Relative density	Not determined	
Vapor density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
Water:	Partly miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined	
Viscosity:	Not determined	



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

Trade name: K-ETCHANT GEL

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 1250 mg/kg (mouse)

1250 mg/kg (rat)

Dermal LD50 2740 mg/kg (rabbit)

Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. (Contd. on page 6)



Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

Trade name: K-ETCHANT GEL

(Contd. of page 5)

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable. • **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number		
DOT	UN1805	
TDG, IMDG, IATA	1805	
UN proper shipping name		
DOT	Phosphoric acid solution	
TDG	1805 Phosphoric acid solution	
IMDG, IATA	PHOSPHORIC ACID, SOLUTION	
Transport hazard class(es)		
DOT		
CORROLAVE 0		
Class	8 Corrosive substances	
Label	8	
TDG, IMDG, IATA		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, TDG, IMDG, IATA	III	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
		(Contd. on pag

CA



Trade name: K-ETCHANT GEL

		(Contd. of page 6)
· EMS Number:	F-A,S-B	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	UN1805, Phosphoric acid solution, 8, III	

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid

• SARA 311/312: See Section 2 for the information on physical and health hazards.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7664-38-2 phosphoric acid

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

* * Data compared to the previous version altered.

CA -