## **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 075537345

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075537352

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075537337



**Safety Data Sheet** 

Issue Date: 21-Jan-2014

Revision Date: 29-Jan-2015

Version 1

## **1. IDENTIFICATION**

Product Identifier Product Name

MucoSoft<sup>TM</sup> Adhesive Agent

Other means of identification SDS #

Recommended use of the chemical and restrictions on useRecommended UseRelining Agent.

S494

Details of the supplier of the safety data sheet Supplier Address Parkell, Inc. 300 Executive Drive Edgewood, NY 11717

## Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr) (631) 249-1134 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical state Liquid

#### **Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

#### Signal Word Warning

## Hazard statements

Causes skin irritation Causes serious eye irritation Suspected of causing cancer May cause respiratory irritation. May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



Page 1/8

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical advice/attention

IT SKITTITITIATION OCCURS. Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%
Methylene chloride	75-09-2	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. \*\*

#### **4. FIRST AID MEASURES**

#### First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention.	
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Wash skin with soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effe	ects	
Symptoms	Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	

Page 2/8

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water spray (fog). Dry chemical. Carbon dioxide (CO2). Foam.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon oxides. Phosgene. Hydrochloric acid.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Fight fire from safe distance/protected location. Use water spray to keep fire-exposed containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal Precautions	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.		
Methods and material for containment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal. Do not flush to sewer.		

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Incompatible Materials	Acids. Alkalis. Oxidizing agents. Chemically active metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methylene chloride 75-09-2	TWA: 50 ppm	TWA: 25 ppm (vacated) TWA: 500 ppm (vacated) STEL: 2000 ppm 5 min in any 3 h (vacated) Ceiling: 1000 ppm STEL: 125 ppm see 29 CFR 1910.1052	IDLH: 2300 ppm

#### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses.
Skin and Body Protection	Impervious protective gloves.
Respiratory Protection	Use self-contained breathing apparatus when needed.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Clear liquid Clear	Odor Odor Threshold	Not determined Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Flammability Limits in Air Upper Flammability Limits Lower Flammability Limit	Values Not determined Not determined Not determined Not determined Not determined Not determined	<u>Remarks • Method</u>	
Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Not determined >1 Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined	(Air=1)	

Page 4/8

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Avoid heat, ignition sources, moisture, aging, and contamination. Keep separated from incompatible substances. Keep out of reach of children.

## **Incompatible Materials**

Acids. Alkalis. Oxidizing agents. Chemically active metals.

#### Hazardous Decomposition Products

Carbon oxides. Phosgene. Hydrochloric acid.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methylene chloride	= 1600 mg/kg (Rat)	-	= 53 mg/L (Rat) 6 h = 76000 mg/m <sup>3</sup>
75-09-2	· ·		(Rat) 4 h

#### Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.<br/>However, the product as a whole has not been tested. Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Methylene chloride	A3	Group 2A	Reasonably Anticipated	Х
75-09-2				

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2A - Probably Carcinogenic to Humans NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

## Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document. ATEmix (oral) 1,616.00 mg/k

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methylene chloride	500: 96 h Pseudokirchneriella	193: 96 h Lepomis macrochirus	1532 - 1847: 48 h Daphnia magna
75-09-2	subcapitata mg/L EC50 500: 72 h	mg/L LC50 flow-through 193: 96 h	mg/L EC50 Static 190: 48 h
	Pseudokirchneriella subcapitata	Lepomis macrochirus mg/L LC50	Daphnia magna mg/L EC50
	mg/L EC50	static 262 - 855: 96 h Pimephales	
		promelas mg/L LC50 static 140.8 -	
		277.8: 96 h Pimephales promelas	
		mg/L LC50 flow-through	

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Methylene chloride	1.25
75-09-2	

#### **Other Adverse Effects**

Not determined

## **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methylene chloride	U080	Included in waste streams:		U080
75-09-2		F001, F002, F024, F025,		
		F039, K009, K010, K156,		
		K157, K158		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Methylene chloride 75-09-2	Category I - Volatiles		Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Methylene chloride	Toxic
75-09-2	

## **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

## **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Methylene chloride	Х	Х	Х	Present	Х	Present	Х	Х
Polymer	Х	Х		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Page 7/8

#### US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methylene chloride	1000 lb 1 lb		RQ 1000 lb final RQ
75-09-2			RQ 454 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ

#### SARA 311/312 Hazard Categories

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

#### **SARA 313**

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Methylene chloride - 75-09-2	75-09-2	Proprietary	0.1

#### CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methylene chloride		Х	Х	

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Methylene chloride - 75-09-2	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methylene chloride	Х	Х	Х
75-09-2			

## **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards 2	Flammability 3	Instability 3	Special Hazards Not determined
HMIS	Health Hazards	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined
Issue Date:	21-Jan-2014			

29-Jan-2015

New format

Disclaimer

**Revision Date:** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**

## Page 8/8