SAFETY DATA SHEETS

This SDS packet was issued with item:

075554357

N/A



DATE OF ISSUE: June 15, 2014 ISSUED BY PASCAL

Product Name: Hydent[®]

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Hydent®

Product Use: Denture Indicating Aerosol Paste

Manufacturer Name Pascal International, Inc. Address 2929 NE Northup Way

Bellevue, Washington 98004

Emergency Telephone (Infotrac): 1-800-535-5053, 1-352-323-3500 Telephone 1-425-827-4694, 1-800-426-8051

Fax 1-425-827-6893

2. HAZARDS IDENTIFICATION

Risk Phrases

Hazard Can is under pressure

Irritating to eyes

Inhalation of large quantities of propellant may

displace oxygen in lungs R12: Extremely flammable

Danger R18: Vapor may form flammable mixtures with air

Category 3 R36: Irritating to eyes.
Extremely R20: Harmful by inhalation

Safety Phrases flammable S2: Keep out of the reach of children

aerosol S15: Keep away from heat.

S23: Do not breathe vapor.S25: Avoid contact with eyes.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture Chemical Entity CAS No. Proportion* **ACGIH TLV** 97% Propellant Isobutane 75-28-5 1000 ppm N-Butane 106-97-8 2% 1000 ppm 1000 ppm Propane 74-98-6 1%

Component Zinc Oxide 01314-13-2

4. FIRST AID MEASURES

Inhalation Move to fresh air. If unconscious, give oxygen Ingestion Ingestion of normal quantities is non-toxic.

Skin N/A

Eye Flush with water for 15 minutes. Seek medical aid.



DATE OF ISSUE: June 15, 2014 ISSUED BY PASCAL

Product Name: Hydent[®]

5. FIRE FIGHTING MEASURES

Extinguishing Media: CO₂, Foam, Dry Chemical, Water

Specific Hazards: Extremely flammable and combustible. Temperature

above 50°C/120°F may cause bursting and contents

under pressure may discharge.

Precautions in connection with

Confine fire to immediate area.

Fire:

Use of self contained breathing apparatus is

recommended. Wear protective clothing to prevent

contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Provide adequate ventilation.

Clean Up Procedure: Use soap and water.

7. HANDLING AND STORAGE

Handling Content is under pressure. Keep away from fire.

Flammable. Do not puncture.

Storage Content is under pressure. Store in a cool, dry area

away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not

puncture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits Zinc Oxide

• OSHA TWA: 15mg/m3, PEL: NE, Ceiling: NE

• ACGIH TWA: 10mg/m3, TLV STEL: 10mg/m3, Ceiling: NE

Respiratory Protection Dust mask recommended.

Eve Protection Recommended

Hand Protection Gloves recommended Engineering Controls Normal room ventilation

Biological Limit Values Not determined

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White paste dispensed as an aerosol.

Odor Slight mint aroma

Vapor Pressure (Isobutane @ 32° F) 1,519.0

(mm Hg and Temperature)



DATE OF ISSUE: June 15, 2014 ISSUED BY PASCAL

Product Name: Hydent[®]

Vapor Density (Isobutane) 2.01

(AIR=1)

Boiling Point (Isobutane) 10.9° F Freezing / Melting Point Not Determined

Solubility in Water Minimal

Specific Gravity (Isobutane) 0.5631 Evaporation Rate Not Determined

Water Reactive N/A

Flash Point 120° F/49°C

Flammable Limits LEL Maintain level below 0.25 LEL. May displace

oxygen in air

Flammable Limits UEL Not determined

10. STABILITY AND REACTIVITY

Chemical Stability Stable Conditions to Avoid N/A

Incompatible Materials Strong acids and magnesium.

Hazardous Decomposition

Products

None known

Hazardous Reactions None known

11. TOXICOLOGICAL INFORMATION

Hazardous Ingredient: N/A

Routes of Exposure: Refer to Section 4 of MSDS

12. ECOLOGICAL INFORMATION

Ecotoxicity Contains no CFC's. Propellants are ecologically

safe.

Persistence and Degradability Not determined Not determined

13. DISPOSAL CONSIDERATIONS

Disposal Method and Containers Empty containers may be disposed of in waste

containers.

Special Precautions Do not incinerate. Do not crush. Dispose in

accordance with all local, state and federal

regulations.



DATE OF ISSUE: June 15, 2014 ISSUED BY PASCAL

Product Name: Hydent[®]

14. TRANSPORT INFORMATION

UN Number UN1950

UN Proper Shipping Name Aerosol, flammable

Class and Subsidiary Risk

Packing Group

N/A

Special Precautions for User

Hazchem Code

1T

EMS Numbers: F-D, S-U

Marine Pollutant: No

Air Transport:

Transport Required Labeling:





Maritime Transport:

Land Transport:

15. REGULATORY INFORMATION

Consumer Commodity ORM-D, ID 8000

AICS (Australia) All ingredients are listed

Precautionary Phrases: For professional in-office use only.

Keep out of reach of children.

Note: Refer to applicable international, national, and local

regulations and provisions.

16. OTHER INFORMATION

Legal Disclaimer: Information contained in this MSDS is based on data

believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained

from the use thereof In no event will the

manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the



June 15, 2014 DATE OF ISSUE: ISSUED BY PASCAL

Hydent® **Product Name:**

use of or reliance upon this information. **MSDS** History

Date of Issue: June 15, 2014

Replaces Issue: March 12, 2012

Changes made to previous issue: MSDS to SDS; Added GHS Pictogram and Signal Word to Section 2; Added pictograms and transport info in Section 14



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

Product Name: Hydent[®]

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product Name	Hydent [®]	
Product Use:	Denture Indicating Aerosol Paste	
Manufacturer Name	Pascal International, Inc.	
Address	2929 Northup Way	
	Bellevue, Washington 98004 USA	
Emergency Telephone (Infotrac):	1-800-535-5053, 1-352-323-3500	
Telephone	1-425-827-4694, 1-800-426-8051	
Fax	1-425-827-6893	

2. HAZARDS IDENTIFICATION		
GHS Classification & Label Elements:		
Physical Hazard		
Flammable Aerosol	Category 1	
Label Elements:		
Signal Word:	Danger	
Hazard Statements:		
H222 Extremely Flammable aerosol		
Precautionary Statements		
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
P211 Do not spray on an open flame or other ignition source.		
P251 Do not pierce or burn, even after use		

3. COMPOSITION / INFORMATION ON INGREDIENTS				
Mixture	Chemical Entity	CAS No.	Proportion*	ACGIH TLV
	Isobutane	75-28-5	97%	1000 ppm
Propellants	N-Butane	106-97-8	2%	1000 ppm
_	Propane	74-98-6	1%	1000 ppm

4. FIRST AID MEASURES	
Inhalation	Move to fresh air. If unconscious, give oxygen
Ingestion	Ingestion of normal quantities is non-toxic.
Skin	N/A
Eye	Flush with water for 15 minutes. Seek medical aid.



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

Product Name: Hydent[®]

5. FIRE FIGHTING MEASURE	S
Extinguishing Media:	CO ₂ , Foam, Dry Chemical, Water
	Extremely flammable and combustible. Temperature
Specific Hazards:	above 50°C/120°F may cause bursting and contents
	under pressure may discharge.
	Confine fire to immediate area.
Precautions in connection with	Use of self contained breathing apparatus is
Fire:	recommended. Wear protective clothing to prevent
	contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES		
Emergency Procedures:	Provide adequate ventilation.	
Clean Up Procedure:	Use soap and water.	
Personal Precautions:	Wear mask and gloves	

7. HANDLING AND STORAGE	
Handling	Content is under pressure. Keep away from fire.
Handling	Flammable. Do not puncture.
Storage	Content is under pressure. Store in a cool, dry area
	away from heat sources and/or prolonged exposure to
	sun. Keep away from fire. Flammable. Do not
	puncture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
Exposure Limits:	Not determined	
Respiratory Protection:	Dust mask recommended.	
Eye Protection:	Recommended	
Hand Protection:	Gloves recommended	
Engineering Controls:	Normal room ventilation	
Biological Limit Values:	Not determined	

9. PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	White paste dispensed as an aerosol.	
Odor:	Slight mint aroma	
Vapor Pressure	(Isobutane @ 32° F) 1,519.0	
(mm Hg and Temperature):		
Vapor Density	(Isobutane) 2.01	
(AIR=1):		
Relative Density:	Not determined	
Boiling Point:	(Isobutane) 10.9° F	
Freezing / Melting Point:	Not Determined	
Solubility in Water:	Minimal	



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

Product Name: Hydent®	
-----------------------	--

Specific Gravity:	(Isobutane) 0.5631
Evaporation Rate:	Not Determined
Water Reactive:	N/A
Flash Point:	120° F/49°C
Flammable Limits LEL:	Isobutane 1.6%. May displace oxygen in air.
Flammable Limits UEL:	Not determined
Viscosity:	Not determined

10. STABILITY AND REACTIVITY		
Chemical Stability:	Stable	
Reactivity:	Stable	
Conditions to Avoid:	High heat or flames	
Incompatible Materials:	Strong acids.	
Hazardous Decomposition	None known	
Products:		
Hazardous Reactions:	None known	

11. TOXICOLOGICAL INFORMATION		
Hazardous Ingredient:	N/A	
Routes of Exposure:	Refer to Section 4 of SDS	
Acute & Chronic Hazards:	None known if used as indicated and directed	

12. ECOLOGICAL INFORMATION	
Ecotoxicity:	Contains no CFC's. Propellants are ecologically
	safe.
Persistence and Degradability:	Not determined
Mobility in soil:	Not determined
Bioaccumulative Potential:	Not determined

13. DISPOSAL CONSIDERATIONS		
Disposal Method and Containers:	Empty containers may be disposed of in waste	
	containers.	
Special Precautions:	Do not incinerate. Do not crush. Dispose in	
	accordance with all local, state and federal	
	regulations.	



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

Product Name: Hydent[®]

14. TRANSPORT INFORMATION	
UN Number:	UN1950
UN Proper Shipping Name:	Aerosol, flammable
Class and Subsidiary Risk:	2.1
Packing Group:	N/A
Special Precautions for User:	N/A
Hazchem Code:	1T
Australian Classification Statement	Division 2.1
(ADG)	Flammable Gases
EMS Numbers:	F-D, S-U
Marine Pollutant:	No
Transport Required Labeling:	
Air Transport:	
Maritime Transport:	
Land Transport:	

15. REGULATORY INFORMATION	
Consumer Commodity	ORM-D, ID 8000
Precautionary Phrases:	For professional in-office use only.
	Keep out of reach of children.
AICS (Australia)	This product is a medical device and not subject to
	chemical notification requirements.
HSNO Act (New Zealand)	Group Standard #HSR002515 Aerosols (Flammable)
CA Prop 65:	No ingredients are subject to CA Prop 65 warning.
Note:	Refer to applicable international, national, and local
	regulations and provisions.



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

Product Name: Hydent®

16. OTHER INFORMATION	
Legal Disclaimer:	Information contained in this SDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.
SDS History	
Date of Issue:	August 25, 2023
Replaces Issue:	October 30, 2017
Changes made to previous issue:	Updated issue date to comply with mandated five- year requirement; Removed non-hazardous components from section 3; Updated Australian requirements; Added CA Prop 65 warning; Assigned group standard for HSNO Act (New Zealand) and added group number to section 15.