SAFETY DATA SHEETS

This SDS packet was issued with item:

075556881

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075556519 075556840 075556865 075556873 075556899



Page 1 of 4

Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012 ISSUED BY PASCAL

Product Name: Occlude®

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Occlude®

Product Use: Aerosol Indicator Marking Spray

Manufacturer Name Pascal International, Inc. Address 2929 NE Northup Way

Bellevue, Washington 98004

Emergency Telephone (Infotrac): 1-800-535-5053, 1-352-323-3500

Telephone 1-425-827-4694, 1-800-426-8051

Fax 1-425-827-6893

2. HAZARDS IDENTIFICATION

Hazard Irritating to eyes. Can is under pressure. Unusual

fire and explosion hazard. Inhalation of large quantities of propellant may displace oxygen in

lungs.

Risk Phrases R12: Highly flammable

R18: Vapor may form flammable mixtures with air

R36: Irritating to eyes. R20: Harmful by inhalation

Safety Phrases S2: Keep out of the reach of children

S15: Keep away from heat.S23: Do not breathe vapor.S25: Avoid contact with eyes.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Mixture | Chemical Entity | CAS No. | Proportion* | ACGIH TLV |
|------------|-----------------|----------|-------------|-----------|
| Propellant | Isobutane | 75-28-5 | 97% | 1000 ppm |
| | N-Butane | 106-97-8 | 2% | 1000 ppm |
| | Propane | 74-98-6 | 1% | 1000 ppm |

4. FIRST AID MEASURES

Inhalation Move to fresh air. If unconscious, give oxygen Ingestion Ingestion of normal quantities is non-toxic.

Skin N/A

Eye Flush with water for 15 minutes. Seek medical aid.



International, Inc. Page 2 of 4

Material Safety Data Sheet

Date of Issue: April 16, 2012 Issued By Pascal

Product Name: Occlude®

5. FIRE FIGHTING MEASURES

Extinguishing Media: CO₂, Foam, Dry Chemical, Water

Specific Hazards: Extremely flammable and combustible. Temperature

above 50°C/120°F may cause bursting and contents

under pressure may discharge.

Precautions in connection with

Confine fire to immediate area.

Fire:

Use of self contained breathing apparatus is

recommended. Wear protective clothing to prevent

contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Provide adequate ventilation.

Clean Up Procedure: Use soap and water after propellant has been

dispersed.

7. HANDLING AND STORAGE

Handling Content is under pressure. Keep away from fire.

Flammable. Do not puncture.

Storage Content is under pressure. Store in a cool, dry area

away from heat sources and/or prolonged exposure to

sun. Keep away from fire. Flammable. Do not

puncture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits Not determined

Respiratory Protection Dust mask recommended.

Eye Protection Recommended

Hand Protection Gloves recommended
Engineering Controls Normal room ventilation

Biological Limit Values Not determined

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Red or green powder dispensed as an aerosol.

Odor Odorless



Page 3 of 4

Material Safety Data Sheet

DATE OF ISSUE: April 16, 2012 ISSUED BY PASCAL

Product Name: Occlude®

Vapor Pressure (mm Hg and (Isobutane @ 32° F) 1,519.0

Temperature)

Vapor Density (AIR=1) (Isobutane) 2.01 Boiling Point (Isobutane) 10.9° F Freezing / Melting Point Not Determined

Solubility in Water Minimal

Specific Gravity (Isobutane) 0.5631 Evaporation Rate Not Determined

Water Reactive N/A Flash Point 120° F

Flammable Limits LEL Maintain level below 0.25 LEL. May displace

oxygen in air

Flammable Limits UEL Not determined

10. STABILITY AND REACTIVITY

Chemical Stability Stable Conditions to Avoid N/A

Incompatible Materials May react with oxidizing materials.

Hazardous Decomposition None known

Products

Hazardous Reactions None known

11. TOXICOLOGICAL INFORMATION

Hazardous Ingredient: N/A
Routes of Exposure: N/A

12. ECOLOGICAL INFORMATION

Ecotoxicity Contains no CFC's. Propellants are ecologically

safe.

Persistence and Degradability Not determined Mobility Not determined

13. DISPOSAL CONSIDERATIONS

Disposal Method and Containers Empty containers may be disposed of in waste

containers.



Page 4 of 4

Material Safety Data Sheet

Date of Issue: April 16, 2012 Issued By Pascal

Product Name: Occlude®

Special Precautions Do not incinerate. Do not crush. Dispose in

accordance with all local, state and federal

regulations.

14. TRANSPORT INFORMATION

UN Number UN1950

UN Proper Shipping Name Aerosol, flammable

Class and Subsidiary Risk 2.1 Packing Group N/A

Special Precautions for User Maximum 75kg on passenger aircraft/rail.

Hazchem Code 1T

15. REGULATORY INFORMATION

Consumer Commodity ORM-D, ID 8000

AICS (Australia) All ingredients are listed

Precautionary Phrases: For professional in-office use only.

Keep out of reach of children.

Note: Refer to applicable international, national, and local

regulations and provisions.

16. OTHER INFORMATION

Legal Disclaimer: Information contained in this MSDS is based on data

believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained

from the use thereof. In no event will the

manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the

use of or reliance upon this information.

MSDS History Date of Issue: April 16, 2012

Replaces Issue: April 15, 2009

Changes made to previous issue: No changes



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

| 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER | | |
|--|---------------------------------|--|
| Product Name | Occlude [®] | |
| Product Use: | Aerosol Indicator Marking Spray | |
| Manufacturer Name | Pascal International, Inc. | |
| Address | 2929 Northup Way | |
| Address | Bellevue, Washington 98004 USA | |
| Emergency Telephone (Infotrac): | 1-800-535-5053, 1-352-323-3500 | |
| Telephone | 1-425-827-4694, 1-800-426-8051 | |
| Fax | 1-425-827-6893 | |

| 2. HAZARDS IDENTIFICATION | | | |
|---|--------------------------------------|--|--|
| GHS Classification & Label | GHS Classification & Label Elements: | | |
| Physical Hazard | | | |
| Flammable Aerosol | Category 1 | | |
| Label Elements: | | | |
| Signal Word: | Danger | | |
| Hazard Statements: | | | |
| H222 Extremely Flammable aerosol | | | |
| Precautionary Statements | | | |
| P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. | | | |
| P211 Do not spray on an open flame or other ignition source. | | | |
| P251 Do not pierce or burn, even after use | | | |

| 3. COMPOSITION / INFORMATION ON INGREDIENTS | | | | |
|---|------------------------|----------|-------------|-----------|
| Mixture | Chemical Entity | CAS No. | Proportion* | ACGIH TLV |
| | Isobutane | 75-28-5 | 97% | 1000 ppm |
| Propellant | N-Butane | 106-97-8 | 2% | 1000 ppm |
| | Propane | 74-98-6 | 1% | 1000 ppm |

| 4. FIRST AID MEASURES | |
|-----------------------|--|
| Inhalation | Move to fresh air. If unconscious, give oxygen |
| Ingestion | Ingestion of normal quantities is non-toxic. |
| Skin | N/A |
| Eye | Flush with water for 15 minutes. Seek medical aid. |



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

| 5. FIRE FIGHTING MEASURES | | |
|--------------------------------|--|--|
| Extinguishing Media: | CO ₂ , Foam, Dry Chemical, Water | |
| | Extremely flammable and combustible. Temperature | |
| Specific Hazards: | above 50°C/120°F may cause bursting and contents | |
| | under pressure may discharge. | |
| | Confine fire to immediate area. | |
| Precautions in connection with | Use of self contained breathing apparatus is | |
| Fire: | recommended. Wear protective clothing to prevent | |
| | contact with skin and eyes. | |

| 6. ACCIDENTAL RELEASE MEASURES | |
|---|--|
| Emergency Procedures: Provide adequate ventilation. | |
| Clean Up Procedure: | Use soap and water after propellant has been |
| | dispersed. |
| Personal Precautions: | Dust mask |

| 7. HANDLING AND STORAGE | |
|-------------------------|--|
| Handling: | Content is under pressure. Keep away from fire. Flammable. Do not puncture. |
| Storage: | Content is under pressure. Store in a cool, dry area away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not puncture. |

| 8. Exposure Controls / Personal Protection | | |
|--|-------------------------|--|
| Exposure Limits: | Not determined | |
| Respiratory Protection: | Dust mask recommended. | |
| Eye Protection: | Recommended | |
| Hand Protection: | Gloves recommended | |
| Engineering Controls: | Normal room ventilation | |
| Biological Limit Values: | Not determined | |

| 9. PHYSICAL AND CHEMICAL PROPERTIES | | |
|-------------------------------------|--|--|
| Appearance: | Red or green powder dispensed as an aerosol. | |
| Odor: | Odorless | |
| Vapor Pressure (mm Hg and | (Isobutane @ 32° F) 1,519.0 | |
| Temperature): | | |
| Vapor Density (AIR=1): | (Isobutane) 2.01 | |
| Relative Density: | Not determined | |
| Boiling Point: | (Isobutane) 10.9° F | |
| Freezing / Melting Point: | Not Determined | |
| Solubility in Water: | Minimal | |



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

| Product Name: | Occlude [®] |
|----------------------|----------------------|

| Specific Gravity: | (Isobutane) 0.5631 |
|-----------------------|--|
| Evaporation Rate: | Not Determined |
| Water Reactive: | N/A |
| Flash Point: | 120° F |
| Self-igniting: | Product is not self-igniting |
| Flammable Limits LEL: | Isobutane 1.6%. May displace oxygen in air |
| Flammable Limits UEL: | Not determined |
| Viscosity: | Not determined |

| 10. STABILITY AND REACTIVITY | |
|------------------------------|-------------------------------------|
| Chemical Stability: | Stable |
| Reactivity: | Stable |
| Conditions to Avoid: | Keep away from fire. |
| Incompatible Materials: | May react with oxidizing materials. |
| Hazardous Decomposition | None known |
| Products: | None known |
| Hazardous Reactions: | None known |

| 11. TOXICOLOGICAL INFORMATION | |
|-------------------------------|------------------------------|
| Hazardous Ingredient: | N/A |
| Routes of Exposure: | N/A |
| • Skin | No irritant effect |
| • Eyes | No irritating effect |
| Sensitization | No sensitizing effects known |
| Acute & Chronic Hazards: | None known |

| 12. ECOLOGICAL INFORMATION | |
|--------------------------------|--|
| Ecotoxicity: | Contains no CFC's. Propellants are ecologically safe. Not hazardous for water. |
| Persistence and Degradability: | Not determined |
| Bioaccumulative Potential: | Not determined |
| Mobility in Soil: | Not determined |

| 13. DISPOSAL CONSIDERATIONS | |
|--------------------------------|---|
| Disposal Method and Containers | Empty containers may be disposed of in waste containers. |
| Special Precautions | Do not incinerate. Do not crush. Dispose in accordance with all local, state and federal regulations. |



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

| 14. Transport Information | | |
|--|--|--|
| UN Number | UN1950 | |
| UN Proper Shipping Name | Aerosol, flammable | |
| Class and Subsidiary Risk | 2.1 | |
| Packing Group | N/A | |
| Special Precautions for User | N/A | |
| Hazchem Code | 1T | |
| EMS Numbers: | F-D, S-U | |
| Marine Pollutant: | No | |
| Australian Classification Statement (ADG): | Division 2.1 Flammable Gases | |
| Transport Required Labeling: | | |
| Air Transport: | A STATE OF THE STA | |
| Maritime Transport: | > | |
| Land Transport: | > | |

| 15. REGULATORY INFORMATION | |
|----------------------------|--|
| Consumer Commodity: | ORM-D (Ground), ID 8000 (Air) |
| Precautionary Phrases: | For professional in-office use only. |
| | Keep out of reach of children. |
| AICS (Australia) | This product is a medical device and not subject to |
| | chemical notification requirements. |
| HSNO Act (New Zealand) | Group Standard #HSR002515 Aerosols (Flammable) |
| Poison Schedule: | None allocated |
| CA Prop 65: | No ingredients are subject to CA Prop 65 warning. |
| Note: | Refer to applicable international, national, and local |
| | regulations and provisions. |



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

| 16. OTHER INFORMATION | |
|---------------------------------|---|
| Legal Disclaimer: | Information contained in this SDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. |
| SDS History | |
| Date of Issue: | August 25, 2023 |
| Replaces Issue: | October 30, 2017 |
| Changes made to previous issue: | Updated issue date to comply with mandated five- year requirement; Updated Australian and New Zealand requirements; Assigned group standard for HSNO Act (New Zealand) and added group number to section 15; Added CA Prop 65 requirements. |