### **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

076468698

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070467209 076468201 076468219 076468227 076468235 076468243 076468250 076468268 076468276 076468383 076468391 076468409 076468417 076468425 076468433 076468441 076468458 076468557 076468565 076468573 076468581 076468615 076468623 076468631 076468649 076468656 076468706 076468714 076468722 076468730 076468771 076468789 076468797 076468805 076473029



## MATERIAL SAFETY DATA SHEET

M.S.D.S.# 00313 Page 1 of 2 March 29, 2010

### 1. Chemical Product and Contact Information

Correct Plus® Fast Set Impression Material **Product Name:** 

Material Safety Sheet Number: 00052 Date of Issue: 08/02/06 Revision Date: 03/29/10

Company Identification: **Pentron Clinical** 

1717 West Collins Ave

Orange, CA 92867 800-551-0283 Phone:

203-265-7397

**Emergency Information Chemtrec:** 800-424-9300 Chemtrec International: 202-483-7616

### 2. Composition/Information on Ingredients

Chemical characteristics:

Polyvinyldimethylsiloxane.

Description:

Hazardous components:

Polyvinylsiloxane resin mixture with inorganic fillers, pigments, platinum catalyst and SiH capped polysiloxane.

Element	CAS #	CAS # Exposure Limit m	
Liomont	0/10 11		
Polyvinyldimethylsiloxane	68083-18-1	N/E	N/E
Inorganic Fillers	Mixture	N/A	N/A
Pigments	Various	N/A	N/A
Platinum Catalyst	N/A	N/A	N/A
SiH capped polysiloxane	68037-59-2	N/E	N/E

#### 3. Hazard Identification

Risk identification:

Special risks for human

beings and environment: Classification:

Unknown. Unknown. Unknown.

4. First Aid Measures

General information:

After skin contact:

After eye contact:

After swallowing:

Wash with plenty of water and soap. Consult a physician if irritation occurs. Immediately flush eyes with eyelids retracted with water for 15 minutes.

Consult an ophthalmologist if needed.

Seek medical advice immediately.

### 5. Fire Fighting Measures

Extinguishing media:

Sand, chemical foam, carbon dioxide or dry chemical. During a fire, irritating and/or toxic gases and aerosols may be present from

the decomposition/combustion products.

Protective equipment:

Firefighters should wear full protective clothing, including a self-contained

breathing apparatus.

## Accidental Release Measures

Personal precautions: Environmental precautions: Methods for cleaning up:

Additional information:

Protective gloves and goggles. Avoid skin contact.

Unknown. Absorb with inert material. Collect in closed containers and dispose in accordance

with Federal, State, and local regulations. Unknown.

## 7. Handling and Storage

Handling:

Practice normal hygienic measures.

Storage:

Store at ambient temperature, away from direct sunlight, initiators, oxidizing,

and/or reducing agents.



## MATERIAL SAFETY DATA SHEET

M.S.D.S.# 00313 Page 2 of 2

March 29, 2010

8. Exposure Controls/Personal Protection Personal protective equipment:

Protective gloves, goggles, protective mask

485°F (252°C) Closed cup - DIN 51755.

None of the components of this material are listed by OSHA, or ACGIH as carcinogens.

Dispose in accordance with Federal, State, and

Not classified as dangerous goods.

General measure of protection

and a rubber apron.

and hygiene:

Normal hygienic measures. Protective mask. Protective gloves.

OSHA approved goggles.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Not applicable.

Not applicable.

Not applicable.

Inhalation, skin, and eyes.

Unknown.

Unlikely.

Various.

Insoluble.

None. < 2%.

None.

Various.

Unknown

Unknown.

Unknown.

Unknown.

Unknown.

local regulations.

Respiration: Hands: Eyes:

### 9. Physical and Chemical Properties

Appearance: Form: Gel or Putty-like. Color: Shaded.

Odor: Odorless.

Information on change in the physical state Melting point/melting range:

Boiling point/boiling range: Flash point: Autoignition temperature:

Danger of explosion: Density: Vapor pressure:

Viscosity: Solubility in/miscibility with water:

Content of solvents: Percent volatile: Water: Content of solids:

10. Stability and Reactivity Incompatibility with other substances: Hazardous décomposition products:

11. Toxicological Information

Carcinogenicity: IARC, NTP, TLV: Primary routes of entry:

12. Ecological Information

General information: Classification of water endangerment:

13. Disposal Considerations

Disposal consideration:

14. Transport Information

15. Regulatory Information

Classification according to EEC guidelines: National Prescriptions:

Classification according to VbF:

16. Other Information

The information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct

as of the date hereof. Pentron Clinical however, makes no representations as to the completeness or accuracy of this information and supplies it on the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Pentron Clinical be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

Obtained by Global Safety Management, Inc. www.globalsafetynet.com (Tel: 1-813-435-5161)504/Rev01

# SAFETY DATA SHEET

Correct Plus™Universal Body Impression Materials

## **Section 1. Identification**

**GHS** product identifier

: Correct Plus™Universal Body Impression Materials

Other means of identification

: Not available.

**Product type** 

: Paste.

Relevant identified uses of the substance or mixture and uses advised against

Product use

: Dental product: Impression material.

Area of application

: Professional applications.

**Manufacturer** 

: Pentron Clinical

1717 West Collins Avenue Orange, CA 92867-5422

Telephone no.: 1-203-265-7397, Toll Free: 1-800-551-0283

e-mail address of person responsible for this SDS

: Contact customer service at 1-800-KERR-123 for any questions

Emergency telephone number (with hours of

operation)

: CHEMTREC® (24 hours) U.S.: 1-800-424-9300 International: +1-703-527-3887

## Section 2. Hazards identification

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

Classification of the substance or mixture

: TOXIC TO REPRODUCTION (Fertility) - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 100%

**GHS label elements** 

Hazard pictograms :



Signal word

: Warning

**Hazard statements** 

: Suspected of damaging fertility.

<u>Precautionary statements</u>

Prevention

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear

protective clothing.

Date of issue/Date of revision

: 06/16/2015 Date

Date of previous issue

: No previous validation

Version: 1

1

1/12

Correct Plus™Universal Body Impression Materials

## Section 2. Hazards identification

: IF exposed or concerned: Get medical attention. Response

**Storage** : Store locked up.

: Dispose of contents and container in accordance with all local, regional, national and **Disposal** 

international regulations.

Supplemental label

elements

: Avoid contact with skin and clothing. Wash thoroughly after handling.

Hazards not otherwise : Prolonged or repeated contact may dry skin and cause irritation.

classified

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture Other means of

identification

: Not available.

### **CAS** number/other identifiers

CAS number : Not applicable. **Product code** : Q34DA Q34DC

Ingredient name	Other names	%	CAS number
cristobalite Methyl hydrogen dimethyl polysiloxanes octamethylcyclotetrasiloxane	cristobalite	10-30	14464-46-1
	Not available.	1-5	-
	octamethylcyclotetrasiloxane	0.1-1	556-67-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

## Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** : No special measures are required. In case of contact with eyes, rinse immediately with

plenty of water. Get medical attention if symptoms occur.

: No special measures required. If inhaled, remove to fresh air. Get medical attention if Inhalation

symptoms occur.

Skin contact : No special measures required. In case of contact, immediately flush skin with plenty of

water. Get medical attention if symptoms occur.

: Wash out mouth with water. If material has been swallowed and the exposed person is Ingestion

> conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or

are severe.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contact No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

: Defatting to the skin. May cause skin dryness and irritation. Skin contact

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Date of issue/Date of revision : 06/16/2015 Version :1 2/12 Date of previous issue : No previous validation

## Section 4. First aid measures

: No specific data. **Eye contact** 

Inhalation : Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

: In case of major fire and large quantities: No action shall be taken involving any **Protection of first-aiders** 

personal risk or without suitable training. It may be dangerous to the person providing

aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: Do not use water jet.

Specific hazards arising

from the chemical

**Hazardous thermal** decomposition products : No specific fire or explosion hazard.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides Formaldehyde.

**Special protective actions** for fire-fighters

: In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** 

equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision : 06/16/2015 Version: 1 3/12 Date of previous issue : No previous validation

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

For emergency responders: Low release. See also the information in "For non-emergency personnel".

### **Environmental precautions**

: Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

# Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** 

: No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### Control parameters

### Occupational exposure limits

Ingredient name	Exposure limits
cristobalite	OSHA PEL Z3 (United States, 2/2013).
	TWA: 250 MPPCF / 2 x (%SiO2+5) 8 hours.
	Form: Respirable
	TWA: 10 MG/M3 / 2 x (%SiO2+2) 8 hours.
	Form: Respirable
	TWA: 30 MG/M3 / 2 x (%SiO2+2) 8 hours.
	Form: Total dust
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 0.05 mg/m³, (as quartz) 8 hours. Form: Respirable dust

Date of issue/Date of revision 4/12 : 06/16/2015 Date of previous issue Version: 1 : No previous validation

# Section 8. Exposure controls/personal protection

Appropriate engineering controls

: No special measures are required for small quantities under normal and intended conditions of product use.

**Environmental exposure** controls

: No special measures are required for small quantities under normal and intended conditions of product use.

### **Individual protection measures**

**Hygiene measures** : No special measures are required for small quantities under normal and intended

conditions of product use.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection** 

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

**Body protection** : No special measures are required for small quantities under normal and intended

conditions of product use.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : No special measures are required for small quantities under normal and intended

conditions of product use.

# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid. [Paste.]

Color : Various
Odor : Odorless.
Odor threshold : Not available.

pH : Not available.

Melting point : Not available.

Boiling point : Not available.

Flash point : Not available.

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive : Not available.

Lower and upper explosive (flammable) limits

Vapor pressure

Vapor density

**Relative density** 

Not available.Not available.

: Not available.

**Solubility** : Insoluble in the following materials: cold water and hot water.

Solubility in water : Not available.

Date of issue/Date of revision : 06/16/2015 Date of previous issue : No previous validation Version : 1 5/12

Correct Plus™Universal Body Impression Materials

# Section 9. Physical and chemical properties

Partition coefficient: n-

octanol/water

**Viscosity** 

: Not available.

**Auto-ignition temperature** : Not available. **Decomposition temperature**: Not available. **SADT** 

: Not available. : Not available.

# Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

**Possibility of hazardous** reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** : Keep away from heat and direct sunlight.

: Slightly reactive or incompatible with the following materials: oxidizing materials and **Incompatible materials** 

reducing materials.

**Initiators** 

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Methyl hydrogen dimethyl polysiloxanes	LD50 Dermal	Rabbit	>2000 mg/kg	-
octamethylcyclotetrasiloxane	LD50 Oral LC50 Inhalation Vapor LD50 Dermal LD50 Oral	Rat Rat Rat Rat	>2000 mg/kg 36 g/m³ 1770 mg/kg 1540 mg/kg	- 4 hours - -

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Methyl hydrogen dimethyl polysiloxanes	Skin - Mild irritant	Rabbit	-	-	-
	Eyes - Moderate irritant	Rabbit	-	_	-
octamethylcyclotetrasiloxane	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit		24 hours 500 milligrams	-

### **Sensitization**

Not available.

Date of issue/Date of revision : 06/16/2015 Version :1 6/12 Date of previous issue : No previous validation

# **Section 11. Toxicological information**

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### **Classification**

Product/ingredient name	OSHA	IARC	NTP
cristobalite	-	1	Known to be a human carcinogen.

### Reproductive toxicity

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
cristobalite	Category 2	Not determined	lungs

### **Aspiration hazard**

Not available.

Information on the likely

routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

**Skin contact** : Defatting to the skin. May cause skin dryness and irritation.

: No known significant effects or critical hazards. Ingestion

### Symptoms related to the physical, chemical and toxicological characteristics

**Eve contact** : No specific data.

Inhalation : Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

Date of issue/Date of revision : 06/16/2015 Date of previous issue Version :1 7/12 : No previous validation

# Section 11. Toxicological information

**Ingestion**: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.

Fertility effects : Suspected of damaging fertility.

**Numerical measures of toxicity** 

**Acute toxicity estimates** 

Not available.

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
	Chronic NOEC 1.7 to 15 µg/l Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 4.4 µg/l Fresh water	Fish - Oncorhynchus mykiss - Egg	93 days

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
octamethylcyclotetrasiloxane	-	0 % - 42 days	-	-

### **Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
octamethylcyclotetrasiloxane	6.488	13400	high

Date of issue/Date of revision : 06/16/2015 Date of previous issue : No previous validation Version : 1 8/12

# Section 12. Ecological information

**Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	UN3077	UN3077
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nonylphenol, branched, ethoxylated). Marine pollutant (Nonylphenol, branched, ethoxylated)	Environmentally hazardous substance, solid, n.o.s. (Nonylphenol, branched, ethoxylated)
Transport hazard class(es)	-	9	9
Packing group	-	III	III
Environmental hazards	Yes.	Yes.	Yes.
Additional information	-	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4. 1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1. 1.8.  Emergency schedules (EmS) F-A, S-F  Special provisions 274, 335, 966, 967, 969	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5. 0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. Passenger and Cargo Aircraft Quantity limitation: 400 kg Packaging instructions: 956 Cargo Aircraft Only Quantity limitation: 400 kg Packaging instructions: 956 Limited Quantities - Passenger Aircraft Quantity limitation: 30 kg Packaging instructions: Y956

Date of issue/Date of revision: 06/16/2015Date of previous issue: No previous validationVersion: 1

Correct Plus™Universal Body Impression Materials

## Section 14. Transport information

Special provisions A97, A158, A179, A197

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

# Section 15. Regulatory information

U.S. Federal regulations TSCA 8(a) PAIR: octamethylcyclotetrasiloxane; Nonylphenol, branched, ethoxylated; 1,1,

3,3-tetramethyl-1,3-divinyldisiloxane; 2,4,6,8-tetramethyl-2,4,6,

8-tetravinylcyclotetrasiloxane

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

: Not listed

(Precursor Chemicals) **DEA List II Chemicals** 

(Essential Chemicals)

: Not listed

**SARA 302/304** 

**Composition/information on ingredients** 

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312** 

Classification : Immediate (acute) health hazard

Delayed (chronic) health hazard

### **Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
cristobalite Methyl hydrogen dimethyl polysiloxanes	10-30 1-5	No. No.	No. No.	No. No.	No. Yes.	Yes. No.
octamethylcyclotetrasiloxane	0.1-1	Yes.	No.	No.	No.	Yes.

### **SARA 313**

Not applicable.

State regulations

Date of issue/Date of revision : 06/16/2015 Version :1 10/12 Date of previous issue : No previous validation

# Section 15. Regulatory information

Massachusetts : The following components are listed: SILICA, CRYSTALLINE, QUARTZ;

CRISTOBALITE DUST; PRECIPITATED SILICA; BARIUM SULFATE; AMORPHOUS

SILICA; CALCIUM CARBONATE

**New York** : None of the components are listed.

New Jersey : The following components are listed: SILICA, QUARTZ; QUARTZ (SiO2); SILICA, CRISTOBALITE; CRISTOBALITE (SiO2); SILICA, AMORPHOUS, PRECIPITATE &

GEL; BARIUM SULFATE; SULFURIC ACID, BARIUM SALT (1:1); CALCIUM

CARBONATE; LIMESTONE

Pennsylvania: The following components are listed: QUARTZ (SIO2); CRISTOBALITE (SIO2);

PRECIPITATED SILICA; BARIUM SULFATE; SILICA; LIMESTONE

### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
cristobalite	Yes.	No.	No.	No.
crystalline silica non-respirable	Yes.	No.	No.	No.
crystalline silica respirable	Yes.	No.	No.	No.

## Section 16. Other information

### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### **History**

Date of issue/Date of revision: 06/16/2015Date of previous issue: No previous validationVersion: 1

## Section 16. Other information

Date of issue/Date of

revision

: 06/16/2015

**Date of previous issue** 

: No previous validation

Version

: 1

Key to abbreviations

: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

**UN = United Nations** 

References

: HCS (U.S.A.)- Hazard Communication Standard

International transport regulations

**▼** Indicates information that has changed from previously issued version.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 06/16/2015 Date of previous issue : No previous validation Version : 1 12/12

# SAFETY DATA SHEET

Correct Plus™ Fast Set Impression Material Base and Catalyst

## **Section 1. Identification**

**GHS** product identifier

: Correct Plus™ Fast Set Impression Material Base and Catalyst

Other means of identification

: Not available.

Product type : Paste.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Dental product: Denture impression material.

**Area of application** : Professional applications.

Manufacturer : Pentron Clinical

1717 West Collins Avenue Orange, CA 92867-5422

Telephone no.: 1-203-265-7397, Toll Free: 1-800-551-0283

e-mail address of person responsible for this SDS

: edwin.varela@kavokerrgroup.com

**Emergency telephone** number (with hours of

operation)

## Section 2. Hazards identification

**OSHA/HCS** status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

Classification of the substance or mixture

: TOXIC TO REPRODUCTION (Fertility) - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 100%

**GHS label elements** 

Hazard pictograms :



Signal word : Warning

**Hazard statements** : Suspected of damaging fertility.

**Precautionary statements** 

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have

been read and understood. Use personal protective equipment as required.

**Response**: IF exposed or concerned: Get medical attention.

Storage : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Date of issue/Date of revision: 05/15/2015Date of previous issue: No previous validationVersion: 1

Correct Plus™ Fast Set Impression Material Base and Catalyst

## Section 2. Hazards identification

Supplemental label

: Avoid contact with skin and clothing. Wash thoroughly after handling.

elements

**Hazards not otherwise** : Prolonged or repeated contact may dry skin and cause irritation.

classified

# Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not available.

### **CAS** number/other identifiers

**CAS number** : Not applicable.

Product code : Q36B, Q36BB, Q36A, Q36AA

Ingredient name	Other names	%	CAS number
Siloxanes and Silicones, di-Me, Me hydrogen, hydrogen-terminated	Not available.	5-10	69013-23-6
octamethylcyclotetrasiloxane	octamethylcyclotetrasiloxane	0.1-1	556-67-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

## Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** 

: No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.

Inhalation

: No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Skin contact

: No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.

Ingestion

: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick

as vomiting may be dangerous. Get medical attention if adverse health effects persist or

are severe.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

**Skin contact**: Defatting to the skin. May cause skin dryness and irritation.

Ingestion : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

**Eye contact** : No specific data.

**Inhalation** : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version : 1 2/17

## Section 4. First aid measures

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any

personal risk or without suitable training. It may be dangerous to the person providing

aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: Do not use water jet.

### Specific hazards arising from the chemical

**Hazardous thermal** decomposition products : In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide sulfur oxides metal oxide/oxides

## **Special protective actions** for fire-fighters

: In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

### Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

For emergency responders: Low release. See also the information in "For non-emergency personnel".

### **Environmental precautions**

: Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version:1

## Section 6. Accidental release measures

**Small spill** 

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

# Section 7. Handling and storage

### **Precautions for safe handling**

**Protective measures** 

: No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

None.

**Appropriate engineering** controls

**Environmental exposure** controls

- : No special measures are required for small quantities under normal and intended conditions of product use.
- : No special measures are required for small quantities under normal and intended conditions of product use.

### **Individual protection measures**

**Hygiene measures** 

: No special measures are required for small quantities under normal and intended conditions of product use.

**Eye/face protection** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

**Skin protection Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: No special measures are required for small quantities under normal and intended conditions of product use.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision

: 05/15/2015 Date of previous issue

: No previous validation

Version:1

# Section 8. Exposure controls/personal protection

**Respiratory protection** 

: No special measures are required for small quantities under normal and intended conditions of product use.

# Section 9. Physical and chemical properties

**Appearance** 

**Physical state** : Liquid. [Paste.]

Color : Various : Odorless. Odor : Not available. **Odor threshold** рH : Not available.

**Melting point** : Not available. **Boiling point** : Not available.

**Flash point** : Closed cup: 252°C (485.6°F) [DIN 51755]

: Not available. **Evaporation rate** Flammability (solid, gas) : Not applicable. Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available. Vapor density : Not available. **Relative density** : Not available.

**Solubility** : Insoluble in the following materials: cold water and hot water.

Solubility in water : Not available. Partition coefficient: n-: Not available.

octanol/water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available. SADT : Not available. : Not available. **Viscosity** 

# Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** : Keep away from heat and direct sunlight.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials and reducing

materials. Initiators.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version:1

# Section 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Siloxanes and Silicones, di- Me, Me hydrogen, hydrogen- terminated	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>2000 mg/kg	-
octamethylcyclotetrasiloxane	LC50 Inhalation Vapor LD50 Dermal LD50 Oral	Rat Rat Rat	36 g/m³ 1770 mg/kg 1540 mg/kg	4 hours - -

### **Conclusion/Summary**

: Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

Based on analysis and test results, this product is considered as biocompatible per EN ISO 7405:2008 and EN ISO 10993-1:2009.

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
octamethylcyclotetrasiloxane	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

**Skin contact**: Defatting to the skin. May cause skin dryness and irritation.

Ingestion : No known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version : 1 6/11

# **Section 11. Toxicological information**

**Inhalation** : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

irritation dryness cracking

reduced fetal weight increase in fetal deaths skeletal malformations

**Ingestion**: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

**Potential immediate** 

effects

: Not available.

Potential delayed effects : Not available.

**Potential chronic health effects** 

Not available.

General : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.

Fertility effects : Suspected of damaging fertility.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Route	ATE value
Oral	10919.7 mg/kg

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
	Chronic NOEC 1.7 to 15 μg/l Fresh water Chronic NOEC 4.4 μg/l Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss - Egg	21 days 93 days

### Persistence and degradability

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version : 1 7/11

# Section 12. Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
octamethylcyclotetrasiloxane	-	0 % - 42 days	-	-

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
octamethylcyclotetrasiloxane	6.488	13400	high

### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version: 1

# Section 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) PAIR: octamethylcyclotetrasiloxane; Nonylphenol, branched, ethoxylated; 1,

1,3,3-tetramethyl-1,3-divinyldisiloxane; 2,4,6,8-tetramethyl-2,4,6,

8-tetravinylcyclotetrasiloxane

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 311: Formaldehyde

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

Class Air Ast Castis

Clean Air Act Section 602 Class I Substances : Not listed

Class i Substances

Clean Air Act Section 602

: Not listed

Class II Substances

**DEA List I Chemicals** 

: Not listed

(Precursor Chemicals)

(Frecursor Chemicals)

**DEA List II Chemicals** (Essential Chemicals)

: Not listed

#### **SARA 302/304**

### **Composition/information on ingredients**

	5		SARA 302 TPQ		<b>SARA 304 F</b>	RQ
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Formaldehyde	<0.00019	Yes.	500	73.9	100	14.8

**SARA 304 RQ** : 58479532.2 lbs / 26549707.6 kg

**SARA 311/312** 

Classification : Immediate (acute) health hazard

Delayed (chronic) health hazard

### **Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Siloxanes and Silicones, di-Me, Me hydrogen, hydrogen-terminated	5-10	No.	No.	No.	Yes.	No.
octamethylcyclotetrasiloxane	0.1-1	Yes.	No.	No.	No.	Yes.

### **SARA 313**

Not applicable.

# State regulations

Massachusetts : The following components are listed: BARIUM SULFATE; AMORPHOUS SILICA;

STARCH DUST; CALCIUM CARBONATE; PRECIPITATED SILICA

New York : None of the components are listed.

New Jersey : The following components are listed: BARIUM SULFATE; SULFURIC ACID, BARIUM

SALT (1:1); CALCIUM CARBONATE; LIMESTONE; SILICA, AMORPHOUS,

PRECIPITATE & GEL

Pennsylvania: The following components are listed: BARIUM SULFATE; SILICA; STARCH;

LIMESTONE; PRECIPITATED SILICA

### California Prop. 65

**WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version : 1 9/11

# **Section 15. Regulatory information**

Ingredient name	Cancer	Reproductive	•	Maximum acceptable dosage level
crystalline silica respirable Formaldehyde			-	No. No.

## Section 16. Other information

### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **History**

Date of issue/Date of

revision

: 05/15/2015

Date of previous issue : No previous validation

Version : 1
Prepared by : IHS

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References : HCS (U.S.A.)- Hazard Communication Standard

International transport regulations

Indicates information that has changed from previously issued version.

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version : 1 10/11

Correct Plus™ Fast Set Impression Material Base and Catalyst

## Section 16. Other information

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 05/15/2015 Date of previous issue : No previous validation Version : 1 11/11