SAFETY DATA SHEETS

This SDS packet was issued with item: 077025539

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077025505 077025513 077025521

Section 1: Identification

Product Identifier Product Name Product Code	Quickcheck Indicating Spray 10050; 10060; 10070
Relevant identified uses o	f the substance or mixture and uses advised against
Recommended use	Aerosol indicating and marking spray used in dental and other professional industries.
Details of the supplier of t	he safety data sheet
Manufacturer/Supplier	Vacalon Company Inc
	12960 Stonecreek Dr Ste C
	Pickerington, OH 43147 USA
T I I I I I I I I I I	www.vacalon.com • info@vacalon.com
Telephone (General)	614-577-1945
	Patterson Dental
	1205 Henri-Bourassa W
	Montréal, QC H3M 3E6
	Canada
Telephone (General)	800-240-4604

Emergency telephone number

Hazmat Services Inc	800-373-7542 (USA)
(24 hour)	484-951-2432 (International)

Section 2: Hazard Identification

Classification of the substance or mixture

Hazard category

- Flammable aerosol, Category 1, H222
- Gases under pressure Liquefied gas, H280

Label elements Signal word

- Danger
- GHS02, GHS04



Hazard statements H222 H280 Precautionary statements: Prevention P210 P211 P251 Storage P410+P412+P403

- Extremely flammable aerosol
- Contains gas under pressure: may explode if heated
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Do not spray on an open flame or other ignition sources.
- Pressurized container: Do not pierce or burn, even after use.

• Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well ventilated place.

Section 3. Composition/Information on Ingredients

Mixtures

Chemical characterization • Aerosol Hazardous Components

nazaraede eempenene			
Chemical Name	Identifiers	%	Classification
Isobutane	CAS: 75-28-5 EC Number: 200-857-2 EU Index: 601-004-00-00	90% to 96%	Flammable Gas 1; H220

Section 4. First-Aid Measures

Description of first-aid m	easures	
Inhalation	 Move person to fresh air. If not breathing, give artificial respiration. Seek medical attention if problems persist. 	
Skin	 No special measures are necessary. In case of skin irritation seek medical attention. 	
Eye	 Flush eyes with plenty of water and seek medical attention. 	
Ingestion	Product does not lend itself to ingestion. Accidental ingestion of small quantities is	
	not expected to cause harm. Seek medical attention if problems persist.	
Most important symptom	s and effects, both acute and delayed	
	No data available	
Indication of any immedia	ate medical attention and special treatment needed	
 No data available 		
Section 5. Firefighting Mea	asures	
Extinguishing media		
Suitable extinguishing med	 Water haze or fog, Fire-extinguishing powder, Carbon Dioxide (CO2), Foam, Gaseous extinguishing agents 	
Unsuitable extinguishing m	edia	
	rom the substance or mixture	
Unusual fire and explosion	 Contents are under pressure. In case of fire if temperature rise above 50°C (122°F) it may cause bursting because of increased pressure from heating. In case of fire, Carbon Monoxide (CO) may be released. 	
Advice for firefighters	 Fire fighters should wear complete protective clothing including self- contained breathing apparatus. 	
	 In case of fire cool surrounding endangered receptacles with water haze or fog. 	
Section 6 Accidental Polo	asa Maasuras	

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

	 Wear a self-contained breathing apparatus and appropriate personal 	
	protective equipment (PPE).	
	 Ensure adequate ventilation to remove vapors, fumes, dust, etc. Eliminate all ignition sources 	
Environmental precautions	 Avoid run off to waterways and sewers 	
Mathada and matarial for containment and cleaning up		

Methods and material for containment and cleaning up

Containment/Clean-up measures

Reference to other sections

No data available

Section 7. Handling and Storage

Precautions for safe handling

Handling

• Handle and use with care.

• Keep away from heat and ignition sources.

residue with absorbent cloth or paper towels.

• Use only in well ventilated areas.

Store away from oxidizing agents

• Fumes can combine with air to form explosive mixtures. Fumes are heavier than air, so ensure good ventilation, especially at floor level.

• Ensure adequate ventilation and allow to evaporate. Wipe up any

Condition for safe storage, including any incompatibilities

Technical measures and storage conditions

• Keep away from sources of ignition - No Smoking.

Contents under pressure: protect from sunlight and do not expose to high temperatures that can increase the risk of bursting.
Store in a cool/low-temperature, well ventilated dry place away from heat and ignition sources.

Information about common storage area Additional storage information

• No data available

Section 8. Exposure Controls/Personal Protection

Control parameters

Occupational Exposure Limit Values Isobutane (CAS No. 75-28-5) REL (USA) TLV (USA) EV (Canada) **Exposure controls** Engineering measures/controls Personal Protective Equipment

- 1900 mg/m³, 800 ppm
 Varies mg/m³, 1000 ppm
- Valles Illy/III', 1000
- 800 ppm

• General ventilation should be provided, as necessary, to maintain exposures below REL's or TLV's.

Respiratory
 Eye/Face
 Hands
 Skin/Body
 General industrial hygiene
 considerations
 Environmental exposure controls
 In case of insufficient ventilation, wear suitable respiratory equipment.
 Wear safety glasses
 Wear appropriate gloves
 Chemical resistant apron or other impervious cloth
 Wash hands before breaks and at the end of work
 Do not empty into drains or aquatic environment

Section 9. Physical and Chemical Properties

Appearance/Description	Red, green or white powder dispensed as an aerosol		
Odor	Odorless	Odor Threshold	No data available
pH	No data available	Specific Gravity	< 1
Melting Point/Range	No data available	Boiling Point/Range	-11°C (12.2°F)
Water Solubility	Not miscible or difficult to mix	Viscosity	No data available
Partition coefficient: n- octanol/water	No data available	Decomposition Temperature	No data available

Volatility			
Vapor Pressure	App. 31 psig @ 21°C (70°F) (1600 mm Hg @ 21°C (70°F))	Vapor Density	Approx. 1.7
Evaporation Rate	No data available	Explosive Properties	Product is not explosive. Vapors may form explosive mixtures with air.
Flammability (solid, gas)	Extremely flammable aerosol		
Flash Point	< -18°C (0°F)	UEL	9.5%
Auto-ignition Temperature	No data available	LEL	1.8%

Section 10. Stability and Reactivity

Reactivity	No data available
Chemical Stability	 Stable at normal temperatures
Possibility of hazardous reactions	 In case of insufficient ventilation can form explosive gas mixture with
	air.
	 May react violently with oxidizing agents.
	Danger of receptacles bursting when heated.
Conditions to avoid	Keep away from heat, sparks and ignition sources.
	 Do not subject to temperatures above 50°C (122°F).
	Store away from oxidizing agents
Incompatible materials	No data available
Hazardous decomposition products	No data available
Section 11. Toxicological Information	
Information on toxicological effects	
Likely routes of exposure	 Eyes, skin contact, inhalation
Acute/potential health effects	
Inhalation	 If allowed to accumulate to concentrations that reduce oxygen below
	safe breathing levels may cause breathing problems.
Skin	Brief contact may cause slight irritation. Prolonged contact may cause
	more severe irritation with pain, local redness and swelling with possible
	tissue destruction.
Eyes	 Causes severe irritation, experienced as discomfort or pain, excess
	blinking and tear production, with redness and swelling.
Ingestion	• Not a likely route of exposure. Ingestion of small amounts of material is
-	not expected to cause harm.
Sensitizing effects	 No sensitizing effects are known.
Acute toxicity data	No data available
Delayed and immediate effects as w	ell as chronic effects from short and long term exposure
	No data available
Carcinogenicity	 IARC, NTP or OSHA identifies no component of this product that is

Section 12. Ecological Information

Toxicity	No data available
Persistence and degradability	No data available
Bioaccumulative potential	 Due to the distribution coefficient an accumulation in organisms is not expected
Mobility in soil	No data available

present at levels greater than or equal to 0.1% as a human carcinogen.

Other adverse effects

No data available

No data available

No data available

No data available

Section 13. Disposal Considerations

Waste treatment methods

Recommendation Contaminated packaging Other

Section 14. Transport Information

Land Transport (DOT)

UN number UN proper shipping name Transport hazard classes Note

Marine Transport

UN number UN proper shipping name Transport hazard classes Marine pollutant Note

Air Transport

UN/ID number UN proper shipping name Transport hazard classes Note

- UN1950
- Aerosols, flammable
- 2.1

• Product may ship as "Limited Quantity" following proper DOT regulations. Always consult appropriate department or agency for current regulations.

- UN1950
- Aerosols, flammable
- 2.1
- No

• Product may ship as "Limited Quantity" following proper marine transport regulations. Always consult appropriate department or agency for current regulations.

- UN1950
- Aerosols, flammable
- 2.1

• Vacalon does not normally ship by air. Consult appropriate department or agency for current regulations.

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Hazardous Communications Standard (29CFR 1910.1200) SARA Hazard Categories TSCA

• Acute, Fire, Pressure (sudden release of)

This product is considered hazardous

• This product contains materials listed in the TSCA inventory or otherwise complies with TSCA requirements.

- No reportable ingredients
- No reportable ingredients
- This product contains no chemicals known by the state of California to cause cancer or birth defects.

Section 16. Other Information

US - SARA - Section 313

California Prop 65

Last Revision Date	• 01/04/2022
Preparation Date	• 03/01/2015

Disclaimer

CERCLA

This document has been prepared using data from current manufacturer's SDS's of the component parts of the product and from other sources considered to be technically reliable. This document is not meant to be an all-inclusive document on worldwide hazard communication regulations and shall be used only as a

VACALON

guide. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment, in addition to complying with all Federal, State, Provincial and Local laws and regulations. The information contained in this SDS is furnished without warranty, expressed or implied, regarding the accuracy or results obtained from the use thereof. Vacalon assumes no legal responsibility for the use or reliance upon the data in this sheet. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information or the misuse of the product.

© Copyright 2022 Vacalon Company, Inc