SAFETY DATA SHEETS

This SDS packet was issued with item: 077057102

N/A

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: VELOPEX READY-TO-USE DEVELOPER PRODUCT CODE: FGD04128; FGD06064; VELD35 DATE: 05/14/2013

SECTION I PRODUCT IDENTIFICATION

MANUFACTURER:	VELOPEX INTERNATIONAL	TELEPHONE: 888-835-6739
	105 E 17 [™] STREET	
	SAINT CLOUD, FL 34769	

FOR EMERGENCY ASSISTANCE INVOLVING A SPILL, LEAK, OR FIRE WITH THIS PRODUCT CALL CHEMTREC 800-424-9300

COMPONENTS SODIUM SULFITE **HYDROQUINONE**

SECTION II HAZARDOUS INGREDIENTS WEIGHT % 7757-83-7 Less than 10% Less than 2%

SECTION III PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT:	212°F
COLOR & APPEARANCE:	LIGHT RED LIQUID
SOLUBILITY IN WATER:	COMPLETE
EVAPORATION RATE:	<1
STABILITY:	PRODUCT IS STABLE UNDER NORMAL CONDITIONS
VAPOR PRESSURE:	N/A
SPECIFIC GRAVITY:	1.092

CAS #

123-31-9

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NON FLAMMABLE FLAMMABLE LIMITS: N/A EXTINGUISHING MEDIA: CO., DRY CHEMICAL UNUSUAL FIRE FIGHTING PROCEDURES: NONE KNOWN RESPIRATORY PROTECTION: WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND (MSHA/NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

SECTION V REACTIVITY DATA

CONDITIONS TO AVOID: MIXING WITH VERY STRONG ACIDS AND OXIDIZERS. HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: SULFUR DIOXIDE GASES MAY BE EMITTED. HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI HEALTH HAZARD DATA

CHRONIC EFFECTS OF OVEREXPOSURE/CARCINOGENICITY: NOT LISTED AS A CARCINOGEN BY NTP. IARD. OR OSHA

ACUTE TOXICOLOGICAL PROPERTIES: LOW TOXICITY TO HUMANS

EMERGENCY AND FIRST AID PROCEDURES:

MAY CAUSE SEVERE EYE IRRITATION. IMMEDIATELY FLUSH WITH LARGE EYES: QUANTITIES OF WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION OCCURS.

SKIN: FLUSH AREA WITH COLD WATER. WASH WITH WARM SOAPY WATER. INHALATION: MAY CAUSE RESPIRATORY IRRITATION. IF CONDITION PERSISTS SEEK MEDICAL ATTENTION.

IF SWALLOWED: CALL A PHYSICIAN IMMEDIATELY.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

IF SMALL RELEASE: SMALL AMOUNTS MAY BE MOPPED TO A DRAIN AND FLUSHED WITH LARGE QUANTITIES OF COLD WATER.

WASTE DISPOSAL METHOD: COMPLY WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.

STORAGE AND HANDLING: STORE IN A COOL, DARK PLACE, KEEP AWAY FROM EXCESSIVE HEAT AND AIR

SECTION VIII CONTROL MEASURES

RESPIRATORY PROTECTION: NONE GENERALLY REQUIRED. VENTILATION: LOCAL, ADEQUATE EXHAUST EYES: WEAR CHEMICAL GOGGLES. PROTECTIVE GLOVES: NEOPRENE RUBBER GLOVES.

The opinions expressed herein are those of qualified experts, chemists, and technicians supplied by various chemical manufacturers. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information, these opinions, and the conditions of use of the product are not within the control of Velopex International, it is the user's obligation to determine the conditions of safe use of the product.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: VELOPEX READY-TO-USE FIXER

PRODUCT CODE:

FGF04128; FGF06064; VELF35 2 VEL 3.5 GAL FIX

DATE: 05/14/2013

MANUFACTURER: VELOPEX INTERNATIONAL 105 E 17[™] STREET

SAINT CLOUD, FL 34769

CAS #

64-19-7

7783-18-8

FOR EMERGENCY ASSISTANCE INVOLVING A SPILL, LEAK, OR FIRE WITH THIS PRODUCT CALL CHEMTREC 800-424-9300.

COMPONENTS AMMONIUM THIOSULFATE ACETIC ACID

SECTION II HAZARDOUS INGREDIENTS WEIGHT % Less than 30% Less than 2%

SECTION III PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT:
COLOR & APPEARANCE:
SOLUBILITY IN WATER:
EVAPORATION RATE:
STABILITY:
VAPOR PRESSURE:
SPECIFIC GRAVITY:

212°F SLIGHT YELLOW-GREEN LIQUID COMPLETE NO DATA AVAILABLE PRODUCT IS STABLE UNDER NORMAL CONDITIONS 16 mm Hg @ 70°F 1.090

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NOT FLAMMABLE

FLAMMABLE LIMITS: N/A

EXTINGUISHING MEDIA: AS APPROPRIATE FOR COMBUSTIBLES INVOLVED IN FIRE.

SPECIAL FIRE FIGHTING INSTRUCTIONS: KEEP CONTAINERS AND AREA COOLED WITH WATER SPRAY. HEATING MAY CAUSE THE RELEASE OF AMMONIA VAPORS.

UNUSUAL FIRE & EXPLOSION HAZARDS: NONE KNOWN

RESPIRATORY PROTECTION: WITH THE POSSIBLE RELEASE OF AMMONIA VAPORS, WEAR SELF-CONTAINED BREATHING APPARATUS, PRESSURE DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

SECTION V REACTIVITY DATA

CONDITIONS TO AVOID: MIXING WITH STRONG OXIDIZERS SUCH AS NITRATES OR CHLORATES CAN CAUSE EXPLOSIVE MIXTURES. PRODUCT IS NOT COMPATIBLE WITH COPPER, ZINC, OR THEIR ALLOYS. MIXING WITH ACIDS WILL CAUSE THE PROBABLE RELEASE OF SULFUR DIOXIDE. ALKALIS WILL ACCELERATE THE EVOLUTION OF AMMONIA.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: HEATING THIS PRODUCT WILL EVOLVE AMMONIA. HEATING TO DRYNESS WILL CAUSE THE PRODUCTION OF AMMONIA, AMMONIUM SULFATE, SULFUR AND OXIDES OF SULFUR.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI HEALTH HAZARD DATA

CHRONIC EFFECTS OF OVEREXPOSURE/CARCINOGENICITY: NOT LISTED AS A CARCINOGEN BY NTP. IARC. OR OSHA.

ACUTE TOXICOLOGICAL PROPERTIES: LOW TOXICITY TO HUMANS

EMERGENCY AND FIRST AID PROCEDURES:

EYES: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION OCCURS.

FLUSH AREA WITH COLD WATER AND WASH WITH WARM SOAPY WATER. SKIN

INHALATION: MAY CAUSE IRRITATION OF THE NOSE, THROAT, AND RESPIRATORY TRACT. IF BREATHING IS DIFFICULT, REMOVE INDIVIDUAL TO CLEAN, FRESH AIR AND ADMINISTER OXYGEN IF NECESSARY. IF PROBLEMS EXIST. SEEK MEDICAL ATTENTION.

IF SWALLOWED: MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT TO INCLUDE NAUSEA, VOMITING, AND DIARRHEA. IF VICTIM IS CONSCIOUS, GIVE 2-4 GLASSES OF WATER AND INDUCE VOMITING BY FORCING FINGER DOWN THROAT. SEEK MEDICAL ATTENTION.

SECTION VIL PRECAUTIONS FOR SAFE HANDLING AND USE

IF SMALL RELEASE: COMBINE AND ABSORB ON SAND EARTH OR OTHER INERT ABSORBENT. USE COLD WATER SPRAY TO DILUTE TO A WEAK SOLUTION.

WASTE DISPOSAL METHOD: COMPLY WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.

SECTION VIII CONTROL MEASURES

RESPIRATORY PROTECTION: NONE GENERALLY REQUIRED VENTILATION: LOCAL. ADEQUATE EXHAUST EYES: CONTACT LENSES SHOULD NOT BE WORN. CHEMICAL GOGGLES SHOULD BE WORN. PROTECTIVE GLOVES: NEOPRENE RUBBER GLOVES

The opinions expressed herein are those of qualified experts, chemists, and technicians supplied by various chemical manufacturers. We believe that the Information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information, these opinions, and the conditions of use of the product are not within the control of Velopex International, it is the user's obligation to determine the conditions of safe use of the product.

SECTION | PRODUCT IDENTIFICATION

TELEPHONE: 888-835-6739



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Reviewed on 06/23/2015

1 Identification

- · Product identifier
- Trade name: Velopex Developer Premix
- · Product number: FGD01128; FGD01064; VELD35
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product description Ready-to-use developer for use in automatic x-ray film processors.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Velopex International 105 East 17th Street Saint Cloud, FL 34769 Ph: 407-957-3900 Fx: 407-957-3927
 Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling:
 Trade Secret
 Hazard statements
- Causes skin and eye irritation. May cause an allergic skin reaction. Suspected of causing genetic defects. **Precautionary statements**
- Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves. Wear eye protection / face protection.

Page 1/9



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Trade name: Velopex Developer Premix

Reviewed on 06/23/2015

Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Unknown acute toxicity: 2.7 percent of the mixture consists of ingredient(s) of unknown toxicity. Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ^{*2} Health = *2 FIRE

FIREImage: Constraint of the sector of the sect

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous Components:	
Trade Secret	2.708%
Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	-
Trade Secret	1.76%
Muta. 2, H341; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317	~
Trade Secret	0.775%
😔 Skin Corr. 1A, H314	-
Trade Secret	0.142%
♦ Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302	-
4 First-aid measures	

· Description of first aid measures

• After inhalation:

Consult a doctor for complaints.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Trade name: Velopex Developer Premix

Reviewed on 06/23/2015

(Contd. on page 4)

In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- · After eye contact:
- Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Reviewed on 06/23/2015

· Con	trol parameters
· Con	nponents with occupational exposure limits:
Trad	le Secret
PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2* mg/m³ *15-min
TLV	Long-term value: 1 mg/m³ DSEN
Trac	le Secret
PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³
· Add	itional information: The lists that were valid during the creation of this SDS were used as basis.
· Pers · Gen The Keep Imm Was	osure controls sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. h hands before breaks and at the end of work. d contact with the eyes and skin.

· Breathing equipment: Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

(Contd. on page 5)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Reviewed on 06/23/2015

Page 5/9

Trade name: Velopex Developer Premix

9 Physical and chemical properties

 Information on basic physical and ch General Information Appearance: 	emical properties
Form:	Liquid
Color:	Red Odorless
· Odor: · Odor threshold:	Not determined.
· pH-value @ 20 °C (68 °F):	10.4
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	0.0 Vol % 0.0 Vol %
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)
 Density @ 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.092 g/cm³ (9.113 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water)	: Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: Water: 	0.0 % 87.8 %
Solids content: • Other information	12.0 % No further relevant information available.
10 Stability and reactivity	

· *Reactivity* No further relevant information available.

· Chemical stability Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Reviewed on 06/23/2015

Trade name: Velopex Developer Premix

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- Trade Secret

Oral LD50 1870 mg/kg (rat)

Trade Secret

Oral LD50 320 mg/kg (rat)

Trade Secret

Oral LD50 2000 mg/kg (rat)

- Primary irritant effect:
- on the skin:

Irritant to skin and mucous membranes.

Emmissions from broken bulbs may cause an allergic skin reaction.

• on the eye:

Irritating effect.

Causes serious eye irritation.

• Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

Trade Secret

• NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

3



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Trade name: Velopex Developer Premix

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA · UN proper shipping name	Non-Regulated Material
· DOT, ADR, ADN, IMDG, IATA · Transport hazard class(es)	Non-Regulated Material
· DOT, ADR, ADN, IMDG, IATA	
· Class	Non-Regulated Material
· Packing group	
· DOT, ADR, IMDG, IATA	Non-Regulated Material
 Environmental hazards: 	Not applicable.
 Special precautions for user 	Not applicable.
 Transport in bulk according to Annex II 	of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 Section 355 (extremely hazardous substances): 	
Trade Secret	
· Section 313 (Specific toxic chemical listings):	
Trade Secret	
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· California Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	

Reviewed on 06/23/2015

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Trade name: Velopex Developer Premix

Page 8/9

· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· TLV (Threshold Limit Value established by ACGIH)	
Trade Secret	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms 	



- · Signal word Warning
- *Hazard-determining components of labeling:* Trade Secret

· Hazard statements

Causes skin and eye irritation.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/23/2015

Reviewed on 06/23/2015

Trade name: Velopex Developer Premix

The product is subject to be classified according with the latest version of the regulations on h substances.	azardous	
State Right to Know		
Trade Secret	2.708%	
Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
Trade Secret	1.76%	
Muta. 2, H341; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317		
Trade Secret	0.775%	
🔶 Skin Corr. 1A, H314	-	
Trade Secret	0.142%	
🚯 Aquatic Chronic 2, H411; 🚸 Acute Tox. 4, H302		
All ingredients are listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/23/2015 / 4

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106