

SAFETY DATA SHEETS

This SDS packet was issued with item:

077076342

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077076326 077076334 077076359

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

273001302



Safety Data Sheet

Section 1: Identification

Product Name: Quick Stat™ Free

Product Use: Clear hemostatic gel

Manufacturer: Inter-Med, Inc. / Vista Dental Products

Address: 2200 South St. Suite A, Racine, WI 53404

Phone: (877) 418-4782 **Fax:** (262) 636-9760

24 HR. Emergency Telephone Number CHEMTREC (North America) : 800-424-9300

24 HR. Emergency Telephone Number CHEMTREC (International) : +1 (703) 527-3887

Section 2: Hazard(s) Identification

2.1. GHS Classification:

| Health | Environmental | Physical |
|---|--|----------------|
| Skin irritation – Category 2 – H315 Causes serious eye irritation – Category 2A – H319 May cause respiratory irritation – Category 3 – H335 | Harmful to aquatic life – Category 3 – H402 | Not Applicable |

2.2. GHS Label:

OSHA HCS 2012



WARNING



| <i>Hazard Statements</i> | <i>Precautionary Statements</i> |
|--|---|
| H315: Causes skin irritation. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H402: Harmful to aquatic life. | P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash skin thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up. P501: Dispose of contents/container to an approved waste disposal plant. |

Refer to Section 15.2 for full text of EU Classifications and R/S Phrases.

Section 3: Composition/Information on Ingredients

| Chemical Components | CAS # | EINECS | Weight % |
|-------------------------------|-----------|----------|----------|
| Aluminum Chloride Hexahydrate | 7784-13-6 | unlisted | 20-30% |

Section 4: First-Aid Measures

4.1. Description of first aid measures

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid, if irritation persists.

Skin Contact: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and



shoes. Get medical aid if irritation develops or persists.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

Ingestion: Do not induce vomiting unless medical advice is given from a professional. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: May cause eye, respiratory, and skin irritation. If ingested, possible symptoms are: nausea, vomiting, and/or diarrhea.

4.3. Indication of immediate medical attention and special treatment needed

Consult a physician or contact Poison Control Center if chemical solution is ingested in large amounts. Physicians are required to treat victim symptomatically.

Section 5: Fire-Fighting Measures

5.1. Suitable Extinguishing Media:

Use dry chemical, foam, water spray, or carbon dioxide to extinguish fire.

5.2. Fire Fighting Procedures:

Do not flush down sewers or other drainage systems. Exposed firefighters must wear NIOSH-approved positive pressure, self-contained breathing apparatus with full-face mask and full protective clothing.

5.3. Unusual Fire and Explosion Hazards:

None.

5.4. Combustion Products:

Not available.



Section 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment, and Emergency Procedures

Wear proper personal protective equipment as indicated in Section 8. Follow instructions listed in Section 6.3 to follow clean up procedures.

6.2. Environmental Precautions

Follow all government regulations for waste disposal. Prevent release to the environment if possible. Do not flush waste into sewer or drains that may lead to waterways.

6.3. Methods and Materials for Containment and Cleaning Up

Small Spills: Wipe up small amounts with chemical resistant or damp rag which is washed with large amounts of water after each use. After cleaning, flush away traces with water.

Large Spills: After removal, flush contaminated area thoroughly with water.

Section 7: Handling and Storage

7.1. Handling

For intraoral use only by trained and experienced dental professionals. Follow good hygiene practices. Do not smoke, eat or drink while using. Use suitable protective equipment when handling. Wash thoroughly after handling and avoid any chemical contact with eyes, skin, and clothing. Keep syringes tightly closed to avoid inhalation or accidental ingestion. Use with adequate ventilation.

7.2. Storage

Store syringes at room temperature in a cool, dry, well-ventilated area away from incompatible substances. Shelf life is twenty-four months from date of manufacture, provided that it is stored properly.

Section 8: Exposure Controls/Personal Protection

8.1. Exposure Limits / Engineering Controls

| Chemical Components | ACGIH | NIOSH | OSHA – Final PELs |
|-------------------------------|-------------|-------------|-------------------|
| Aluminum Chloride Hexahydrate | None listed | None listed | None listed |

Engineering Controls: Use adequate ventilation to keep airborne concentrations low. Emergency shower and eyewash



should be nearby while handling the product.

8.2. Personal Protective Equipment (PPE) Information

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin Protection: Wear appropriate protective gloves and lab coat to prevent skin exposure. Use good personal hygiene and wash hands after use.

Clothing Protection: Wear appropriate protective clothing to prevent skin exposure.

Respiratory Protection: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Section 9: Physical and Chemical Properties

9.1. Appearance / Color

Physical State: Gel

Appearance: Clear

Odor: Odorless or no characteristic odor

Odor Threshold: Not applicable

9.2. Important health, safety and environmental information

Flashpoint: Not applicable

Autoignition Temperature: Not applicable

Boiling Point: Not determined

Melting Point: Not determined

Freezing Point: Not determined

Vapor Pressure: Not determined

Relative Density: Not determined

Vapor Density (Air=1): Not determined

Solubility in Water: Soluble

Decomposition Temperature: Not determined

Pour Point: Not applicable

Lower Flammability Limit: Not applicable

Upper Flammability Limit: Not applicable

Specific Gravity: Not determined

Evaporation Rate (Water=1): Not applicable



Viscosity: Not determined
Octanol/Water Partition Coefficient: Not determined
1
Molecular Weight: Mixture

Section 10: Stability and Reactivity

Chemical Stability: Stable.

Hazardous Polymerization: None known.

Hazardous Decomposition Products: None known.

Incompatible Materials: Strong acids, strong bases, oxidizing agents.

Conditions to Avoid: Incompatible materials and high heat.

Section 11: Toxicological Information

11.1. Signs and Symptoms of Overexposure: Eye and skin irritation on contact.

Eye Contact: May cause eye irritation.

Skin Contact: May cause slight irritation.

Inhalation: May cause respiratory tract irritation.

Ingestion: May cause respiratory and digestive tract irritation. Nausea, vomiting, or diarrhea may occur.

11.2. Additional Toxicity Information

Target Organ(s): Eyes, skin, mucous membranes.

Chronic Effects: No information found.

Acute Toxicity: Not classified.

Acute Toxicity Values

**RTECS#:**

CAS# 7784-13-6: BD0530000

LD₅₀/LC₅₀:

CAS# 7784-13-6:

Oral, rat: LD50 = 3,311 mg/Kg

Oral, mouse: LD50 = 1,990 mg/Kg

Carcinogenicity:

CAS# 7784-13-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology:

Several mortality studies of aluminum reduction plant workers have shown no excess deaths due to organic brain disorders of the dementia type.

Teratogenicity: No data available.**Reproductive Effects:** No data available.**Neurotoxicity:** No data available.**Mutagenicity:** No data available.**Other Studies:** No data available.

Section 12: Ecological Information

Not established.

Section 13: Disposal Considerations

Disposal should be carried out in compliance with federal, state, and local regulations. Empty containers may be disposed of in waste containers.

To minimize exposure, refer to section 8 (exposure controls/personal protection).

Section 14: Transport Information

14.1. U.S. Department of Transportation (DOT) (N/A = Not applicable)**Proper Shipping Name:** Corrosive Liquid, N.O.S. (Aluminum chloride hexahydrate mixture)**Identification Number:** 1760**Hazard Class:** 8**Packing Group:** III**Marine Pollutant:** N/A**Poison Inhalation Hazard:** No



14.2. Other Transportation Information

By SEA (IMDG):

Proper Shipping Name: Corrosive Liquid, N.O.S. (Aluminum chloride hexahydrate mixture)

Identification Number: 1760

Hazard Class: 8

Packing Group: III **EMS-No:** F-A, S-B

Marine Pollutant: No

Limited Quantity: 5 L

By GROUND – Canada (TDG):

Not controlled under TDG (Canada).

By AIR (IATA):

Proper Shipping Name: Corrosive Liquid, N.O.S. (Aluminum chloride hexahydrate mixture)

Identification Number: 1760

Hazard Class: 8

Packing Group: III

Section 15: Regulatory Information

15.1. U.S. Federal Regulations

TSCA

CAS# 7784-13-6 is not listed on the TSCA inventory. It is for research and development use only.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

SARA

Section 302 (RQ)

None of the chemicals in this material have an RQ.

Section 302 (TPQ)

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 7784-13-6: acute, chronic.

**Section 313**

This material contains Aluminum chloride hexahydrate, 20-30%, (CAS# 7784-13-6) which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Clean Air Act:

This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.


STATE

CAS# 7784-13-6 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California No Significant Risk Level: None of the chemicals in this product are listed.

15.2. European/International Regulations**European Labeling in Accordance with EC Directives**

Hazard Symbol(s) and Classification: "Xi" – Irritant, "C" Corrosive

**EU Risk (R) and Safety (S) Phrases:**

R22: Harmful if swallowed.

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system, and skin.

S24: Avoid contact with skin.

S37/39: Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 7784-13-6: 1

Canadian DSL/NDSL:

CAS# 7784-13-6 (listed as Aluminum, soluble salts) is listed on the Canadian DSL list.

Canada Ingredient Disclosure List:

CAS# 7784-13-6 is not listed on the Canadian Ingredient Disclosure List.

**Canada - WHMIS**

E – Corrosive material – Corrosive



E – Corrosive

Section 16: Other Information

National Fire Protection Association (NFPA) Ratings (estimated): This information is intended solely for the use of individuals trained in the NFPA system.

Health: 2**Flammability: 0****Reactivity: 0**

Disclaimer: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Inter-Med Inc. / Vista Dental Products be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Inter-Med Inc. / Vista Dental Products has been advised of the possibility of such damages.

Prepared: 3/18/2010 Revised: 7/21/2015