

SAFETY DATA SHEETS

This SDS packet was issued with item:

077082647

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071215987 077082696 077082746 077082761 077083868

Safety Data Sheet in accordance with HSNO

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Ltd.
12 Omega St, Rosedale, Auckland
New Zealand
Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclarvivadent.com
- **Emergency telephone number:** 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/Information on ingredients

- **Chemical characterisation:** Mixtures
- **Description:**
The materials contained in the battery may only become a hazard if the battery or the cell is damaged or if the battery is physically or electrically abused.
- **Dangerous components:** Void

NZ

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

Trade name: *Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights*

(Contd. of page 1)

4 First aid measures

- **Description of first aid measures**

- **General information:**

In case of contact with the materials from a damaged or ruptured cell or battery see the following first aid measures:

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Rinse with water.

If skin irritation continues, consult a doctor.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

Fire-extinguishing powder

Carbon dioxide

- **Special hazards arising from the substance or mixture**

Toxic gases will be formed if cells or battery are involved in a fire. Cells or battery may flame or leak potentially hazardous organic vapor if exposed to excessive heat, fire or over-voltage conditions. Damaged or opened cells or batteries may result in rapid heat and the release of flammable vapors.

- **Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Should a battery unintentionally be crushed, thus releasing its contents, rubber gloves must be used to handle all battery components. Avoid inhalation of any vapors that may be emitted.

- **Environmental precautions:** No special measures required.

- **Methods and material for containment and cleaning up:**

The material contained within the batteries would only be expelled under abusive conditions.

Spilled substances with dry sand or vermiculite.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

-NZ-

(Contd. on page 3)

Safety Data Sheet in accordance with HSN0

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

Trade name: **Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights**

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Only adequately trained personnel should handle this product.
For use in dentistry only.
- Do not store batteries in a manner that allows terminals to short circuit.
- **Information about fire - and explosion protection:**
Please note that lithium-polymer batteries may react with explosion, fire, and smoke development if handled improperly or mechanically damaged.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Do not store at temperatures above 40 °C / 104 °F (or 60 °C / 140 °F for a short period).
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** Under normal conditions release of ingredients does not occur.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice and dental laboratories.
- **Respiratory protection:**
Not required.
If the battery is damaged:
In case of battery rupture and fumes, use self-contained full-face respiratory equipment.
- **Protection of hands:**
Not required.
If the battery is damaged:



Protective gloves

- **Material of gloves**
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Chloroprene rubber, CR
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Not required.

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

Trade name: Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights

(Contd. of page 3)

If the battery is damaged:



Tightly sealed goggles

Wear safety goggles or glasses with side shields if handling a leaking or ruptured battery.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Solid
· Colour:	Not determined.
· Odour:	Odourless
· Odour threshold:	Not determined.

· pH-value:	Not applicable.
-------------	-----------------

· Change in condition

· Melting point/freezing point:	Not applicable.
· Initial boiling point and boiling range:	Not applicable.

· Flash point:	Not applicable.
----------------	-----------------

· Flammability (solid, gas):	Product is not flammable.
------------------------------	---------------------------

· Decomposition temperature:	Not determined.
------------------------------	-----------------

· Auto-ignition temperature:	Not determined.
------------------------------	-----------------

· Explosive properties:	Product does not present an explosion hazard.
-------------------------	---

· Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· Vapour pressure:	Not applicable.
--------------------	-----------------

· Density:	Not applicable.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.

· Solubility in / Miscibility with water:	Not applicable.
---	-----------------

· Partition coefficient: n-octanol/water:	Not determined.
---	-----------------

· Viscosity:

· Dynamic:	Not applicable.
· Kinematic:	Not applicable.

· Solvent content:

· Solids content:	100.0 %
· Other information	No further relevant information available.

NZ

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

Trade name: *Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights*

(Contd. of page 4)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:**
Do not short circuit battery.
Do not store at temperatures above 40 °C / 104 °F (or 60 °C / 140 °F for a short period).
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
The electrolytes and electrolyte fumes released during explosion, fire, and smoke development are toxic and corrosive.
None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Other information:**
When properly used or disposed rechargeable Lithium-Ion/Polymer-Batteries do not present environmental hazard.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Disposal must be made according to official regulations.
May explode if disposed of in fire.

(Contd. on page 6)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

Trade name: *Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights*

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	UN3480
· ADR/RID/ADN, IMDG, IATA	
· UN proper shipping name	3480 LITHIUM ION BATTERIES
· ADR/RID/ADN	LITHIUM ION BATTERIES
· IMDG, IATA	
· Transport hazard class(es)	
· ADR/RID/ADN	
· Class	9 (M4) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9A
· Packing group	
· ADR/RID/ADN, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Danger code (Kemler):	-
· EMS Number:	F-A,S-I
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	The batteries meets all the requirements of special provisions ADR 188, IMDG 188 and IATA DGR packaging instructions 965 Section IB.
· ADR/RID/ADN	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 3480 LITHIUM ION BATTERIES, 9

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 06.03.2020

Version number 1

Revision: 06.03.2020

Trade name: *Lithium ion batteries or lithium polymer batteries for Bluephase LED polymerization lights*

(Contd. of page 6)

15 Regulatory information

· *Safety, health and environmental regulations/legislation specific for the substance or mixture*

· *New Zealand Inventory of Chemicals*

None of the ingredients is listed.

· *HSNO Approval numbers*

None of the ingredients is listed.

· *GHS label elements* Void

· *Hazard pictograms* Void

· *Signal word* Void

· *Hazard statements* Void

· *Directive 2012/18/EU*

· *Named dangerous substances - ANNEX I* None of the ingredients is listed.

· *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative