

SAFETY DATA SHEETS

This SDS packet was issued with item:

077189012

N/A

CanalPro NaOCl 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

CanalPro NaOCl 3% solution

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: Magnum Dental OÜ
Street: Aardla 13
Place: EST-50112 Tartu
Telephone: +372 7371647

Supplier

Company name: COLTENE/Whaledent GmbH & Co. KG
Street: Raiffeisenstraße 30
Place: D-89129 Langenau
Telephone: +49 (7345) 805 0
Telefax: +49 (7345) 805 201
e-mail: info.de@coltene.com
Internet: www.coltene.com

1.4. Emergency telephone number:

Estland 112, Finnland 112, andere +372 7371647

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sodium hypochlorite, solution ... % Cl active

Sodium hydroxide; caustic soda

Signal word: Danger**Pictograms:****Hazard statements**

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary statements

P234

Keep only in original packaging.

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CanalPro NaOCl 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 2 of 8

P405 Store locked up.
P501 Dispose of waste according to applicable legislation.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|----------|-------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 7681-52-9 | Sodium hypochlorite, solution ... % Cl active | | | 2,5 - 3,5 % |
| | 231-668-3 | 017-011-00-1 | | |
| | Met. Corr. 1, Skin Corr. 1B, Aquatic Acute 1; H290 H314 H400 EUH031 | | | |
| 1310-73-2 | Sodium hydroxide; caustic soda | | | < 1,0 % |
| | 215-185-5 | 011-002-00-6 | | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

Can be released in case of fire: Gases/vapours, toxic.

CanalPro NaOCl 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 3 of 8

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wash hands thoroughly after handling.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store tightly closed container in a cool, dry and well-ventilated place.

Suitable material: Amber glass.

Unsuitable material: Metal container.

Hints on joint storage

Do not store together with: Oxidising agent, Acid.

Further information on storage conditions

Protect against direct sunlight.

storage temperature: 2 - 22 °C

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|------------------|-----|-------------------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | - | 2 | | STEL (15 min) | WEL |

Additional advice on limit values

none

8.2. Exposure controls

CanalPro NaOCl 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 4 of 8

Appropriate engineering controls

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|----------------|
| Physical state: | Liquid |
| Colour: | yellow |
| Odour: | like: Chlorine |

Test method

| | |
|-----------|---------|
| pH-Value: | 12 - 13 |
|-----------|---------|

Changes in the physical state

| | |
|--|----------------|
| Melting point: | approx. 100 °C |
| Initial boiling point and boiling range: | 100 °C |
| Flash point: | not determined |

Flammability

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

Explosive properties

The product is not: Explosive

| | |
|-------------------------|----------------|
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Ignition temperature: | not determined |

Auto-ignition temperature

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

| | |
|----------------------------|----------------|
| Decomposition temperature: | not determined |
|----------------------------|----------------|

Oxidizing properties

Not oxidising.

| | |
|---------------------|-------------------------------|
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,05 - 1,15 g/cm ³ |

CanalPro NaOCl 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 5 of 8

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Odour threshold: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals. Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materialsKeep away from: Ammonia (NH₃), Reducing agent, Acid, Oxidising agent, Substance, organic.**10.6. Hazardous decomposition products**

Can be released in case of fire: Gases/vapours, toxic.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|-----------|---|---------------|---------|--------|--------------|
| | Exposure route | Dose | Species | Source | Method |
| 7681-52-9 | Sodium hypochlorite, solution ... % Cl active | | | | |
| | oral | LD50 mg/kg | 5800 | Rat | Manufacturer |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

CanalPro NaOCI 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 6 of 8

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

The product is not: Ecotoxic.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

not applicable

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|---|-----------------------|
| <u>14.1. UN number:</u> | UN 1791 |
| <u>14.2. UN proper shipping name:</u> | HYPOCHLORITE SOLUTION |
| <u>14.3. Transport hazard class(es):</u> | 8 |
| <u>14.4. Packing group:</u> | III |
| Hazard label: | 8 |
| Classification code: | C9 |
| Special Provisions: | 521 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|---|-----------------------|
| <u>14.1. UN number:</u> | UN 1791 |
| <u>14.2. UN proper shipping name:</u> | HYPOCHLORITE SOLUTION |
| <u>14.3. Transport hazard class(es):</u> | 8 |
| <u>14.4. Packing group:</u> | III |
| Hazard label: | 8 |
| Classification code: | C9 |

CanalPro NaOCI 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 7 of 8

Special Provisions: 521
 Limited quantity: 5 L
 Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1791
14.2. UN proper shipping name: HYPOCHLORITE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: 223
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1791
14.2. UN proper shipping name: HYPOCHLORITE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: A3 A803
 Limited quantity Passenger: 1 L
 Passenger LQ: Y841
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 852
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 856
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
 Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

CanalPro NaOCl 3% solution

Revision date: 19.02.2020

Print date: 19.02.2020

Page 8 of 8

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H400 | Very toxic to aquatic life. |
| EUH031 | Contact with acids liberates toxic gas. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

CanalPro NaOCl 6% solution

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: Magnum Dental AS
Street: Aardla 13
Place: EST-50112 Tartu
Telephone: +372 7371647

Supplier

Company name: COLTENE/Whaledent GmbH & Co. KG
Street: Raiffeisenstraße 30
Place: D-89129 Langenau
Telephone: +49 (7345) 805 0
Telefax: +49 (7345) 805 201
e-mail: info.de@coltene.com
Internet: www.coltene.com

1.4. Emergency telephone number:

Estland 112, Finnland 112, andere +372 7371647

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sodium hypochlorite, solution ... % Cl active

Sodium hydroxide; caustic soda

Signal word: Danger**Pictograms:****Hazard statements**

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary statements

P234

Keep only in original packaging.

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 2 of 8

P405 Store locked up.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|----------|-------------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 7681-52-9 | Sodium hypochlorite, solution ... % Cl active | | | 5,5 - 6,5 % |
| | 231-668-3 | 017-011-00-1 | | |
| | Met. Corr. 1, Skin Corr. 1B, Aquatic Acute 1; H290 H314 H400 EUH031 | | | |
| 1310-73-2 | Sodium hydroxide; caustic soda | | | < 1,0 % |
| | 215-185-5 | 011-002-00-6 | | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 3 of 8

Can be released in case of fire: Gases/vapours, toxic.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wash hands thoroughly after handling.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store tightly closed container in a cool, dry and well-ventilated place.

Suitable material: Amber glass.

Unsuitable material: Metal container.

Advice on storage compatibility

Do not store together with: Oxidising agent, Acid.

Further information on storage conditions

Protect against direct sunlight.

storage temperature: 2 - 22 °C

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|------------------|-----|-------------------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | - | - | | TWA (8 h) | WEL |
| | | - | 2 | | STEL (15 min) | WEL |

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 4 of 8

Additional advice on limit values

none

8.2. Exposure controls**Appropriate engineering controls**

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|----------------|
| Physical state: | Liquid |
| Colour: | yellow |
| Odour: | like: Chlorine |

Test method

| | |
|-----------|---------|
| pH-Value: | 12 - 13 |
|-----------|---------|

Changes in the physical state

| | |
|--|----------------|
| Melting point: | 0 °C |
| Initial boiling point and boiling range: | approx. 100 °C |
| Flash point: | not determined |

Flammability

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

Explosive properties

The product is not: Explosive

| | |
|-------------------------|----------------|
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Ignition temperature: | not determined |

Auto-ignition temperature

| | |
|----------------------------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |
| Decomposition temperature: | not determined |

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 5 of 8

Oxidizing properties

Not oxidising.

Vapour pressure:

not determined

Density (at 20 °C):

1,05 - 1,15 g/cm³

Water solubility:

completely miscible

Solubility in other solvents

not determined

Partition coefficient:

not determined

Viscosity / dynamic:

not determined

Viscosity / kinematic:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

9.2. Other information

Odour threshold: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals. Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materialsKeep away from: Ammonia (NH₃), Reducing agent, Acid, Oxidising agent, Substance, organic.**10.6. Hazardous decomposition products**

Can be released in case of fire: Gases/vapours, toxic.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|-----------|---|---------------|---------|--------|--------------|
| | Exposure route | Dose | Species | Source | Method |
| 7681-52-9 | Sodium hypochlorite, solution ... % Cl active | | | | |
| | oral | LD50 mg/kg | 5800 | Rat | Manufacturer |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

CanalPro NaOCI 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 6 of 8

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

The product is not: Ecotoxic.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

not applicable

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|---|-----------------------|
| <u>14.1. UN number:</u> | UN 1791 |
| <u>14.2. UN proper shipping name:</u> | HYPOCHLORITE SOLUTION |
| <u>14.3. Transport hazard class(es):</u> | 8 |
| <u>14.4. Packing group:</u> | III |
| Hazard label: | 8 |
| Classification code: | C9 |
| Special Provisions: | 521 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 7 of 8

Inland waterways transport (ADN)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 1791 |
| 14.2. UN proper shipping name: | HYPOCHLORITE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C9 |
| Special Provisions: | 521 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |

Marine transport (IMDG)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 1791 |
| 14.2. UN proper shipping name: | HYPOCHLORITE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | 223 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| EmS: | F-A, S-B |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|-----------------------|
| 14.1. UN number: | UN 1791 |
| 14.2. UN proper shipping name: | HYPOCHLORITE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | A3 A803 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y841 |
| Excepted quantity: | E1 |
| IATA-packing instructions - Passenger: | 852 |
| IATA-max. quantity - Passenger: | 5 L |
| IATA-packing instructions - Cargo: | 856 |
| IATA-max. quantity - Cargo: | 60 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

according to Regulation (EC) No 1907/2006

CanalPro NaOCl 6% solution

Revision date: 11.04.2018

Print date: 11.04.2018

Page 8 of 8

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
EUH031 Contact with acids liberates toxic gas.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)