# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071514348

N/A

# Material Safety Data Sheet

SECTION I - General Information

TRADE NAME & SYNONYMS: **.020" Coping Material** MANUFACTURER'S NAME: Buffalo Dental Mfg. Co., Inc. (Dist)

MANUFACTURER'S NAME: Buffalo Dental Mfg. Co., Inc. (Dist)

ADDRESS: 159 Lafayette Drive, Syosset, NY 11791

DESCRIPTION: .020" x 5" x 5" Polypropylene Sheets

EMERGENCY TEL #: 516-496-7200

DATE OF UPDATE: 03/25/13

PREPARED BY: MSDS Dept.

ITEM #'s: 31720, 31725, 31730 INFORMATION TEL #: 516-496-7200 DISCLAIMER: The information in this MSDS is based on information supplied by the vendor of the products and components involved.

SECTION II - Hazardous Ingredients

NA

Section III - Physical/Chemical Characteristics

BOILING POINT: NA SPECIFIC GRAVITY (H20=1): .904

VAPOR PRESSURE: NA MELTING POINT: Softens at elevated temperatures

VAPOR DENSITY: NA EVAPORATION RATE: NA

SOLUBILITY IN WATER: Not water soluble APPEARANCE AND ODOR: Translucent clear plastic

SECTION IV - Fire and Explosion Hazard Data

FLASH POINT (METHOD USED): NA FLAMMABLE LIMITS: NA LEL: NA UEL: NA

EXTINGUISHING MEDIA: CO2, Dry Chemical, Water

SPECIAL FIRE FIGHTING PROCEDURES: Avoid inhalation of smoke. Use self-contained breathing apparatus when fighting fires

in areas with restricted ventilation.

UNUSUAL FIRE AND EXPLOSION HAZARDS: No unusual hazards. Carbon dioxide, carbon monoxide and undefined organics

can be formed on combustion.

Section V - Reactivity Data

STABILITY (choose one): ( ) UNSTABLE (X) STABLE CONDITIONS TO AVOID: Excessive Heat

INCOMPATIBILITY (MATERIALS TO AVOID): NA

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, carbon monoxide and undefined organics.

HAZARDOUS POLYMERIZATION (choose one): ( ) MAY OCCUR (X) WILL NOT OCCUR

CONDITIONS TO AVOID: Excessive heat

<u>Section VI - Health Hazard Data</u>

CARCINOGENICITY?: No NTP?: No IARC?: No OSHA Regulated?: No

EFFECTS AND HAZARDS OF OVEREXPOSURE (Acute and Chronic):

EYE CONTACT: Not likely

SKIN CONTACT: If burned by contact with molten material, use standard therapeutic procedures for thermal burns.

INHALATION (Breathing): NA

INGESTION: May cause a choking sensation and nausea

**EMERGENCY AND FIRST AID PROCEDURES:** 

EYES: Flush with water. SKIN: Treat as a thermal burn. BREATHING: NA INGESTION: Consult physician.

Section VII - Precautions for Safe Handling and Use

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Wipe up with towels and dispose of in a suitable container.

WASTE DISPOSAL METHOD: In accordance with federal, state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store at normal room temperatures and humidity

OTHER PRECAUTIONS: Heat on vacuum forming machine to point at which ripples occur. Heat with cloudy side facing upwards.

Overheating may result in fire or fumes.

Section VIII - Special Protection Information

RESPIRATORY PROTECTION (SPECIFY TYPE): NA

LOCAL EXHAUST: NA MECHANICAL (GENERAL): NA Use in a well ventilated area.

SPECIAL: NA OTHER: NA

PROTECTIVE GLOVES: Suggested. Chemical resistant gloves- Personnel should wash thoroughly after handling.

EYE PROTECTION: Safety Glasses required.

OTHER PROTECTIVE EQUIPMENT: Lab Coat to protect clothing. Face shield recommended

WORK AND HYGIENIC PRACTICES: Use good personal hygiene

<u>Section IX - Other</u>

CAS = Chemical Abstract Number
TSCA = Toxic Substance Control Act
VOC = Volatile Organic Chemical

VOC = Volatile Organic Chemical N/E = Not Established NDA = No Data Available NA = Not Applicable

OSHA = Occupational Safety and Health Admin.

PEL = Permissible Exposure Limit

SARA = Superfund Amendments & Reclamation Act

TWA = Time Weighted Average

Not Established PPM = Parts Per Million



# **Safety Data Sheet**

Issue Date: 25-Mar-2013 Revision Date: 18-Apr-2014 Version 1

# 1. IDENTIFICATION

Product Identifier

Product Name X-Ray Rapid Developer-Powder

Other means of identification

 SDS #
 BDM-015

 Product Code
 33800

 UN/ID No
 UN2811

Recommended use of the chemical and restrictions on use

**Recommended Use** X-ray rapid developer (powder part).

Details of the supplier of the safety data sheet

**Supplier Address** 

Buffalo Dental Manufacturing Co. Inc. 159 Lafayette Drive Syosset NY 11791

**Emergency Telephone Number** 

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

**Company Phone Number** 516-496-7200

800-828-0203

# 2. HAZARDS IDENTIFICATION

Appearance Off-white powder or white Physical State Liquid Odor Essentially odorless

needle-like crystals

## Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2

## Signal Word Danger

#### **Hazard Statements**

Harmful if swallowed
Toxic in contact with skin
Causes serious eye damage
May cause an allergic skin reaction
Suspected of causing genetic defects

\_\_\_\_\_\_



## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of soap and water Call a poison center or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

# **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydroquinone	123-31-9	Proprietary

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

BDM-015 - X-Ray Rapid Developer-Powder

4. FIRST-AID MEASURES

**First Aid Measures** 

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician immediately.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing. Wash contaminated clothing before reuse. Call a physician if you feel unwell.

Revision Date: 18-Apr-2014

**Inhalation** Remove to fresh air. Call a physician.

Ingestion Rinse mouth. Induce vomiting, but only if victim is fully conscious. Call a poison center or

doctor/physician if you feel unwell.

Most important symptoms and effects

**Symptoms** May cause an allergic skin reaction. May cause eye burns and permanent eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Not determined.

**Specific Hazards Arising from the Chemical** 

High concentrations of dust in air may present a fire or dust explosion hazard.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

Page 3/9

Revision Date: 18-Apr-2014

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wash thoroughly after handling. Use personal protection

recommended in Section 8. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Avoid breathing dust or

fume.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Store away from incompatible materials. Do not reuse container.

Incompatible Materials Strong oxidizing agents. Strong bases. Oxygen. Ferric salts.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydroquinone	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>
123-31-9	_	(vacated) TWA: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup> 15 min

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side shields, goggles and/or a face shield.

**Skin and Body Protection** Wear suitable gloves. Wear long sleeved lab coat.

**Respiratory Protection**Use a NIOSH approved respirator where adequate ventilation cannot be provided for toxic

dusts.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

\_\_\_\_\_\_

Revision Date: 18-Apr-2014

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Liquid

Appearance Off-white powder or white needle-like Odor Essentially odorless

crystals

Color White or off-white Odor Threshold Not determined

Property Values Remarks • Method

pH Not determined

Melting Point/Freezing Point 172-175 °C / 342-347 °F

**Boiling Point/Boiling Range** 285 °C / 545 °F

Flash Point 165 °C / 329 °F Open cup

**Evaporation Rate** Not applicable

Flammability (Solid, Gas) Possible dust explosion

Upper Flammability Limits Not determined Lower Flammability Limit Not determined

 Vapor Pressure
 1 mm Hg
 @ 329 °C

 Vapor Density
 3.81
 (Air=1)

Specific Gravity 1.33

Water Solubility Moderately soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** 498 °C / 928 °F **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined Density 1.33 g/cm<sup>3</sup>

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to Avoid**

Light. Product is air sensitive. Discolors in air.

#### **Incompatible Materials**

Strong oxidizing agents. Strong bases. Oxygen. Ferric salts.

# **Hazardous Decomposition Products**

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Revision Date: 18-Apr-2014

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye damage.

**Skin Contact** Toxic in contact with skin. May cause an allergic skin reaction.

**Inhalation** Avoid inhalation of dust.

**Ingestion** Harmful if swallowed.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydroquinone	= 320 mg/kg (Rat)	> 900 mg/kg (Rat)	-
123-31-9			İ

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** Suspected of causing genetic defects.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydroquinone	A3	Group 3		
123-31-9				

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

# **Numerical measures of toxicity**

Not determined

Page 6/9

12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Hydroquinone	13.5: 120 h Desmodesmus	0.044: 96 h Oncorhynchus	EC50 = 0.038 mg/L 15 min	0.29: 48 h Daphnia magna
123-31-9	subspicatus mg/L EC50	mykiss mg/L LC50	EC50 = 0.0382 mg/L 30 min	mg/L EC50
	0.335: 72 h	flow-through 0.044: 96 h	EC50 = 0.042 mg/L 5 min	_
	Pseudokirchneriella	Pimephales promelas mg/L	EC50 = 23.75 mg/L 60 min	
	subcapitata mg/L EC50	LC50 flow-through 0.1 - 0.18:		
		96 h Pimephales promelas		
		mg/L LC50 static 0.17: 96 h		
		Brachydanio rerio mg/L		
		LC50		

# Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Hydroquinone	0.5
123-31-9	

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Disposal should be in accordance with applicable regional, national and local laws and **Contaminated Packaging** 

regulations.

Page 7/9

Revision Date: 18-Apr-2014

BDM-015 - X-Ray Rapid Developer-Powder

14. TRANSPORT INFORMATION

Revision Date: 18-Apr-2014

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN2811

Proper Shipping Name Toxic solid, organic, n.o.s. (Hydroquinone)

Hazard Class 6.1 Packing Group III

<u>IATA</u>

UN/ID No UN2811

Proper Shipping Name Toxic solid, organic, n.o.s. (Hydroquinone)

Hazard Class 6.1
Packing Group III

**IMDG** 

UN/ID No UN2811

Proper Shipping Name Toxic solid, organic, n.o.s. (Hydroquinone)

Hazard Class 6.1
Packing Group

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

## International Inventories

Not determined

# US Federal Regulations

# **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydroquinone	100 lb	100 lb	RQ 100 lb final RQ
123-31-9			RQ 45.4 kg final RQ

# **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydroquinone - 123-31-9	123-31-9	Proprietary	1.0

# US State Regulations

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydroquinone	X	X	X
123-31-9			

Page 8/9

Revision Date: 18-Apr-2014

# **16. OTHER INFORMATION**

**Health Hazards** NFPA

Not determined **Health Hazards** 

Not determined

**Flammability** Not determined **Flammability** Not determined

Instability Not determined **Physical Hazards** Not determined

**Special Hazards** Not determined **Personal Protection** Not determined

Issue Date: 25-Mar-2013 **Revision Date:** 18-Apr-2014 **Revision Note:** New format

# Disclaimer

**HMIS** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 9/9