SAFETY DATA SHEETS

This SDS packet was issued with item:

074418232

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071314426 071314582 071314616 071315605 071315613 071315621 071315639 071315647 071315688 071315696 071315704 071315712 071315720 071315738 071315902 074298691 074349072 074399507 074399515 074399531 074399556 074399564 074399572 074399580 074399598 074399606 074399614 074399622 074399630 074399648 074399663 074399671 074399796 074399804 074399887 074399895 074404588

MATERIAL SAFETY DATA SHEET

WAX PRODUCTS

1 - IDENTIFICATION

Manufacturer:

KeπLab

Address:

1717 West Collins Avenue

City, State, Zip:

Orange, CA 92867

Telephone: 24-Hour Emergency:

1-800-KERR-123

Chemtrec 1-800-424-9300 International 1-703-527-3887

Date Prepared:

September 6, 2005

2 - HAZARDOUS INGREDIENTS

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

All wax products contain mixtures of natural and synthetic parafinic waxes and oils along with non-hazardous stabilizers and food grade colorants.

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/D

Specific Gravity ($H_20 = 1$): >1.0 Vapor Pressure (mm Hg): N/A

Melting Point: Various according the wax blend ratios

Vapor Density (AIR = 1): N/A Solubility in Water: Insoluble Reactivity in Water: N/A

Appearance and Odor: Multiple colored waxy solid with a slight

parafinic odor.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/A

Flammable Limits: LEL: N/A UEL: N/A

Extinguishing Media: N/A

Special Fire Fighting Procedures: None Unusual Fire and Explosion Hazards: None

5 - REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None known
Incompatibility (Material to Avoid): N/A
Hazardous Decomposition Products: None known
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:

Skin: Contact with molten wax will cause thermal burns. Eyes: Contact with molten wax will cause thermal burns.

Inhalation: Avoid prolonged exposure to fumes produced when heated.

Ingestion: This product is considered safe when used according to

directions.

Carcinogenicity -

NTP: No

IARC Monographs: No

OSHA Regulated Carcinogen: No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Wash with soap and water.

Eyes: Flush eyes with water for at least 15 minutes.

Inhalation: This product is considered safe, when used according to

directions

Ingestion: Ingestion of small amounts of this material under normal

conditions would not cause serious harmful effects.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Sweep or wipe up with paper towels and dispose of in a suitable container.

Waste Disposal Method: Dispose along with normal solid waste.

Precautions to be taken in handling and storing: Store at normal room

temperature (65-75°F).

Other precautions: Use according to directions.

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): Not needed

VENTILATION:

Local Exhaust: Not needed

Mechanical (General): Should be sufficient

Protective Gloves: Gloves recommended when working with molten

material.

Eye Protection: Safety glasses

Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. These practices include avoiding

unnecessary exposure.

10 - SHIPPING INFORMATION

Not DOT regulated.

11 - SPECIAL INFORMATION

HMIS(Hazardous Material Identification System) Rating:

H1 F0 R0

[HMIS Index: 4 - Severe Hazard; 3 -Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.



SAFETY DATA SHEET

Section 1. Product And Company Identification

Product Name: Wax Products
Product Use: Dental product: Wax

Manufacturer: Kerr Corporation

1717 W. Collins Ave. Orange, CA 92867-5422

U.S.A.

Information Phone Number: 1-800-841-1428 (Customer Service)

Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):

CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

SDS Date of Preparation/Revision: January 30, 2019

Section 2. Hazards Identification

GHS Classification:

Eye Irritation Category 2B

Label Elements:

Warning!



Hazard Phrases

Causes eye irritation.

Precautionary Phrases:

Wash hands thoroughly after handling.

Wear eye or face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount	
Paraffin waxes and Hydrocarbon waxes	8002-74-2	60-100%	
Ethene, homopolymer	9002-88-4	5-10%	



Section 4. First Aid Measures

Inhalation: Immediately remove victim to fresh air. Get immediate medical attention.

Skin Contact: Flush thoroughly with water. Get medical attention if irritation or symptoms of exposure develop. Remove and launder contaminated clothing before re-use.

Eye Contact: Rinse thoroughly with water. Get medical attention if irritation occurs and persists.

Ingestion: Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Keep the victim calm and warm. Get immediate medical attention.

Most important symptoms and effects, acute and delayed: Causes eye irritation. If ingested, may be irritating to mouth, throat and stomach.

Indication of immediate medical attention and special treatment, if needed: None required under normal conditions of use.

Section 5. Fire Fighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

Specific Hazards Arising from the Chemical: Combustion may produce carbon dioxide and carbon monoxide.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

Section 6: Accidental Release Measures

Personal precautions, Protective equipment, and Emergency procedures: Evacuate spill area and keep unprotected personnel away. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment.

Environmental Precautions: Avoid releases to the environment. Report spill as required by local and federal regulations.

Methods and Materials for Containment and Cleaning up: Prompt cleanup and removal are necessary. Absorb spill with an inert material and place in an appropriate waste disposal container.

Section 7. Handling and Storage

Precautions for Safe Handling: Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Remove and wash contaminated clothing before reuse.



Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

Conditions for Safe Storage, Including any Incompatibilities: Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Section 8. Exposure Controls / Personal Protection

Exposure Limits

Chemical	Exposure Limit
Paraffin waxes and Hydrocarbon waxes	2 mg/m ³ TWA OSHA PEL
Ethene, homopolymer	10 mg/m ³ TWA ACGIH TLV

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Respiratory Protection: None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with particulate cartridges is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

Hand protection: Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

Eye Protection: Chemical safety goggles are recommended if contact is possible.

Skin Protection: Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

Hygiene measures: Suitable eye and skin washing facilities should be available in the work area.

Appearance:	Various colored waxy solid	Odor:	Slightly paraffinic
Odor Threshold:	Not available	pH:	Not available
Melting/Freezing	Various	Boiling	Not available
Point:		Point/Range:	
Flash Point:	Not flammable	Evaporation	Not available
		Rate:	
Flammability: (Solid,	Not applicable	Flammability	LEL: Not applicable
Gas)		Limits:	UEL: Not applicable
Vapor Pressure:	Not available	Vapor	Not available
		Density:	
Relative Density:	>1	Solubilities:	Insoluble in water
Partition Coefficient:	Not available	Autoignition	Not available

Section 9. Physical and Chemical Properties



(N-Octanol/Water) Decomposition Temperature:

Not available

Temperature:

Viscosity: Not available

Section 10. Stability and Reactivity

Reactivity: The product is not expected to be reactive.

Chemical Stability: Stable under normal storage and handling conditions. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

Conditions to avoid: No data available. Incompatible Materials: No data available.

Hazardous decomposition products: None if stored normally.

Section 11. Toxicological Information

Potential Health Effects:

Inhalation: None expected.

Skin Contact: None expected.

Eye Contact: Causes eye irritation.

Ingestion: May be irritating to mouth, throat and stomach.

Chronic Hazards: None expected.

Skin Sensitization: No adverse effects expected. Components are not sensitizers.

Respiratory Sensitization: No data available. This product is not expected to cause respiratory

sensitization.

Germ Cell Mutagenicity: None of the components have shown mutagenic activity in animal studies.

Carcinogen: None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

Developmental / Reproductive Toxicity: None of the components have been shown to cause reproductive or developmental toxicity.

Specific Target Organ Toxicity (Single Exposure): No data available.

Specific Target Organ Toxicity (Repeated Exposure): No data available.

Aspiration Toxicity: Not an aspiration hazard.

Acute Toxicity Values:

Paraffin waxes and Hydrocarbon waxes: LD50 Oral rat: >5000 mg/kg; LD50 Dermal rabbit: >2000 mg/kg

Section 12. Ecological Information

Toxicity: No data available.

Persistence and degradability: Biodegradation is not applicable to inorganic substances.



Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

Section 13. Disposal Considerations

Disposal: For unused product, dispose of in accordance with Federal and local regulations. **Container Disposal:** Dispose of empty container in accordance with Federal and local regulations.

Section 14. Transport Information

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
US DOT	None	Not Regulated			None
EU	None	Not Regulated			None
ADR/RID					
IMDG	None	Not Regulated			None
IATA/ICAO	None	Not Regulated			None

Special Precautions for User: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in Bulk According to Annex II MARPOL 73/78 and the IBC Code: Not applicable – product is transported only in packaged form.

Section 15. Regulatory Information

U.S. Federal Regulations:

EPA SARA 311/312 Hazard Classification: Refer to Section 2 for OSHA Hazard Classification.

EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Protection Of Stratospheric Ozone: This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

CERCLA SECTION 103: This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

International Inventories

US EPA TSCA Inventory: All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.



Canada CEPA: All of the components of this material are listed on the DSL or exempt.

Section 16. Other Information

Effective Date: January 30, 2019 Supersedes Date: January 21, 2015

Revision Summary: All Sections - New SDS format

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.