

SAFETY DATA SHEETS

This SDS packet was issued with item:

075792403

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075791363 075792890

SAFETY DATA SHEET

Hemodent[®] Solution

1. IDENTIFICATION

Product Identifier: 9007071, 9007072 & 9007073
Product name: Hemodent[®] Solution
Premier Dental Products Company
1710 Romano Drive
Plymouth Meeting, PA 19462 USA
Tel: 610.239.6000
Fax: 610.239.6171
Emergency Phone: 610.239.6000

Restrictions for Use: For professional use only

Recommended Use: Hemostatic Solution

2. HAZARDS IDENTIFICATION

Classification of the chemical

Eye Irritant – Category 2

Specific Target Organ Toxicity, SE - Category 3

Skin Irritant, – Category 2

Hazard pictogram(s) Exclamation Mark

Signal word: Warning



Hazard Statements:

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H315 Causes skin irritation

3. COMPOSITION AND INGREDIENTS

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Composition %</u>
Aluminum Chloride Hexahydrate	7784-13-6	21.3%

4. FIRST AID INFORMATION

(SYMPTIONS)

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.
Exposure may cause coughing or wheezing.

(ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.
Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion: Wash out mouth with water. Consult a doctor.
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.
Consult a doctor.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used.
Use water spray to cool containers.

Exposure Hazards: In combustion emits toxic fumes.

Protection of Fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental Precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up Procedures:** Absorb into dry earth or sand. Transfer to a closable, labeled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

- Handling Requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.
- Storage Conditions:** Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering Measures:** Ensure there is sufficient ventilation of the area.
- Respiratory Protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand Protection:** Protective gloves
- Eye Protection:** Safety glasses. Ensure eye bath is to hand.
- Skin Protection:** Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- State:** Liquid
- Colour:** Colorless
- Odour:** Characteristic odour
- Viscosity:** Non-viscous

10. STABILITY AND REACTIVITY

- Stability:** Stable under normal conditions.
- Conditions to avoid:** Heat
- Materials to avoid:** Strong oxidizing agents. Strong acids.
- Haz. Decomp Products:** In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

- Hazardous Ingredients:** ALUMINUM CHLORIDE HEXAHYDRATE IPR MUS LD50 940mg/kg
IPR RAT LD50 728mg/kg
ORL MUS LD50 1990 mg/kg
ORL RAT LD50 3311 mg/kg
- Rate of Exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

- Hazardous Ingredients:** ALUMINUM CHLORIDE HEXAHYDRATE
DAPHNA 48H EC50 27.3mg/l
FISH 96H LC50 27.1 mg/l
- Mobility:** Readily absorbed into soil.
- Persistence and Degradability:** Biodegradable
- Bioaccumulative Potential:** No bioaccumulation potential.
- Other Adverse Effects:** Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

- NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR/RID
IMDG/IMO
IATA/ICAO

15. REGULATORY INFORMATION

Hazard pictogram(s) Exclamation Mark

Signal word: Warning



Risk Phrases: R36/38: Irritating to eyes and skin.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Premier revision date: 12/16/2014

Revision number: 10

Revision summary: This SDS replaces the 09/24/2014 rev4. Revised: Section 1, Section 2, Section 3, Section 15 and Section 16.

Supplier's date: 09/24/2014

This SDS is offered solely for your information, consideration and investigation. This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. Premier Dental Products Company provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Premier Dental Products Company urges persons receiving this information to make their own determination as to the information suitability for their particular application.

121452 Rev10

SAFETY DATA SHEET

Hemodent[®] Solution

1. IDENTIFICATION

Product Identifier: 9007071, 9007072 & 9007073
Product name: Hemodent[®] Solution
Premier Dental Products Company
1710 Romano Drive
Plymouth Meeting, PA 19462 USA
Tel: 610.239.6000
Fax: 610.239.6171
Emergency Phone: 610.239.6000

Restrictions for Use: For professional use only

Recommended Use: Hemostatic Solution

2. HAZARDS IDENTIFICATION

Classification of the chemical

Eye Irritant – Category 2

Specific Target Organ Toxicity, SE - Category 3

Skin Irritant, – Category 2

Hazard pictogram(s) Exclamation Mark

Signal word: Warning



Hazard Statements:

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H315 Causes skin irritation

Precautionary Statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P264: Wash hands thoroughly after handling

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P362: Take off contaminated clothing and wash before reuse

P302 + P352: IF ON SKIN: Wash with plenty of soap and water

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313: If skin irritation occurs: Get medical advice/attention

P337 + P313: If eye irritation persists: Get medical advice/attention

P405: Store locked up

P403 + P233: Store in a well-ventilated place. Keep container tightly closed

P501: Dispose of in compliance with governmental regulation

NFPA ratings (scale 0 - 4)



Health = 1

Fire = 0

Reactivity = 0

3. COMPOSITION AND INGREDIENTS

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Composition %</u>
Aluminum Chloride Hexahydrate	7784-13-6	21.3%

4. FIRST AID INFORMATION

(SYMPTIONS)

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

(ACTION)

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion:	Wash out mouth with water. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. FIRE-FIGHTING MEASURES

Extinguishing Media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
Exposure Hazards:	In combustion emits toxic fumes.
Protection of	Wear self-contained breathing apparatus. Wear protective clothing to
Fire-fighters:	prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
Environmental Precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.
Clean-up Procedures:	Absorb into dry earth or sand. Transfer to a closable, labeled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling Requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.
Storage Conditions:	Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures:	Ensure there is sufficient ventilation of the area.
Respiratory Protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand Protection:	Protective gloves
Eye Protection:	Safety glasses. Ensure eye bath is to hand.
Skin Protection:	Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State:	Liquid
Colour:	Colorless
Odour:	Characteristic odour
Viscosity:	Non-viscous

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.
Conditions to avoid: Heat
Materials to avoid: Strong oxidizing agents. Strong acids.
Haz. Decomp Products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous Ingredients: ALUMINUM CHLORIDE HEXAHYDRATE IPR MUS LD50 940mg/kg
IPR RAT LD50 728mg/kg
ORL MUS LD50 1990 mg/kg
ORL RAT LD50 3311 mg/kg
Rate of Exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Hazardous Ingredients: ALUMINUM CHLORIDE HEXAHYDRATE
DAPHNA 48H EC50 27.3mg/l
FISH 96H LC50 27.1 mg/l

Mobility: Readily absorbed into soil.
Persistence and Degradability: Biodegradable
Bioaccumulative Potential: No bioaccumulation potential.
Other Adverse Effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

DOT UN Number: ORM-D **Proper Shipping Name:** Consumer Commodity **Hazard Class:** None
Packing Group: None **Environmental Hazards:** None

	UN Number	UN Proper Shipping Name	Hazard Class	Packing Group	Environmental Hazards
ADR/RID	UN2581	Aluminum Chloride Solution	8	PG III	No
IMDG/IMO	UN2581	Aluminum Chloride Solution	8	PG III	No
IATA/ICAO	UN2581	Aluminum Chloride Solution	8	PG III	No

Special Precautions for user: Corrosive Liquid
Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable-
product is transported only in packaged form.

15. REGULATORY INFORMATION

Hazard pictogram(s) Exclamation Mark

Signal word: Warning



Risk Phrases: R36/38: Irritating to eyes and skin.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Premier revision date: 28-MAR-2019
Revision number: 11

Supplier number: 013117

The information contained herein is based on our present knowledge. However, this information shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Premier Dental Products Company makes no warranties, express or implied with respect to, and assumes no responsibility or liability for, the accuracy or completeness of the information contained herein. Premier Dental Products Company urges persons receiving this information to make their own determination as to the information suitability for their particular application.

0319108 Rev11