SAFETY DATA SHEETS

This SDS packet was issued with item: 077109259

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077109267 077109275

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077109283

Printing date 11/02/2016

Reviewed on 11/02/2016

1 Identification

- · Product identifier
- Trade name: <u>Futurabond DC Liquid 1</u>
- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: VOCO GmbH Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- *Information department:* Scientific department tel. +49 (0)4721-719-0
- Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material. Under FDA regulations this product is classified as a medical device. Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

- **Precautionary statements** Wear protective gloves / eye protection.
 - Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components: Acidic adhesive monomer 50-100% Skin Corr. 1B, H314; Eye Dam. 1, H318 5165-94-2 BIS GMA Iskin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317 Contd. on page 2)

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

868-77-9 2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 (Contd. of page 1) 5-10%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air and to be sure call for a doctor.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- See storage instructions on package
- Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

Information on basic physical and	chemical properties	
General Information Appearance:		
Form:	Fluid	
Color:	According to product specification	
Odor:	<i>Characteristic</i>	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	1.5	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Density at 20 °C (68 °F):	1.2 g/cm ³ (10.014 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	

Printing date 11/02/2016

Reviewed on 11/02/2016

(Contd. of page 3)

Trade name: Futurabond DC Liquid 1

- · Viscosity:
 - Dynamic:
- Kinematic:
- Other information

Not determined. Not determined. No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Acidic adhesive monomer

Oral LD50 > 2000 mg/kg (rat)

- · Primary irritant effect:
- on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured Caustic effect on skin and mucous membranes.

Strong caustic effect on skin and mucous membranes.

- on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
fumed silica	3
128-37-0 2,6-di-tert-butyl-p-cresol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 5)

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number -· UN proper shipping name _ · Transport hazard class(es) -· Packing group _ · Environmental hazards: · Marine pollutant: No Not applicable. · Special precautions for user · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

(Contd. on page 6)

US

(Contd. of page 4)

Printing date 11/02/2016

Reviewed on 11/02/2016

Trade name: Futurabond DC Liquid 1

(Contd. of page 5)

 Chemicals known to cause 	developmental toxicity:
--	-------------------------

None of the ingredients are listed

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed

· TLV (Threshold Limit Value established by ACGIH)

Contact VOCO for more information.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger

· Hazard statements

- Causes severe skin burns and eye damage.
- May cause an allergic skin reaction.

· Precautionary statements

- Wear protective gloves / eye protection.
- Wear protective clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- Date of preparation / last revision 11/02/2016 / 5
- Abbreviations and acronyms:
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.

us -

Printing date 11/03/2016

Reviewed on 11/03/2016

1 Identification

- · Product identifier
- Trade name: Futurabond DC Liquid 2
- · Application of the substance / the mixture Bonding
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* VOCO GmbH Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- Information department: Scientific department tel. +49 (0)4721-719-0
- Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device. Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements
- Highly flammable liquid and vapor.
- · Precautionary statements

Wear protective gloves / protective clothing.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

-	-		
64-17-5	ethanol	Flam. Liq. 2, H225	50-100%
	Initiator	Acute Tox. 3, H301	2.5-5%

4 First-aid measures

· Description of first aid measures

- After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

Printing date 11/03/2016

Reviewed on 11/03/2016

(Contd. of page 1)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

<u>5 Fire-fighting measures</u>

Trade name: Futurabond DC Liquid 2

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- *Environmental precautions:* Do not allow to enter sewers/ surface or ground water. Dilute with plenty of water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling For dental use only.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- See storage instructions on package
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

64-17-5 ethanol (50-100%)

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 2)

- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties				
· General Information				
· Appearance:				
Form:	Fluid			
Color:	Colorless			
· Odor:	Characteristic			
· pH-value:	Not determined.			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Undetermined.			
· Flash point:	21 °C (70 °F)			
· Auto igniting:	Product is not selfigniting.			
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.			
• Density at 20 •C (68 •F):	0.87 g/cm ³ (7.26 lbs/gal)			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
• Other information	No further relevant information available.			

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 4)

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

1

US

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin:

Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured • *on the eye:* No irritating effect.

- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only. This product is not an alcoholic beverage.

64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1170	
	0111170	(Contd. on page 5)

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

	(Contd.	. of page 4)
· UN proper shipping name		
$\cdot DOT$	Ethanol mixture	
·ADR	1170 Ethanol mixture	
·IMDG	ETHANOL (ETHYL ALCOHOL) mixture	
·IATA	ETHANOL mixture	
· Transport hazard class(es)		
·DOT		
· Class	3 Flammable liquids	
· Label	3	
· ADR, IMDG, IATA		
· Class	3 Flammable liquids	
· Label	3	
· Packing group · DOT, ADR, IMDG, IATA	II	
· Environmental hazards:		
• Environmental nazaras: • Marine pollutant:	No	
-		
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler): · EMS Number:	33 F-E,S-D	
• EMS Number: • Stowage Category	A = A	
0 0 0		
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.	
· UN "Model Regulation":	UN 1170 ETHANOL MIXTURE, 3, II	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):
- None of the ingredients are listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients are listed.
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients are listed
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients are listed

(Contd. on page 6)

Printing date 11/03/2016

Reviewed on 11/03/2016

Trade name: Futurabond DC Liquid 2

(Contd. of page 5)

Chemicals known to cause developmental toxicity:
 64-17-5 ethanol

· Cancerogenity categories

· EPA (Environmental Protection Agency)

I (oral)

A3

US

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

Initiator

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements
- Highly flammable liquid and vapor.
- · Precautionary statements
- Wear protective gloves / protective clothing.
- If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing SDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- Date of preparation / last revision 11/03/2016 / 5
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3

 \cdot * Data compared to the previous version altered.

Printing date 05/11/2015

Reviewed on 05/11/2015

1 Identification

· Product identifier

- · Trade name: Futurabond DC Liquid 2
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the mixture Bonding
- Application of the substance / the maxture bonding

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: VOCO GmbH Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Information department: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Scientific department tel. +49 (0)4721-719-0

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material. Under FDA regulations this product is classified as a medical device. Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements
- Highly flammable liquid and vapor.
- · Precautionary statements
- Wear protective gloves / protective clothing.
- If skin irritation occurs: Get medical advice/attention.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Other hazards Use only for intended scope of application
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

64-17-5 ethanol

Initiator

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Seek medical treatment in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

50-100%

2.5-5%

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/11/2015

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6.Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling For dental use only.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- See storage instructions on package
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol (50-100%)

PEL Long-term value: 1900 mg/m³, 1000 ppm

- REL Long-term value: 1900 mg/m¹, 1000 ppm
- TLV Short-term value: 1880 mg/m³, 1000 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

Printing date 05/11/2015

Reviewed on 05/11/2015

(Contd. of page 2)

Trade name: Futurabond DC Liquid 2

· Breathing equipment: Not required. · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection: Safety glasses

Information on basic physical	and abamical
Information on basic physical General Information	unu chemicui properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Characteristic
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	21 °C (70 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. llowever, formation of explosive air/vapo mixtures are possible.
Density at 20 °C (68 °F):	0.87 g/cm ³ (7.26 lbs/gal)
Solubility in / Miscibility with	
Water:	Fully miscible.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other in formation	No further relevant information available.

10 Stability and reactivity

· Reactivity

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 4)

USA

Printing date 05/11/2015

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

(Contd. of page 3)

1

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin:
- Testing according to ISO 10993-1/10993-10 showed no skin irritation for this product when fully cured
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- The component 64-17-5 Ethanol is listed by IARC as Group 1 but in alcoholic beverages consumption only. This product is not an alcoholic beverage.

64-17-5 ethanol

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1170	
· UN proper shipping name · DOT · ADR	Ethanol, mixture 1170 Ethanol (Ethyl alcohol), mixture	
		(Contd. on pag

Printing date 05/11/2015

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

		(Contd. of page
·IMDG	ETHANOL (ETHYL ALCOHOL), mixture	
IATA	ETHANOL, mixture	
· Transport hazard class(es)		,
DOT		
Class	3 Flammable liquids	
Label	3	
ADR, IMDG, LATA		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, ADR, IMDG, IATA	11	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	33	
EMS Number:	F-E,S-D	
Transport in bulk according to Annex I	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	UN1170, Ethanol (Ethyl alcohol), mixture, 3, 1	,

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

(Conid. on page 6)

(Contd. of page 5)

I (oral)

A3

Safety Data Sheet acc. to OSHA HCS

Printing date 05/11/2015

Reviewed on 05/11/2015

Trade name: Futurabond DC Liquid 2

· Cancerogen	ity cate	oories
Cuncerogen	HAP CHIC	eones

· EPA (Environmental Protection Agency)

Initiator

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms GHS02

- Signal word Danger
- Hazard statements
- Highly flammable liquid and vapor.
- · Precautionary statements
- Wear protective gloves / protective clothing.
- If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

- · Department issuing MSDS: Scientific department
- · Contact: Tel.: +49 (0)4721-719-0
- · Date of preparation / last revision 05/11/2015 / 4
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des morchandises dangereuses par Route (European Agreement concerning the International Carrioge of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Ltq. 2: Flommable liquids, Hazard Category 2