## **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 071837335

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071837012 071837020 071837038 071837046 071837103 071837111 071837129 071837137 071837202 071837210 071837228 071837236 071837244 071837301 071837319 071837327 078322800 078322805 078322808 078322811 078322818 078322821 078322824 078322833 078322836 078322839 078322853 078322856 078322859

## **MATERIAL SAFETY DATA SHEET**

## 1.1 Product Trade Name: SUREFIL<sup>TM</sup> High Density Posterior Composite

1.2 Part (Item) Number:	645000 - 645999	All Packages	

## **ETION I**

1.3 Division Name	: DENTSPLY Caulk
1.4 Address	: 38 W. Clarke Avenue
	: Milford DE 19963-0359
1.5 Emergency Phone Number	: (800) 424-9300 (Chemtrec)
1.6 Phone Number for Information	: (302) 422-4511
1.7 Date Prepared	: 12/11/97

#### SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components	OSHA PEL	ACGIH TLV	
: Urethane modified Bis-GMA dimethacrylate resin	: N.E.	: N.E.	
: Barium boron fluoroalumino silicate glass	: N.E.	: N.E.	
: Silica fume (as Dust)	: 2 mg/m <sup>3</sup>	: 2 mg/m <sup>3</sup>	

#### SECTION III - Physical/Chemical Characteristics

3.1 Boiling point	: N.A.	3.6 Specific Gravity : 2.2 g/cm <sup>3</sup>
3.2 Vapor pressure	: N.A.	3.7 Melting Point : N.E.
3.3 Vapor density	: N.A.	3.8 Evaporation rate: N.A.
3.4 Solubility in water	: Not Soluble	· ·
3.5 Appearance and odd	or: Various shades of viscous paste with	sweet acrylic ester odor.

### SECTION IV - Fire and Explosion Hazard Data

Flash point (method used) Plammability (explosive limits)	: N.A. : N.A.
LEL: N. A. UEL: N. A. 4.3 Extinguishing media	: Water spray, carbon dioxide, foam, dry chemical or Halon.
4.4 Special fire fighting procedures	: Fire fighter should wear full protective clothing including a self contained breathing
4.5 Unusual fire and explosion hazards	apparatus. : During a fire, irritating gasses from the decomposition may be present.

## SECTION V – Reactivity Data

5.1 Stability	: Unstable: Stable: X
5.2 Conditions to avoid (stability)	: Bright visible light on paste. Elevated temperatures greater than 50°C(122°F).
5.3 Incompatibility (materials to avoid)	: Strong oxidizing agents.
5.4 Hazardous decomposition or byproducts	: Irritating gases, CO and CO <sub>2</sub>
5.5 Hazardous polymerization	: May occur: Will not occur: X
5.6 Conditions to avoid (polymerization)	: Elevated temperatures and oxidizing materials. Product is sensitive to visible light.
	Heat greater than 50°C

#### **SECTION VI - Health Hazard Data**

6.1 Route(s) of entry	: Inhalation?: No Skin?: Yes Ingestion?: Possible
6.2 Health hazards (acute and chronic	:) : Avoid contact with eyes. May cause irritation. Eyes: Material can cause irritation. Skin:
	Material may be an irritant. Susceptible persons with known allergies to methacrylates and
	acrylates may develop allergic response. Ingestion: Material is probably not harmful if swallowed.
6.3 Carcinogenicity	: NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing requirements Of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
6.4 Signs and symptoms of exposure 6.5 Medical conditions generally	: Dermal redness or irritation. Severe allergic response may result in breathing difficulties.
aggravated by exposure	:Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylates.
6.6 Emergency first aid procedures	: Eyes: In case of eye contact, flush with flowing water for 15 minutes. Get prompt medical attention. Skin: Wash skin with soap and water. If irritation persists, call physician. Ingestion: If swallowed give 2 glasses of water to drink. See a physician.

, i

#### SECTION VII - Precautions for Safe Handling and Use

7.1 Steps to be taken in case material is released or	spilled: Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons.
7.2 Waste disposal methods	: Dispose of in accordance with Federal, State and Local environmental control regulations.
7.3 Precautions to be taken in handling and storage	: Store away from food and beverages. Store away from extreme heat.
7.4 Other precautions : Observe normal warehouse handling procedures.	
SECTION VIII - Control Measures	
	None required during normal use of this product.
8.2 Vantilation	None required during normal intended use of this product. Local exhaust can be


8.2 Ventilation	: None required during normal intended use of this product. Local exhaust can be
	used to keep vapors below threshold level.
8.3 Protective gloves	: Latex or vinyl gloves.
8.4 Eye protection	: Protective goggles.
8.5 Other protective clothing or equipment	: Chemically resistant apron or other impervious clothing.
8.6 Work/Hygienic practices	: Observe normal care when working with chemicals.

NFPA HAZARD CLASSIFICATIONS			
Health 0			
Flammability 1			
Reactivity 0			
Specific Hazard N. A.			

NFPA - National Fire Protection Association

N.A. - Not Applicable

N.E. - Not Established



#### DENTSPLY/International DENTSPLY/Caulk Safety Data Sheet

#### 1. Identification

1. Inclution			
Product Name	SDS Code Number		
SureFil <sup>®</sup>	545801		
Substance Identity	Date of Last Revision		
SureFil <sup>®</sup> High Density Posterior Composite	05/16/13		
Manufacturer:	Address		
DENTSPLY Caulk	38 West Clarke Avenue		
	Milford DE 19963-1805		
	http://www.caulk.com http://www.dentsply.com		
Grades or Minor Variant Identities Information Telephone Number			
Not Applicable (302) 422-4511 (8:00 AM - 4:30 PM Easter			
Product Use (for Canada) Emergency Telephone Number			
Light Curing Composite/Dental Filling Material(302) 422-4511 (8:00 AM - 4:30 PM Eastern			

#### 2. Hazard(s) Identification



WARNING CAUSES SKIN IRRITATION

Wash hands thoroughly after handling. Wear protective gloves. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get Medical Advice/attention. Take off contaminated clothing and wash before reuse.

#### 3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Barium boron fluoro alumino silicate glass	65997-18-4	$10 \text{ mg/m}^3$	< than 75
Amorphous Fumed Silica	112945-52-5	$10 \text{ mg/m}^3$	< than 5
Urethane modified Bis-GMA dimethacrylate	126646-17-1	Not Established	< than 20
Polymerizable dimethacrylate resin	24448-20-2	Not Established	< than 20

Other Information: Colorants are synthetic inorganic iron oxides.

#### 4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Rinse opened eye for several minutes under running water.	Not Applicable	Not Applicable
	If symptoms persist consult physician		
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable
Inhalation	Not Applicable	Not Applicable	Not Applicable
Ingestion	Not Applicable	Not Applicable	Not Applicable
Mucosa	Rinse tissue for several minutes under running water.	Not Applicable	Not Applicable
	If symptoms persist consult physician		
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.			

#### 5. Fire Fighting Measures

Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity	Flammability Classification: Not Applicable	Other: Not Applicable
(for Solids) Not Applicable	Not Applicable		
Extinguishing Media: CO <sub>2</sub> , extinguishing powder, foam carbon dioxide or water		Extinguishing Media to Avoid: Water with full jet.	
spray. Fight larger fires with water spray or alcohol resistant foam.			
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic, irritating gases is possible from the decomposition of the dimethacrylate resins.			
Product does not present an explosion hazard.			

#### 6. Accidental Release Measures

Containment Techniques: Material is a paste and as such will not flow. Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container.

Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.			
Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable	

#### 7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

#### 8. Exposure Control / Personal Protection



Occupational Exposure L	imits: Not Applicable	
Engineering Controls: No	t Applicable	
Individual Protection	Personal Protective Equipment for Normal Use	Personal Protective Equipment for Emergencies
Measures		
Eye/Face	Safety Glasses	Not Applicable
Skin	The glove material has to be impermeable and	Not Applicable
	resistant to the product.	
Inhalation	Not Required	Not Applicable
Body Protection	Protective work clothing	Not Applicable

#### 9. Physical and Chemical Characteristics

Appearance: Various shades of viscous paste.		Odor: Characteristic sweet acrylic ester odor.	
Normal Physical State: Very High Viscosity Liquid (Paste)		Melting Point: Not Applicable	
Specific Gravity: 2.2 g/cm <sup>3</sup>	Solubility in Water: Not soluble	pH: Not Applicable	
Vapor Pressure (mm Hg): Not Applicable	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1): Not Applicable	
Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable,	
	LEL: Not Applicable UEL: Not Applicable	Product will not autoignite.	
Other: Not Applicable			

#### 10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Strong Oxidizing materials.		
Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use.		
Hazardous Polymerization: May Occur May Not Occur	Conditions to Avoid: None known	
Stability? Stable Unstable	Conditions to Avoid: None known	

#### **11.Toxicological Information**

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product is an irritant to the skin and mucous membranes. The unpolymerized product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: Repeated or prolonged contact with the unpolymerized material may cause sensitization for persons allergic to acrylates and methacrylates. This product shows the following dangers according to internally approved calculation methods for composite materials: Irritant. Emergency Overview Material is irritating to eyes, respiratory system and skin. Severity (Mild, Acute and Chronic Health Effect(s) Target Organ(s) Routes of Single, Repeated, or Signs and Symptoms Exposure Lifetime Exposure Moderate, Severe) Not Applicable Eye Material can cause Single Moderate Irritation and possible corneal damage irritation. Single & Repeated Skin Material may be an Moderate Irritation or possible allergic response. Not Applicable Severe allergic response may result in irritant breathing difficulties. Not Applicable Inhalation Not Applicable Not Applicable Not Applicable Not Applicable Ingestion Material is not harmful if Not Applicable Not Applicable Not Applicable Mild swallowed using clinically relevant quantities Mucosa Material can cause Single Mild Inflammation of the mucosa Not Applicable irritation. Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products. Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in compliance with the inventory listing Requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. Potential Environmental Effects Do not allow to enter sewers/ surface or ground water NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 0, Reactivity = 0

#### **12.Ecological Information**

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-

assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

#### **13.Disposal Considerations**

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

#### **14.Transport Information**

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment	DOT Hazard Class: Not Applicable	UN Number: Not Applicable
method change product classification? No		

#### **15.Regulatory Information**

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations. U.S. Federal Regulations: <u>CERCLA 103 Reportable Quantity</u>: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

International Regulations: Canadian Environmental Protection Act:

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

#### **16.Other Information**

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.